



Safety Data Sheet

Classified according to WHMIS 2015

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: ICP-MS Calibration Standard 1, Method 200.8 (91)

Product Number: RMSCAL1A

Other Identifying Product Numbers: RMSCAL1A-100

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet

Precautionary Statements:

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water.).
P321	Specific treatment (Wash areas of contact with water.).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	95.09
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	4.87
Aluminum Nitrate Nonahydrate	Al(NO ₃) ₃ ·9H ₂ O	375.13 g/mol	7784-27-2	< 0.1
Chromium Nitrate Nonahydrate	Cr(NO ₃) ₃ ·9H ₂ O	238.01 g/mol	7789-02-8	< 0.1
Thorium Nitrate	Th(NO ₃) ₄	712.09 g/mol	13823-29-5	< 0.1
Tartaric Acid	HOOC(CHOH) ₂ COOH	150.08 g/mol	87-69-4	< 0.1
Uranium Oxide	UO ₃	286.02 g/mol	1344-58-7	< 0.1
Selenium	Se	78.95 g/mol	7782-49-2	< 0.1
Hydrochloric Acid	HCl	36.46 g/mol	7647-01-0	< 0.1
Zinc	Zn	65.40 g/mol	7440-66-6	< 0.1
Vanadium	V	50.94 g/mol	7440-62-2	< 0.1
Copper	Cu	63.54 g/mol	7440-50-8	< 0.1
Cobalt	Co	58.93 g/mol	7440-48-4	< 0.1
Cadmium	Cd	112.41 g/mol	7440-43-9	< 0.1
Beryllium	Be	9.01 g/mol	7440-41-7	< 0.1
Arsenic	As	74.92 g/mol	7440-38-2	< 0.1
Antimony	Sb	121.76 g/mol	7440-36-0	< 0.1
Thallium	Tl	204.38 g/mol	7440-28-0	< 0.1
Nickel	Ni	58.69 g/mol	7440-02-0	< 0.1
Molybdenum	Mo	95.95 g/mol	7439-98-7	< 0.1
Manganese	Mn	54.93 g/mol	7439-96-5	< 0.1
Lead	Pb	207.2 g/mol	7439-92-1	< 0.1
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	< 0.1

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Safety Data Sheet

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Contains low levels of known and suspected carcinogens. Corrosive Liquid. May be fatal if swallowed. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor. If swallowed, do not induce vomiting. Dilute with water and call a physician. Wash areas of contact with plenty of water. Potential symptoms of overexposure are irritation of the eyes, mucous membranes and skin, dental erosion, bronchitis, pneumonitis, delayed pulmonary edema. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Specific treatment (Wash areas of contact with water.). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Immediately flush with plenty of water for at least 15 minutes. Remove any contaminated clothing. Wash with soap and water, then flush again with water. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.



Safety Data Sheet

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Uranium Oxide (1344-58-7)	TLV-STEL	USA	"0.6 mg/m ³ STEL (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Uranium Oxide (1344-58-7)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Uranium Oxide (1344-58-7)	TWA	USA	"0.25 mg/m ³ TWA (as U)" As Uranium, insoluble compounds [RR-00045-3]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Uranium Oxide (1344-58-7)	TLV-STEL	USA	"0.6 mg/m ³ STEL (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Uranium Oxide (1344-58-7)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Uranium Oxide (1344-58-7)	TWA	USA	0.25 mg/m ³ TWA (as U)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Uranium Oxide (1344-58-7)	TLV-TWA	USA	0.2 mg/m ³ TWA (as U)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Uranium Oxide (1344-58-7)	TLV-STEL	USA	0.6 mg/m ³ STEL (as U)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Lead (7439-92-1)	PEL	USA	30 µg/m ³ Action Level (See 29 CFR 1910.1025); 50 µg/m ³ TWA	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TWA	USA	50 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Safety Data Sheet

Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m ³ TWA (respirable particulate matter); 0.1 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Manganese (7439-96-5)	PEL-Ceiling	USA	5 mg/m ³ Ceiling (fume)	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m ³ TWA (respirable particulate matter, as Mn); 0.1 mg/m ³ TWA (inhalable particulate matter, as Mn)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Molybdenum (7439-98-7)	TWA	USA	"15 mg/m ³ TWA (total dust)" As Molybdenum, insoluble compounds [RR-00037-3]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Molybdenum (7439-98-7)	TLV-TWA	USA	10 mg/m ³ TWA (inhalable particulate matter); 3 mg/m ³ TWA (respirable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Molybdenum (7439-98-7)	TLV-TWA	USA	10 mg/m ³ TWA (inhalable particulate matter, as Mo); 3 mg/m ³ TWA (respirable particulate matter, as Mo)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Molybdenum (7439-98-7)	TWA	USA	15 mg/m ³ TWA (total dust)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	1.5 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	1 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	0.02 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TWA	USA	0.5 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	0.5 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs

Safety Data Sheet

Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Safety Data Sheet

Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TLV-TWA	USA	0.01 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs

Safety Data Sheet

Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	TLV-TWA	USA	"0.00005 mg/m ³ TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	TWA	USA	"0.2 µg/m ³ TWA (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	PEL-Ceiling	USA	"2 µg/m ³ Ceiling (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	TLV-TWA	USA	"0.00005 mg/m ³ TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	TWA	USA	"0.2 µg/m ³ TWA (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	PEL-Ceiling	USA	"2 µg/m ³ Ceiling (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	PEL	USA	0.2 µg/m ³ TWA (See 29 CFR 1910.1024); 0.1 µg/m ³ Action Level; 2.0 µg/m ³ STEL (15 min)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Beryllium (7440-41-7)	PEL-STEL	USA	2 µg/m ³ STEL (see 29 CFR 1910.1024)	U.S. - OSHA - Final PELs - Short Term Exposure Limits
Beryllium (7440-41-7)	TLV-TWA	USA	0.00005 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	PEL-Ceiling	USA	2 µg/m ³ Ceiling	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	TWA	USA	0.2 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Safety Data Sheet

Beryllium (7440-41-7)	PEL-Ceiling	USA	"2 µg/m ³ Ceiling (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	TWA	USA	"0.2 µg/m ³ TWA (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	TLV-TWA	USA	"0.00005 mg/m ³ TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs

Safety Data Sheet

Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	5 µg/m ³ TWA (See 29 CFR 1910.1027); 2.5 µg/m ³ Action Level	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m ³ TWA; 0.002 mg/m ³ TWA (respirable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Cadmium (7440-43-9)	PEL-Ceiling	USA	0.3 mg/m ³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, fume); 0.6 mg/m ³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, dust)	U.S. - OSHA - Final PELs - Ceiling Limits
Cadmium (7440-43-9)	TWA	USA	5 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cobalt (7440-48-4)	TWA	USA	0.1 mg/m ³ TWA (dust and fume)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m ³ TWA (inhalable particulate matter, as Co)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Copper (7440-50-8)	TWA	USA	0.1 mg/m ³ TWA (fume); 1 mg/m ³ TWA (dust and mist)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	0.2 mg/m ³ TWA (fume)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m ³ TWA (dust and mist, as Cu)" As Copper compounds [RR-00595-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m ³ TWA (dust and mist, as Cu)" As Copper compounds [RR-00595-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Vanadium (7440-62-2)	PEL-Ceiling	USA	0.5 mg/m ³ Ceiling (respirable dust, as V2O5); 0.1 mg/m ³ Ceiling (fume, as V2O5)	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	2 ppm Ceiling	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	5 ppm Ceiling; 7 mg/m ³ Ceiling	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrofluoric Acid (7664-39-3)	TWA	USA	"2.5 mg/m ³ TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"2.5 mg/m ³ TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m ³ TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m ³ TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Safety Data Sheet

Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Safety Data Sheet

Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Chromium Nitrate Nonahydrate (7789-1 TWA)		USA	"0.5 mg/m ³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-1 TWA)		USA	"0.5 mg/m ³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-1 TWA)		USA	0.5 mg/m ³ TWA (as Cr)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-1 TWA)		USA	"0.5 mg/m ³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-1 TWA)		USA	"0.5 mg/m ³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.



Safety Data Sheet

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Acidic

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.03

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders.

10.4. Hazardous Decomposition Products

Will not occur.

Safety Data Sheet

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Safety Data Sheet

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.
Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid, Hydrofluoric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



Safety Data Sheet

14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid, Hydrofluoric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, hydrofluoric acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead (CAS # 7439-92-1): 30 µg/m³ Action Level (See 29 CFR 1910.1025); 50 µg/m³ TWA (See 29 CFR 1910.1025)

Arsenic (CAS # 7440-38-2): "10 µg/m³ TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 µg/m³ Action Level (See 29 CFR 1910.1018, except Arsine, as As)" As Inorganic arsenic compounds [RR-00065-7]

Beryllium (CAS # 7440-41-7): 0.2 µg/m³ TWA (See 29 CFR 1910.1024); 0.1 µg/m³ Action Level (See 29 CFR 1910.1024); 2.0 µg/m³ STEL (See 29 CFR 1910.1024, 15 min)

Cadmium (CAS # 7440-43-9): "5 µg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 5 µg/m³ TWA (See 29 CFR 1910.1027); 2.5 µg/m³ Action Level

Safety Data Sheet

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrochloric Acid (CAS # 7647-01-0): 500 lb TPQ (gas only)

Hydrochloric Acid (CAS # 7647-01-0): 5000 lb EPCRA RQ (gas only)

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)

Nickel (CAS # 7440-02-0): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)

Thallium (CAS # 7440-28-0): 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)

Antimony (CAS # 7440-36-0): 10 lb final RQ; 4.54 kg final RQ

Antimony (CAS # 7440-36-0): 5000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 2270 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)

Arsenic (CAS # 7440-38-2): 1 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 0.454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)

Arsenic (CAS # 7440-38-2): 1 lb final RQ; 0.454 kg final RQ

Beryllium (CAS # 7440-41-7): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 4.54 kg final RQ (no reporting of re

Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Thorium Nitrate (CAS # 13823-29-5): "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Thorium Nitrate (CAS # 13823-29-5): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Lead (CAS # 7439-92-1): 0.1 % Supplier notification limit; 0.1 % de minimis concentration (when contained in stainless steel, brass, or bronze)

Lead (CAS # 7439-92-1): 100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy)

Manganese (CAS # 7439-96-5): "1.0 % de minimis concentration (includes any unique chemical substance that contains Manganese as part of that chemical's infrastructure, listed under Chemical Category N450)" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): 1.0 % de minimis concentration

Nickel (CAS # 7440-02-0): "0.1 % de minimis concentration (includes any unique chemical substance that contains Nickel as part of that chemical's infrastructure, listed under Chemical Category N495)" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): 0.1 % de minimis concentration

Thallium (CAS # 7440-28-0): "1.0 % de minimis concentration (includes any unique chemical substance that contains Thallium as part of that chemical's infrastructure, listed under Chemical Category N760)" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): 1.0 % de minimis concentration

Antimony (CAS # 7440-36-0): "1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of that chemical's infrastructure, listed under Chemical Category N010)" As Antimony compounds [RR-00585-6]

Antimony (CAS # 7440-36-0): 1.0 % de minimis concentration

Arsenic (CAS # 7440-38-2): "0.1 % de minimis concentration (includes any unique chemical substance that contains Arsenic as part of that chemical's infrastructure, listed under

15.5. Massachusetts Right-to-Know Substance List

Thorium Nitrate (CAS # 13823-29-5): Present

Lead (CAS # 7439-92-1): Teratogen

Manganese (CAS # 7439-96-5): Present

Molybdenum (CAS # 7439-98-7): Present

Nickel (CAS # 7440-02-0): Carcinogen; Extraordinarily hazardous

Thallium (CAS # 7440-28-0): Present

Antimony (CAS # 7440-36-0): Present

Arsenic (CAS # 7440-38-2): Carcinogen; Extraordinarily hazardous

Beryllium (CAS # 7440-41-7): Carcinogen; Extraordinarily hazardous

Cadmium (CAS # 7440-43-9): Carcinogen; Extraordinarily hazardous

Cobalt (CAS # 7440-48-4): Present

Copper (CAS # 7440-50-8): Present

Vanadium (CAS # 7440-62-2): Present (dust and fume)

Zinc (CAS # 7440-66-6): Present

Hydrochloric Acid (CAS # 7647-01-0): Extraordinarily hazardous

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Selenium (CAS # 7782-49-2): Present

Safety Data Sheet

15.6. Pennsylvania Right-to-Know Hazardous Substances

Thorium Nitrate (CAS # 13823-29-5): Present

Lead (CAS # 7439-92-1): Environmental hazard

Lead (CAS # 7439-92-1): Present

Manganese (CAS # 7439-96-5): "Environmental hazard" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): "Present" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): Environmental hazard

Manganese (CAS # 7439-96-5): Present

Molybdenum (CAS # 7439-98-7): Present

Nickel (CAS # 7440-02-0): "Environmental hazard" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "Present" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): Environmental hazard

Nickel (CAS # 7440-02-0): Environmental hazard; Special hazardous substance

Nickel (CAS # 7440-02-0): Present

Thallium (CAS # 7440-28-0): "Environmental hazard" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): "Present" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): Environmental hazard

Thallium (CAS # 7440-28-0): Present

Antimony (CAS # 7440-36-0): "Environmental hazard" As Antimony compounds [RR-00585-6]

Antimony (CAS # 7440-36-0): "Present" As Antimony compounds [RR-00585-6]

Antimony (CAS # 7440-36-0): Environmental hazard

Antimony (CAS # 7440-36-0): Present

Arsenic (CAS # 7440-38-2): "Environmental hazard" As Arsenic compounds [RR-00625-7]

Arsenic (CAS # 7440-38-2): "Present" As Arsenic compounds [RR-00625-7]

Arsenic (CAS # 7440-38-2): Environmental hazard (including inorganic); Special hazardous substance

Arsenic (CAS # 7440-38-2): Present

Arsenic (CAS # 7440-38-2): Present (including inorganic)

Beryllium (CAS # 7440-41-7): "Environmental hazard" As Beryllium compounds [RR-00557-2]

Beryllium (CAS # 7440-41-7): "Present" As Beryllium compounds [RR-00557-2]

Beryllium (CAS # 7440-41-7): Environmental hazard (dust; metal); Special hazardous substance

Beryllium (CAS # 7440-41-7): Present

Beryllium (CAS # 7440-41-7): Present (dust; metal)

Cadmium (CAS # 7440-43-9): "Environmental hazard" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-4)

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

- Thorium Nitrate (CAS # 13823-29-5): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]
- Thorium Nitrate (CAS # 13823-29-5): "sn 3722" As Nitrate compounds [RR-01770-9]
- Thorium Nitrate (CAS # 13823-29-5): sn 1857
- Thorium Nitrate (CAS # 13823-29-5): sn 3722
- Thorium Nitrate (CAS # 13823-29-5): SN 3722 500 lb TPQ (water dissociable, Category Code N511)
- Lead (CAS # 7439-92-1): carcinogen; teratogen
- Lead (CAS # 7439-92-1): sn 1096
- Lead (CAS # 7439-92-1): SN 1096 500 lb TPQ
- Manganese (CAS # 7439-96-5): "SN 2324 500 lb TPQ (Category Code N450. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Manganese compounds [RR-00602-0]
- Manganese (CAS # 7439-96-5): "sn 2324" As Manganese compounds [RR-00602-0]
- Manganese (CAS # 7439-96-5): flammable - third degree
- Manganese (CAS # 7439-96-5): sn 1155
- Manganese (CAS # 7439-96-5): SN 1155 500 lb TPQ
- Molybdenum (CAS # 7439-98-7): sn 1309
- Nickel (CAS # 7440-02-0): "carcinogen" As Nickel compounds [RR-00800-4]
- Nickel (CAS # 7440-02-0): "SN 2366 500 lb TPQ (Category Code N495. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Nickel compounds [RR-00800-4]
- Nickel (CAS # 7440-02-0): "sn 2366" As Nickel compounds [RR-00800-4]
- Nickel (CAS # 7440-02-0): carcinogen
- Nickel (CAS # 7440-02-0): sn 1341
- Nickel (CAS # 7440-02-0): SN 1341 500 lb TPQ
- Thallium (CAS # 7440-28-0): "SN 2809 500 lb TPQ (Category Code N760. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Thallium compounds [RR-00575-4]
- Thallium (CAS # 7440-28-0): "sn 2809" As Thallium compounds [RR-00575-4]
- Thallium (CAS # 7440-28-0): flammable - third degree
- Thallium (CAS # 7440-28-0): sn 1840
- Thallium (CAS # 7440-28-0): SN 1840 500 lb TPQ
- Antimony (CAS # 7440-36-0): "SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named metal a

Safety Data Sheet

15.8. California Proposition 65

Lead (CAS # 7439-92-1): 15 µg/day NSRL (oral)

Lead (CAS # 7439-92-1): carcinogen, 10/1/1992

Lead (CAS # 7439-92-1): developmental toxicity, 2/27/1987

Lead (CAS # 7439-92-1): female reproductive toxicity 2/27/87

Lead (CAS # 7439-92-1): male reproductive toxicity, 2/27/87

Nickel (CAS # 7440-02-0): "carcinogen, 5/7/2004" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): carcinogen, 10/1/1989 (metallic)

Arsenic (CAS # 7440-38-2): "0.06 µg/day NSRL (inhalation, listed under Arsenic); 10 µg/day NSRL (except inhalation, listed under Arsenic)" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic (CAS # 7440-38-2): "carcinogen, 2/27/1987" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic (CAS # 7440-38-2): 0.06 µg/day NSRL (inhalation); 10 µg/day NSRL (except inhalation)

Beryllium (CAS # 7440-41-7): "carcinogen, 10/1/1987" As Beryllium compounds [RR-00557-2]

Beryllium (CAS # 7440-41-7): 0.1 µg/day NSRL

Beryllium (CAS # 7440-41-7): carcinogen, 10/1/1987

Cadmium (CAS # 7440-43-9): "carcinogen, 10/1/1987" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 0.05 µg/day NSRL (inhalation)

Cadmium (CAS # 7440-43-9): carcinogen, 10/1/1987

Cadmium (CAS # 7440-43-9): developmental toxicity, 5/1/1997

Cadmium (CAS # 7440-43-9): male reproductive toxicity, 5/1/97

Cobalt (CAS # 7440-48-4): carcinogen, 7/1/1992 (powder)

Safety Data Sheet

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Uranium Oxide (CAS # 1344-58-7): Present (DSL)
Thorium Nitrate (CAS # 13823-29-5): Present (DSL)
Lead (CAS # 7439-92-1): Present (DSL)
Manganese (CAS # 7439-96-5): Present (DSL)
Molybdenum (CAS # 7439-98-7): Present (DSL)
Nickel (CAS # 7440-02-0): Present (DSL)
Thallium (CAS # 7440-28-0): Present (DSL)
Antimony (CAS # 7440-36-0): Present (DSL)
Arsenic (CAS # 7440-38-2): Present (DSL)
Beryllium (CAS # 7440-41-7): Present (DSL)
Cadmium (CAS # 7440-43-9): Present (DSL)
Cobalt (CAS # 7440-48-4): Present (DSL)
Copper (CAS # 7440-50-8): Present (DSL)
Vanadium (CAS # 7440-62-2): Present (DSL)
Zinc (CAS # 7440-66-6): Present (DSL)
Hydrochloric Acid (CAS # 7647-01-0): Present (DSL)
Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)
Nitric Acid (CAS # 7697-37-2): Present (DSL)
Water (CAS # 7732-18-5): Present (DSL)
Selenium (CAS # 7782-49-2): Present (DSL)
Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (DSL)
Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (DSL)
Tartaric Acid (CAS # 87-69-4): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Safety Data Sheet

Uranium Oxide (CAS # 1344-58-7): Present (ACTIVE)
Thorium Nitrate (CAS # 13823-29-5): Present (ACTIVE)
Lead (CAS # 7439-92-1): Present (ACTIVE)
Manganese (CAS # 7439-96-5): Present (ACTIVE)
Molybdenum (CAS # 7439-98-7): Present (ACTIVE)
Nickel (CAS # 7440-02-0): Present (ACTIVE)
Thallium (CAS # 7440-28-0): Present (ACTIVE)
Antimony (CAS # 7440-36-0): Present (ACTIVE)
Arsenic (CAS # 7440-38-2): Present (ACTIVE)
Beryllium (CAS # 7440-41-7): Present (ACTIVE)
Cadmium (CAS # 7440-43-9): Present (ACTIVE)
Cobalt (CAS # 7440-48-4): Present (ACTIVE)
Copper (CAS # 7440-50-8): Present (ACTIVE)
Vanadium (CAS # 7440-62-2): Present (ACTIVE)
Zinc (CAS # 7440-66-6): Present (ACTIVE)
Hydrochloric Acid (CAS # 7647-01-0): Present (ACTIVE)
Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)
Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)
Water (CAS # 7732-18-5): Present (ACTIVE)
Selenium (CAS # 7782-49-2): Present (ACTIVE)
Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (ACTIVE)
Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (ACTIVE)
Tartaric Acid (CAS # 87-69-4): Present (ACTIVE)

Safety Data Sheet

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Uranium Oxide (CAS # 1344-58-7): 215-701-9
Thorium Nitrate (CAS # 13823-29-5): 237-514-1
Lead (CAS # 7439-92-1): 231-100-4
Manganese (CAS # 7439-96-5): 231-105-1
Molybdenum (CAS # 7439-98-7): 231-107-2
Nickel (CAS # 7440-02-0): 231-111-4
Thallium (CAS # 7440-28-0): 231-138-1
Antimony (CAS # 7440-36-0): 231-146-5
Arsenic (CAS # 7440-38-2): 231-148-6
Beryllium (CAS # 7440-41-7): 231-150-7
Cadmium (CAS # 7440-43-9): 231-152-8
Cobalt (CAS # 7440-48-4): 231-158-0
Copper (CAS # 7440-50-8): 231-159-6
Vanadium (CAS # 7440-62-2): 231-171-1
Zinc (CAS # 7440-66-6): 231-175-3
Hydrochloric Acid (CAS # 7647-01-0): 231-595-7
Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8
Nitric Acid (CAS # 7697-37-2): 231-714-2
Water (CAS # 7732-18-5): 231-791-2
Selenium (CAS # 7782-49-2): 231-957-4
Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): 236-751-8
Chromium Nitrate Nonahydrate (CAS # 7789-02-8): 236-921-1
Tartaric Acid (CAS # 87-69-4): 201-766-0

Safety Data Sheet

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-09-11

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.