Classified according to WHMIS 2015

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Mixed ICP Standard, Low Trace

Product Number: PMX006N

Other Identifying Product Numbers: PMX006N-500

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

Product Number: PMX006N Page 1 of 21



Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

2.2. GHS Label Elements

Pictograms:







Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Product Number: PMX006N Page 2 of 21

Precautionary Statements:

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water.).
P321	Specific treatment (Wash areas of contact with water.).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: PMX006N Page 3 of 21



Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	95.00
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	5.00
Chromium Nitrate Nonahydrate	Cr(NO₃)₃·9H₂O	238.01 g/mol	7789-02-8	< 0.1
Selenium	Se	78.95 g/mol	7782-49-2	< 0.1
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	< 0.1
Vanadium	V	50.94 g/mol	7440-62-2	< 0.1
Tin	Sn	118.71 g/mol	7440-31-5	< 0.1
Nickel	Ni	58.69 g/mol	7440-02-0	< 0.1
Molybdenum	Мо	95.95 g/mol	7439-98-7	< 0.1
Ammonium Hexafluorosilicate (IV)	$(NH_4)_2SiF_6$	178.15 g/mol	16919-19-0	< 0.1
Boric Acid	H ₃ BO ₃	61.83 g/mol	10043-35-3	< 0.1

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness

and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a

physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Corrosive Liquid. Contains a trace amounts of a known carcinogen. May be fatal if swallowed. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor. If swallowed, do not induce vomiting. Dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Product Number: PMX006N Page 4 of 21

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Specific treatment (Wash areas of contact with water.). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas. May react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, hydrogen sulfide, etc.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: PMX006N Page 5 of 21



Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Boric Acid (10043-35-3)	TLV-TWA	USA	2 mg/m³ TWA (inhalable particulate matter, listed under Borate compounds, inorganic)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Boric Acid (10043-35-3)	TLV-STEL	USA	6 mg/m³ STEL (inhalable particulate matter, listed under Borate compounds, inorganic)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Boric Acid (10043-35-3)	TLV-TWA	USA	"2 mg/m³ TWA (inhalable particulate matter)" As Borate compounds, inorganic [RR-33876-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Boric Acid (10043-35-3)	TLV-STEL	USA	"6 mg/m³ STEL (inhalable particulate matter)" As Borate compounds, inorganic [RR-33876-1]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Boric Acid (10043-35-3)	TLV-TWA	USA	2 mg/m³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Boric Acid (10043-35-3)	TLV-STEL	USA	6 mg/m³ STEL (inhalable particulate matter)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorosilicate (IV) (169 TWA	USA	"2.5 mg/m³ TWA (as F)" As Fluorides [RR-02792-9]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TWA	USA	"2.5 mg/m³ TWA (as F)" As Fluorides [RR-02792-9]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorosilicate (IV) (169 TWA	USA	"2.5 mg/m³ TWA (as F)" As Fluorides [RR-02792-9]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: PMX006N Page 6 of 21



Safety Data Sheet

	N / 4 00 THA			
Ammonium Hexafluorosilicate (I	V) (169 TWA	USA	"2.5 mg/m³ TWA (as F)" As	U.S OSHA - Final PELs - Time
Annual district (NO /400 TI V/ TAVA			Fluorides [RR-02792-9]	Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA		USA	2.5 mg/m ³ TWA (as F)	ACGIH - Threshold Limit Values - Time
	10 // 05 TIMA		0.5 (0.5)	Weighted Averages (TLV-TWA)
Ammonium Hexafluorosilicate (I	V) (169 TWA	USA	2.5 mg/m ³ TWA (as F)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (I	V) (169TWA	USA	"2.5 mg/m³ TWA (as F)" As	U.S OSHA - Final PELs - Time
			Fluorides [RR-02792-9]	Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (I	V) (169 TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Fluorides [RR-02792-9]	Weighted Averages (TLV-TWA)
Molybdenum (7439-98-7)	TWA	USA	"15 mg/m3 TWA (total dust)"	U.S OSHA - Final PELs - Time
			As Molybdenum, insoluble	Weighted Averages (TWAs)
			compounds [RR-00037-3]	
Molybdenum (7439-98-7)	TLV-TWA	USA	10 mg/m ³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter); 3 mg/m ³	Weighted Averages (TLV-TWA)
			TWA (respirable particulate	
			matter)	
Molybdenum (7439-98-7)	TLV-TWA	USA	10 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter, as Mo); 3	Weighted Averages (TLV-TWA)
			mg/m³ TWA (respirable	
			particulate matter, as Mo)	
Molybdenum (7439-98-7)	TWA	USA	15 mg/m ³ TWA (total dust)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	1.5 mg/m3 TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	1 mg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Tin (7440-31-5)	TLV-TWA	USA	"2 mg/m³ TWA (excluding	ACGIH - Threshold Limit Values - Time
			tin hydride and indium tin	Weighted Averages (TLV-TWA)
			oxide, inhalable particulate	
			matter, as Sn)" As Tin	
			inorganic compounds	
			[RR-00043-1]	
Tin (7440-31-5)	TWA	USA	"2 mg/m³ TWA (except	U.S OSHA - Final PELs - Time
			oxides, as Sn)" As Tin,	Weighted Averages (TWAs)
			inorganic compounds	
			[RR-00043-1]	
Tin (7440-31-5)	TWA	USA	"2 mg/m³ TWA (except	U.S OSHA - Final PELs - Time
•			oxides, as Sn)" As Tin,	Weighted Averages (TWAs)
			inorganic compounds	, ,
			[RR-00043-1]	

Product Number: PMX006N Page **7** of **21**



Safety Data Sheet

Tin (7440-31-5)	TLV-TWA	USA	2 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Tin (7440-31-5)	TLV-TWA	USA	2 mg/m³ TWA (excluding tin	ACGIH - Threshold Limit Values - Time
			hydride and indium tin	Weighted Averages (TLV-TWA)
			oxide, inhalable particulate	
			matter, as Sn)	
Tin (7440-31-5)	TWA	USA	2 mg/m³ TWA (except	U.S OSHA - Final PELs - Time
			oxides, as Sn)	Weighted Averages (TWAs)
Tin (7440-31-5)	TWA	USA	"2 mg/m3 TWA (except	U.S OSHA - Final PELs - Time
			oxides, as Sn)" As Tin,	Weighted Averages (TWAs)
			inorganic compounds	
			[RR-00043-1]	
Tin (7440-31-5)	TLV-TWA	USA	"2 mg/m³ TWA (excluding	ACGIH - Threshold Limit Values - Time
			tin hydride and indium tin	Weighted Averages (TLV-TWA)
			oxide, inhalable particulate	
			matter, as Sn)" As Tin	
			inorganic compounds	
			[RR-00043-1]	
Vanadium (7440-62-2)	PEL-Ceiling	USA	0.5 mg/m³ Ceiling	U.S OSHA - Final PELs - Ceiling
			(respirable dust, as V2O5);	Limits
			0.1 mg/m³ Ceiling (fume, as	
			V2O5)	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"2.5 mg/m³ TWA (as F)" As	U.S OSHA - Final PELs - Time
			Fluorides [RR-02792-9]	Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Fluorides [RR-02792-9]	Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values -
				Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m ³ TWA (as F)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m ³ TWA (as F)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m ³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

Product Number: PMX006N Page 8 of 21



Safety Data Sheet

Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: PMX006N Page 9 of 21



Safety Data Sheet

TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
		As Selenium compounds	Weighted Averages (TWAs)
		[RR-00612-2]	
TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
		As Selenium compounds	Weighted Averages (TLV-TWA)
		[RR-00612-2]	
7789-(TWA	USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
		Chromium(III) compounds	Weighted Averages (TWAs)
		[RR-03889-1]	
7789-(TWA	USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
		Chromium(III) compounds	Weighted Averages (TWAs)
		[RR-03889-1]	
7789-(TWA	USA	0.5 mg/m³ TWA (as Cr)	U.S OSHA - Final PELs - Time
			Weighted Averages (TWAs)
7789-(TWA	USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
		Chromium(III) compounds	Weighted Averages (TWAs)
		[RR-03889-1]	
7789-(TWA	USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
		Chromium(III) compounds	Weighted Averages (TWAs)
		[RR-03889-1]	- · · · · ·
	TLV-TWA 7789-(TWA 7789-(TWA 7789-(TWA	TLV-TWA USA 7789-(TWA USA 7789-(TWA USA 7789-(TWA USA 7789-(TWA USA	As Selenium compounds [RR-00612-2] TLV-TWA USA "0.2 mg/m³ TWA (as Se)" As Selenium compounds [RR-00612-2] 7789-(TWA USA "0.5 mg/m³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1] 7789-(TWA USA "0.5 mg/m³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1] 7789-(TWA USA "0.5 mg/m³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1] 7789-(TWA USA "0.5 mg/m³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1] 7789-(TWA USA "0.5 mg/m³ TWA (as Cr)" As Chromium(III) compounds

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is

adequate.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

Product Number: PMX006N Page 10 of 21

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: acidic

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.04

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders, Carbides, Hydrogen Sulfide, Turpentine and combustible organics.

10.4. Hazardous Decomposition Products

Will not occur.

Product Number: PMX006N Page 11 of 21

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value. Nickel is investigated as a tumorigen.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Product Number: PMX006N Page 12 of 21

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: PMX006N Page 13 of 21



SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):

CORROSIVE 8

14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: PMX006N Page 14 of 21

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): 1000 lb final RQ; 454 kg final RQ

Nickel (CAS # 7440-02-0): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$)

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb final RQ; 45.4 kg final RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

Selenium (CAS # 7782-49-2): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)

Product Number: PMX006N Page 15 of 21



Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): "1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)

Nickel (CAS # 7440-02-0): "0.1 % de minimis concentration (includes any unique chemical substance that contains Nickel as part of that chemical's infrastructure, listed under Chemical Category N495)" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): 0.1 % de minimis concentration

Vanadium (CAS # 7440-62-2): 1.0 % de minimis concentration (except when contained in an alloy)

Hydrofluoric Acid (CAS # 7664-39-3): 1.0 % de minimis concentration

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

Selenium (CAS # 7782-49-2): "1.0 % de minimis concentration (includes any unique chemical substance that contains Selenium as part of that chemical's infrastructure, listed under Chemical Category N725)" As Selenium compounds [RR-00612-2]

Selenium (CAS # 7782-49-2): 1.0 % de minimis concentration

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Chromium as part of that chemical's infrastructure except for Chromite ore mined in the Transvaal Region of South Africa and the unreacted ore component of the Chromite ore processing residue (COPR), no de minimis concentration has been assigned to this chemical category, listed under Chemical Category N090)" As Chromium(III) compounds [RR-03889-1]

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0];

"1.0 % de minimis concentration (includes any unique chemical substance that contains Chromium as pa

15.5. Massachusetts Right-to-Know Substance List

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present

Molybdenum (CAS # 7439-98-7): Present

Nickel (CAS # 7440-02-0): Carcinogen; Extraordinarily hazardous

Tin (CAS # 7440-31-5): Present

Vanadium (CAS # 7440-62-2): Present (dust and fume)

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Selenium (CAS # 7782-49-2): Present

Product Number: PMX006N Page 16 of 21

Safety Data Sheet

15.6. Pennsylvania Right-to-Know Hazardous Substances

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Environmental hazard

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present

Molybdenum (CAS # 7439-98-7): Present

Nickel (CAS # 7440-02-0): "Environmental hazard" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "Present" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): Environmental hazard

Nickel (CAS # 7440-02-0): Environmental hazard; Special hazardous substance

Nickel (CAS # 7440-02-0): Present Tin (CAS # 7440-31-5): Present

Vanadium (CAS # 7440-62-2): Environmental hazard (dust; fume)

Vanadium (CAS # 7440-62-2): Present (dust; fume)

Hydrofluoric Acid (CAS # 7664-39-3): Environmental hazard

Hydrofluoric Acid (CAS # 7664-39-3): Present

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Selenium (CAS # 7782-49-2): "Environmental hazard" As Selenium compounds [RR-00612-2]

Selenium (CAS # 7782-49-2): "Present" As Selenium compounds [RR-00612-2]

Selenium (CAS # 7782-49-2): Environmental hazard

Selenium (CAS # 7782-49-2): Present

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Environmental hazard" As Chromium compounds [RR-00634-8]

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Present" As Chromium compounds [RR-00634-8]

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Environmental hazard

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present

Product Number: PMX006N Page 17 of 21



Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Boric Acid (CAS # 10043-35-3): "sn 0241" As Borate compounds, inorganic [RR-33876-1]

Boric Acid (CAS # 10043-35-3): sn 0241

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): "sn 0936" As Fluorides [RR-02792-9]

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): sn 0101

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): sn 0936

Molybdenum (CAS # 7439-98-7): sn 1309

Nickel (CAS # 7440-02-0): "carcinogen" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "SN 2366 500 lb TPQ (Category Code N495. Includes any unique chemical substance that contains the named metal as

part of that chemical structure)" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "sn 2366" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): carcinogen

Nickel (CAS # 7440-02-0): sn 1341

Nickel (CAS # 7440-02-0): SN 1341 500 lb TPQ

Tin (CAS # 7440-31-5): flammable - third degree

Tin (CAS # 7440-31-5): sn 1858

Vanadium (CAS # 7440-62-2): sn 3762

Vanadium (CAS # 7440-62-2): SN 3762 500 lb TPQ (except when contained in an alloy)

Hydrofluoric Acid (CAS # 7664-39-3): "sn 0936" As Fluorides [RR-02792-9]

Hydrofluoric Acid (CAS # 7664-39-3): corrosive

Hydrofluoric Acid (CAS # 7664-39-3): sn 0936

Hydrofluoric Acid (CAS # 7664-39-3): sn 3759

Hydrofluoric Acid (CAS # 7664-39-3): SN 3759 100 lb TPQ; SN 1014 100 lb TPQ

Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree

Nitric Acid (CAS # 7697-37-2): sn 1356

Nitric Acid (CAS # 7697-37-2): SN 1356 500 lb TPQ

Nitric Acid (CAS # 7697-37-2): sn 3722

Nitric Acid (CAS # 7697-37-2): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Selenium (CAS # 7782-49-2): "SN 2347 500 lb TPQ (Category Code N725. Includes any unique chemical substance that contains the named metal

as part of that chemical structure)" As Selenium compounds [RR-00612-2]

Selenium (CAS # 7782-49-2): "sn 2347" As Selenium compounds [RR-00612-2]

Selenium (CAS # 7782-49-2): sn 1648

Selenium (CAS # 7782-49-2): SN 1648 500 lb TPQ

Chromium Nitrate Nonahydrate

15.8. California Proposition 65

Nickel (CAS # 7440-02-0): "carcinogen, 5/7/2004" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): carcinogen, 10/1/1989 (metallic)

Product Number: PMX006N Page 18 of 21

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Boric Acid (CAS # 10043-35-3): Present (DSL)

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present (DSL)

Molybdenum (CAS # 7439-98-7): Present (DSL)

Nickel (CAS # 7440-02-0): Present (DSL)

Tin (CAS # 7440-31-5): Present (DSL)

Vanadium (CAS # 7440-62-2): Present (DSL)

Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Selenium (CAS # 7782-49-2): Present (DSL)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Boric Acid (CAS # 10043-35-3): Present (ACTIVE)

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present (ACTIVE)

Molybdenum (CAS # 7439-98-7): Present (ACTIVE)

Nickel (CAS # 7440-02-0): Present (ACTIVE)

Tin (CAS # 7440-31-5): Present (ACTIVE)

Vanadium (CAS # 7440-62-2): Present (ACTIVE)

Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

Selenium (CAS # 7782-49-2): Present (ACTIVE)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (ACTIVE)

Product Number: PMX006N Page 19 of 21



15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Boric Acid (CAS # 10043-35-3): 233-139-2 Boric Acid (CAS # 10043-35-3): 234-343-4

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): 240-968-3

Molybdenum (CAS # 7439-98-7): 231-107-2

Nickel (CAS # 7440-02-0): 231-111-4

Tin (CAS # 7440-31-5): 231-141-8

Vanadium (CAS # 7440-62-2): 231-171-1

Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8

Nitric Acid (CAS # 7697-37-2): 231-714-2

Water (CAS # 7732-18-5): 231-791-2

Selenium (CAS # 7782-49-2): 231-957-4

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): 236-921-1

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.


Biohazardous Infectious Materials Hazard Class: Not Applicable.

Product Number: PMX006N Page 20 of 21



16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-10-11

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: PMX006N Page 21 of 21