Classified according to WHMIS 2015

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: ICP blend 4, B, Na, Mg, Ca, P, Sr, Fe, K, Mn, Ba in 5% Nitric acid

Product Number: RPMX154N
Other Identifying Product Numbers: RPMX154N-1N

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

Product Number: RPMX154N Page 1 of 17



Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

2.2. GHS Label Elements

Pictograms:







Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Product Number: RPMX154N Page 2 of 17

Precautionary Statements:

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water.).
P321	Specific treatment (Wash areas of contact with water.).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: RPMX154N Page 3 of 17



SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	93.62
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	4.77
Sodium Carbonate	Na ₂ CO ₃	105.98 g/mol	497-19-8	1.12
Calcium Carbonate	CaCO₃	100.09 g/mol	471-34-1	0.24
Ammonium Tetrafluoroborate	BF ₄ H ₄ N	104.84 g/mol	13826-83-0	< 0.1
Potassium Carbonate	K₂CO₃	138.20 g/mol	584-08-7	< 0.1
Barium Nitrate	Ba(NO ₃) ₂	261.33 g/mol	10022-31-8	< 0.1
Strontium Carbonate	SrCO ₃	147.62 g/mol	1633-05-2	< 0.1
Manganese	Mn	54.93 g/mol	7439-96-5	< 0.1
Magnesium	Mg	24.30 g/mol	7439-95-4	< 0.1
Iron	Fe	55.84 g/mol	7439-89-6	< 0.1
Ammonium Dihydrogen Phosphate	$NH_4H_2PO_4$	97.99 g/mol	7722-76-1	< 0.1

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness

and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a

physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Corrosive Liquid. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor. If swallowed, do not induce vomiting. Dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Product Number: RPMX154N Page 4 of 17

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Specific treatment (Wash areas of contact with water.). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: RPMX154N Page 5 of 17



Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Barium Nitrate (10022-31-8)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Ba)"	ACGIH - Threshold Limit Values - Time
			As Barium soluble	Weighted Averages (TLV-TWA)
			compounds [RR-00049-7]	
Barium Nitrate (10022-31-8)	TWA	USA	"0.5 mg/m3 TWA (regulated	U.S OSHA - Final PELs - Time
			under CAS 7440-39-3, as	Weighted Averages (TWAs)
			Ba)" As Barium, soluble	
			compounds [RR-00049-7]	
Barium Nitrate (10022-31-8)	TLV-TWA	USA	0.5 mg/m³ TWA (as Ba)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Barium Nitrate (10022-31-8)	TWA	USA	0.5 mg/m ³ TWA (regulated	U.S OSHA - Final PELs - Time
			under CAS 7440-39-3, as	Weighted Averages (TWAs)
			Ba)	
Ammonium Tetrafluoroborate (138	326-8 TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Fluorides [RR-02792-9]	Weighted Averages (TLV-TWA)
Ammonium Tetrafluoroborate (138	326-8 TWA	USA	"2.5 mg/m³ TWA (as F)" As	U.S OSHA - Final PELs - Time
			Fluorides [RR-02792-9]	Weighted Averages (TWAs)
Ammonium Tetrafluoroborate (138	326-8 TWA	USA	"2.5 mg/m³ TWA (as F)" As	U.S OSHA - Final PELs - Time
			Fluorides [RR-02792-9]	Weighted Averages (TWAs)
Ammonium Tetrafluoroborate (138	326-8 TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Fluorides [RR-02792-9]	Weighted Averages (TLV-TWA)
Ammonium Tetrafluoroborate (138	326-8 TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Fluorides [RR-02792-9]	Weighted Averages (TLV-TWA)
Ammonium Tetrafluoroborate (138	326-8 TWA	USA	"2.5 mg/m³ TWA (as F)" As	U.S OSHA - Final PELs - Time
			Fluorides [RR-02792-9]	Weighted Averages (TWAs)
Ammonium Tetrafluoroborate (138	326-8 TLV-TWA	USA	2.5 mg/m³ TWA (as F)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Ammonium Tetrafluoroborate (138	326-8 TWA	USA	2.5 mg/m ³ TWA (as F)	U.S OSHA - Final PELs - Time
·				Weighted Averages (TWAs)
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)"	U.S OSHA - Final PELs - Ceiling
			As Manganese compounds	Limits
			[RR-00602-0]	
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m3 Ceiling (as Mn)"	U.S OSHA - Final PELs - Ceiling
	-		As Manganese compounds	Limits
			[RR-00602-0]	

Product Number: RPMX154N Page 6 of 17



Safety Data Sheet

551 0 111		"" / 20 "" / 1: \"	110 00HA E: 1BEL 0 :::
PEL-Ceiling	USA	J , ,	U.S OSHA - Final PELs - Ceiling
		•	Limits
		-	
PEL-Ceiling	USA	J , ,	U.S OSHA - Final PELs - Ceiling
		•	Limits
PEL-Ceiling	USA	J , ,	U.S OSHA - Final PELs - Ceiling
		As Manganese compounds	Limits
		[RR-00602-0]	
TLV-TWA	USA	0.02 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time
		(respirable particulate	Weighted Averages (TLV-TWA)
		matter); 0.1 mg/m ³ TWA	
		(inhalable particulate	
		matter)	
PEL-Ceiling	USA	5 mg/m³ Ceiling (fume)	U.S OSHA - Final PELs - Ceiling
			Limits
PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)"	U.S OSHA - Final PELs - Ceiling
		As Manganese compounds	Limits
		[RR-00602-0]	
TLV-TWA	USA	0.02 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time
		(respirable particulate	Weighted Averages (TLV-TWA)
		matter, as Mn); 0.1 mg/m ³	
		TWA (inhalable particulate	
		matter, as Mn)	
TWA	USA	2 ppm TWA; 5 mg/m³ TWA	U.S OSHA - Final PELs - Time
			Weighted Averages (TWAs)
TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
			Weighted Averages (TLV-TWA)
TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values -
			Short Term Exposure Limits
			(TLV-STEL)
	PEL-Ceiling PEL-Ceiling TLV-TWA TWA	PEL-Ceiling USA PEL-Ceiling USA TLV-TWA USA PEL-Ceiling USA TLV-TWA USA TLV-TWA USA TLV-TWA USA TLV-TWA USA	As Manganese compounds [RR-00602-0] PEL-Ceiling USA "5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0] PEL-Ceiling USA "5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0] TLV-TWA USA 0.02 mg/m³ TWA (respirable particulate matter); 0.1 mg/m³ TWA (inhalable particulate matter) PEL-Ceiling USA "5 mg/m³ Ceiling (fume) PEL-Ceiling USA "5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0] TLV-TWA USA 0.02 mg/m³ TWA (respirable particulate matter, as Mn); 0.1 mg/m³ TWA (inhalable particulate matter, as Mn); 0.1 mg/m³ TWA (inhalable particulate matter, as Mn) TWA USA 2 ppm TWA; 5 mg/m³ TWA

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is

adequate.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

Product Number: RPMX154N Page 7 of 17

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: <2

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.03

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

Product Number: RPMX154N Page 8 of 17

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Product Number: RPMX154N Page 9 of 17

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: RPMX154N Page 10 of 17



SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1L

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1L

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1L

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: RPMX154N Page 11 of 17

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Ammonium Tetrafluoroborate (CAS # 13826-83-0): 5000 lb final RQ; 2270 kg final RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0] Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0]; "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Ammonium Tetrafluoroborate (CAS # 13826-83-0): "1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]

Ammonium Tetrafluoroborate (CAS # 13826-83-0): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing) Manganese (CAS # 7439-96-5): "1.0 % de minimis concentration (includes any unique chemical substance that contains Manganese as part of that chemical's infrastructure, listed under Chemical Category N450)" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): 1.0 % de minimis concentration

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): "1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this I

15.5. Massachusetts Right-to-Know Substance List

Barium Nitrate (CAS # 10022-31-8): Present

Ammonium Tetrafluoroborate (CAS # 13826-83-0): Present

Magnesium (CAS # 7439-95-4): Present Manganese (CAS # 7439-96-5): Present

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Product Number: RPMX154N Page 12 of 17

15.6. Pennsylvania Right-to-Know Hazardous Substances

Barium Nitrate (CAS # 10022-31-8): "Environmental hazard" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "Present" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): Environmental hazard

Barium Nitrate (CAS # 10022-31-8): Present

Ammonium Tetrafluoroborate (CAS # 13826-83-0): Environmental hazard

Ammonium Tetrafluoroborate (CAS # 13826-83-0): Present

Magnesium (CAS # 7439-95-4): Present

Manganese (CAS # 7439-96-5): "Environmental hazard" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): "Present" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): Environmental hazard

Manganese (CAS # 7439-96-5): Present

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Product Number: RPMX154N Page 13 of 17



Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0];

"SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 2146" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 3722" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): sn 0186

Barium Nitrate (CAS # 10022-31-8): sn 2146

Barium Nitrate (CAS # 10022-31-8): SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Barium Nitrate (CAS # 10022-31-8): sn 3722

Barium Nitrate (CAS # 10022-31-8): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Ammonium Tetrafluoroborate (CAS # 13826-83-0): "sn 0936" As Fluorides [RR-02792-9]

Ammonium Tetrafluoroborate (CAS # 13826-83-0): sn 0100

Ammonium Tetrafluoroborate (CAS # 13826-83-0): sn 0936

Magnesium (CAS # 7439-95-4): sn 1136

Manganese (CAS # 7439-96-5): "SN 2324 500 lb TPQ (Category Code N450. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): "sn 2324" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): flammable - third degree

Manganese (CAS # 7439-96-5): sn 1155

Manganese (CAS # 7439-96-5): SN 1155 500 lb

15.8. California Proposition 65

Not listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Barium Nitrate (CAS # 10022-31-8): Present (DSL)

Ammonium Tetrafluoroborate (CAS # 13826-83-0): Present (DSL)

Strontium Carbonate (CAS # 1633-05-2): Present (DSL)

Calcium Carbonate (CAS # 471-34-1): Present (DSL)

Sodium Carbonate (CAS # 497-19-8): Present (DSL)

Potassium Carbonate (CAS # 584-08-7): Present (DSL)

Iron (CAS # 7439-89-6): Present (DSL)

Magnesium (CAS # 7439-95-4): Present (DSL)

Manganese (CAS # 7439-96-5): Present (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Product Number: RPMX154N Page 14 of 17

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Barium Nitrate (CAS # 10022-31-8): Present (ACTIVE)

Ammonium Tetrafluoroborate (CAS # 13826-83-0): Present (ACTIVE)

Strontium Carbonate (CAS # 1633-05-2): Present (ACTIVE)

Calcium Carbonate (CAS # 471-34-1): Present (ACTIVE)

Sodium Carbonate (CAS # 497-19-8): Present (ACTIVE)

Potassium Carbonate (CAS # 584-08-7): Present (ACTIVE)

Iron (CAS # 7439-89-6): Present (ACTIVE)

Magnesium (CAS # 7439-95-4): Present (ACTIVE)

Manganese (CAS # 7439-96-5): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Barium Nitrate (CAS # 10022-31-8): 233-020-5

Ammonium Tetrafluoroborate (CAS # 13826-83-0): 237-531-4

Strontium Carbonate (CAS # 1633-05-2): 216-643-7

Calcium Carbonate (CAS # 471-34-1): 207-439-9

Sodium Carbonate (CAS # 497-19-8): 207-838-8

Sodium Carbonate (CAS # 497-19-8): 231-420-4

Potassium Carbonate (CAS # 584-08-7): 209-529-3

Potassium Carbonate (CAS # 584-08-7): 241-378-9

Iron (CAS # 7439-89-6): 231-096-4

Magnesium (CAS # 7439-95-4): 231-104-6

Manganese (CAS # 7439-96-5): 231-105-1

Nitric Acid (CAS # 7697-37-2): 231-714-2

Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): 231-764-5

Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): 233-330-0

Water (CAS # 7732-18-5): 231-791-2

Product Number: RPMX154N Page 15 of 17



SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.


Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0

Special Hazard:



16.4. Document Revision

Last Revision Date: 2024-04-05

Product Number: RPMX154N Page 16 of 17

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RPMX154N Page 17 of 17