Classified according to WHMIS 2015

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: VeriSpec® 2000 ppm: C2H5Br, C2H5Cl, CH3Cl, CCl2F2, CCl3F, C2H3Cl in Methanol EPA 502/ASTI

Manufactured and Tested in an ISO 17025/ISO 17034 Accredited Facility

Product Number: RV019037

Other Identifying Product Numbers:

1.2. Recommended Use and Restrictions on Use

Calibration Standard

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

Product Number: RV019037 Page 1 of 16



RICCA CHEMICAL COMPANY®

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Acute Toxicity - Oral	Category 3	H301	P264, P270, P301+P310, P321, P330, P405, P501
Eye Damage / Irritation	Category 2	H319	P264, P280, P305+P351+P338, P337+P313
Carcinogenicity	Category 1	H350	P201, P202, P280, P308+P313, P405, P501
Reproductive Toxicity	Category 1	H360	P201, P202, P280, P308+P313, P405, P501
Specific Target Organs/Systemic Toxicity Following Single Exposure	Category 2	H371	P260, P264, P270, P308+P311, P405, P501
Flammable Liquids	Category 2	H225	P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P501

2.2. GHS Label Elements

Pictograms:









Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement
H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H319	Causes serious eye irritation.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H371	May cause damage to organs.

Product Number: RV019037 Page 2 of 16

Precautionary Statements:

Precautionary Number	Precautionary Statement		
P201	Obtain special instructions before use.		
P202	Do not handle until all safety precautions have been read and understood.		
P210	Keep away from heat, sparks and open flame. No smoking.		
P233	Keep container tightly closed.		
P240	Ground container and receiving equipment.		
P241	Use explosion-proof equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P260	Do not breathe fumes, mist, vapors, or spray.		
P264	Wash arms, hands and face thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		
P280	Wear protective gloves and eye protection.		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and		
	easy to do. Continue rinsing.		
P308+P311	IF exposed or concerned: Call a POISON CENTER or physician.		
P308+P313	IF exposed or concerned: Get medical attention.		
P321	Specific treatment (Wash areas of contact with water.).		
P330	Rinse mouth.		
P337+P313	If eye irritation persists: Get medical attention.		
P370+P378	In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.		
P403+P235	Store in a well-ventilated place. Keep cool.		
P405	Store locked up.		
P501	Dispose of contents in accordance with local, state, federal and international regulations.		

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: RV019037 Page 3 of 16

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Methyl Alcohol	CH₃OH	32.04 g/mol	67-56-1	98.80
Dichlorodifluoromethane	CCl ₂ F ₂	120.91 g/mol	75-71-8	0.20
Trichlorofluoromethane	CCI ₃ F	137.36 g/mol	75-69-4	0.20
Vinyl Chloride	C_2H_3CI	62.49 g/mol	75-01-4	0.20
Chloroethane	C_2H_5CI	64.51 g/mol	75-00-3	0.20
Chloromethane	CH₃CI	50.48 g/mol	74-87-3	0.20
Bromomethane	CH₃Br	94.93 g/mol	74-83-9	0.20

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

insing.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or physician.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Toxic if swallowed. Causes serious eye irritation. May cause cancer. May damage fertility or the unborn child. May cause damage to organs.

4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water.).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor.

5.3. Special Protective Equipment for Firefighters

Wear protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

Product Number: RV019037 Page 4 of 16

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up.

Product Number: RV019037 Page 5 of 16



RICCA CHEMICAL COMPANY®

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Methyl Alcohol (67-56-1)	TLV-TWA	USA	200 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Methyl Alcohol (67-56-1)	TLV-STEL	USA	250 ppm STEL	ACGIH - Threshold Limit Values -
				Short Term Exposure Limits
				(TLV-STEL)
Methyl Alcohol (67-56-1)	TWA	USA	200 ppm TWA; 260 mg/m ³	U.S OSHA - Final PELs - Time
			TWA	Weighted Averages (TWAs)
Bromomethane (74-83-9)	PEL-Ceiling	USA	20 ppm Ceiling; 80 mg/m ³	U.S OSHA - Final PELs - Ceiling
			Ceiling	Limits
Bromomethane (74-83-9)	TLV-TWA	USA	1 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Chloromethane (74-87-3)	TLV-STEL	USA	100 ppm STEL	ACGIH - Threshold Limit Values -
				Short Term Exposure Limits
				(TLV-STEL)
Chloromethane (74-87-3)	TWA	USA	100 ppm TWA	U.S OSHA - Final PELs - Time
, ,				Weighted Averages (TWAs)
Chloromethane (74-87-3)	TLV-TWA	USA	50 ppm TWA	ACGIH - Threshold Limit Values - Time
, ,				Weighted Averages (TLV-TWA)
Chloromethane (74-87-3)	PEL-Ceiling	USA	200 ppm Ceiling	U.S OSHA - Final PELs - Ceiling
				Limits
Chloroethane (75-00-3)	TWA	USA	1000 ppm TWA; 2600	U.S OSHA - Final PELs - Time
			mg/m³ TWA	Weighted Averages (TWAs)
Chloroethane (75-00-3)	TLV-TWA	USA	100 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Vinyl Chloride (75-01-4)	PEL	USA	0.5 ppm Action Level (See	U.S OSHA - Specifically Regulated
			29 CFR 1910.1017); 1 ppm	Chemicals with PELs
			TWA; 5 ppm STEL (15 min)	
Vinyl Chloride (75-01-4)	PEL-STEL	USA	5 ppm STEL (see 29 CFR	U.S OSHA - Final PELs - Short Term
			1910.1017)	Exposure Limits
Vinyl Chloride (75-01-4)	TLV-TWA	USA	1 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Vinyl Chloride (75-01-4)	TWA	USA	1 ppm TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Trichlorofluoromethane (75-69-4)	TLV-Ceiling	USA	1000 ppm Ceiling	ACGIH - Threshold Limit Values -
, ,				Ceilings (TLV-C)

Product Number: RV019037 Page 6 of 16



Trichlorofluoromethane (75-69-4)	TWA	USA	1000 ppm TWA; 5600	U.S OSHA - Final PELs - Time
			mg/m³ TWA	Weighted Averages (TWAs)
Dichlorodifluoromethane (75-71-8)	TWA	USA	1000 ppm TWA; 4950	U.S OSHA - Final PELs - Time
			mg/m³ TWA	Weighted Averages (TWAs)
Dichlorodifluoromethane (75-71-8)	TLV-TWA	USA	1000 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate. **Respiratory Protection:** No specific controls are needed. Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. **Eye Protection:** Wear protective gloves and eye protection.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection.

Product Number: RV019037 Page **7** of **16**



SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Data not available.

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Data not available.

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 0.80

Solubility: Data not available.

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed.

10.4. Hazardous Decomposition Products

May emit irritating fumes when heated to decomposition.

Product Number: RV019037 Page 8 of 16

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Toxic if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Rinse mouth. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

Data not available.

Skin Corrosion and Irritation:

Not applicable.

Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

May cause cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Reproductive Toxicity:

May damage fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity from Single Exposure:

May cause damage to organs. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed or concerned: Call a POISON CENTER or physician. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: RV019037 Page 9 of 16

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: RV019037 Page 10 of 16



SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1 mL

UN Number: UN1230

Proper Shipping Name: Methanol

Hazard Class: 3
Packing Group: ||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 mL

UN Number: UN1230

Proper Shipping Name: Methanol

Hazard Class: 3 (6.1)

Packing Group: ||

Hazard Label(s):





14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1 mL

UN Number: UN1230

Proper Shipping Name: METHANOL

Hazard Class: 3

Packing Group: ||

Hazard Label(s):



Product Number: RV019037 Page 11 of 16



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Vinyl Chloride (CAS # 75-01-4): 0.5 ppm Action Level (See 29 CFR 1910.1017); 1 ppm TWA (See 29 CFR 1910.1017); 5 ppm STEL (See 29 CFR 1910.1017, 15 min)

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Bromomethane (CAS # 74-83-9): 1000 lb EPCRA RQ Bromomethane (CAS # 74-83-9): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Methyl Alcohol (CAS # 67-56-1): 5000 lb final RQ; 2270 kg final RQ Bromomethane (CAS # 74-83-9): 1000 lb final RQ; 454 kg final RQ Chloromethane (CAS # 74-87-3): 100 lb final RQ; 45.4 kg final RQ Chloroethane (CAS # 75-00-3): 100 lb final RQ; 45.4 kg final RQ Vinyl Chloride (CAS # 75-01-4): 1 lb final RQ; 0.454 kg final RQ

Trichlorofluoromethane (CAS # 75-69-4): 5000 lb final RQ; 2270 kg final RQ Dichlorodifluoromethane (CAS # 75-71-8): 5000 lb final RQ; 2270 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Methyl Alcohol (CAS # 67-56-1): 1.0 % de minimis concentration Bromomethane (CAS # 74-83-9): 1.0 % de minimis concentration Chloromethane (CAS # 74-87-3): 1.0 % de minimis concentration Chloroethane (CAS # 75-00-3): 1.0 % de minimis concentration Vinyl Chloride (CAS # 75-01-4): 0.1 % de minimis concentration Trichlorofluoromethane (CAS # 75-69-4): 1.0 % de minimis concentration

Dichlorodifluoromethane (CAS # 75-71-8): 1.0 % de minimis concentration

15.5. Massachusetts Right-to-Know Substance List

Methyl Alcohol (CAS # 67-56-1): Present

Bromomethane (CAS # 74-83-9): Extraordinarily hazardous

Chloromethane (CAS # 74-87-3): Present Chloroethane (CAS # 75-00-3): Present

Vinyl Chloride (CAS # 75-01-4): Carcinogen; Extraordinarily hazardous; Teratogen

Trichlorofluoromethane (CAS # 75-69-4): Present Dichlorodifluoromethane (CAS # 75-71-8): Present

Product Number: RV019037 Page 12 of 16

15.6. Pennsylvania Right-to-Know Hazardous Substances

Methyl Alcohol (CAS # 67-56-1): "Present" As Denatured alcohols [RR-00113-8]

Methyl Alcohol (CAS # 67-56-1): Environmental hazard

Methyl Alcohol (CAS # 67-56-1): Present

Bromomethane (CAS # 74-83-9): Environmental hazard

Bromomethane (CAS # 74-83-9): Present

Chloromethane (CAS # 74-87-3): Environmental hazard

Chloromethane (CAS # 74-87-3): Present

Chloroethane (CAS # 75-00-3): Environmental hazard

Chloroethane (CAS # 75-00-3): Present

Vinyl Chloride (CAS # 75-01-4): Environmental hazard; Special hazardous substance

Vinyl Chloride (CAS # 75-01-4): Present

Trichlorofluoromethane (CAS # 75-69-4): Environmental hazard

Trichlorofluoromethane (CAS # 75-69-4): Present

Dichlorodifluoromethane (CAS # 75-71-8): Environmental hazard

Dichlorodifluoromethane (CAS # 75-71-8): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Methyl Alcohol (CAS # 67-56-1): flammable - third degree; teratogen

Methyl Alcohol (CAS # 67-56-1): sn 1222

Methyl Alcohol (CAS # 67-56-1): SN 1222 500 lb TPQ

Bromomethane (CAS # 74-83-9): mutagen Bromomethane (CAS # 74-83-9): sn 1231

Bromomethane (CAS # 74-83-9): SN 1231 500 lb TPQ

Chloromethane (CAS # 74-87-3): flammable - fourth degree; teratogen

Chloromethane (CAS # 74-87-3): sn 1235

Chloromethane (CAS # 74-87-3): SN 1235 500 lb TPQ Chloroethane (CAS # 75-00-3): flammable - fourth degree

Chloroethane (CAS # 75-00-3): sn 0863

Chloroethane (CAS # 75-00-3): SN 0863 500 lb TPQ

Vinyl Chloride (CAS # 75-01-4): carcinogen; flammable - fourth degree; mutagen; reactive - second degree; teratogen

Vinyl Chloride (CAS # 75-01-4): sn 2001

Vinyl Chloride (CAS # 75-01-4): SN 2001 500 lb TPQ

Trichlorofluoromethane (CAS # 75-69-4): sn 1891

Trichlorofluoromethane (CAS # 75-69-4): SN 1891 500 lb TPQ

Dichlorodifluoromethane (CAS # 75-71-8): sn 0649

Dichlorodifluoromethane (CAS # 75-71-8): SN 0649 500 lb TPQ

Product Number: RV019037 Page 13 of 16

15.8. California Proposition 65

Methyl Alcohol (CAS # 67-56-1): developmental toxicity, 3/16/2012

Bromomethane (CAS # 74-83-9): developmental toxicity, 1/1/1993 (as a structural fumigant)

Chloromethane (CAS # 74-87-3): developmental toxicity, 3/10/2000

Chloromethane (CAS # 74-87-3): male reproductive toxicity, 8/7/09

Chloroethane (CAS # 75-00-3): 150 µg/day NSRL

Chloroethane (CAS # 75-00-3): carcinogen, 7/1/1990

Vinyl Chloride (CAS # 75-01-4): 3 µg/day NSRL

Vinyl Chloride (CAS # 75-01-4): carcinogen, 2/27/1987

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Methyl Alcohol (CAS # 67-56-1): Present (DSL)

Methyl Alcohol (CAS # 67-56-1): Present (NDSL)

Bromomethane (CAS # 74-83-9): Present (DSL)

Chloromethane (CAS # 74-87-3): Present (DSL)

Chloroethane (CAS # 75-00-3): Present (DSL)

Vinyl Chloride (CAS # 75-01-4): Present (DSL)

Trichlorofluoromethane (CAS # 75-69-4): Present (DSL)

Dichlorodifluoromethane (CAS # 75-71-8): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Methyl Alcohol (CAS # 67-56-1): Present (ACTIVE)

Bromomethane (CAS # 74-83-9): Present (ACTIVE)

Chloromethane (CAS # 74-87-3): Present (ACTIVE)

Chloroethane (CAS # 75-00-3): Present (ACTIVE)

Vinyl Chloride (CAS # 75-01-4): Present (ACTIVE)

Vinyl Chloride (CAS # 75-01-4): Present [XU] (ACTIVE)

Trichlorofluoromethane (CAS # 75-69-4): Present (ACTIVE)

Dichlorodifluoromethane (CAS # 75-71-8): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Methyl Alcohol (CAS # 67-56-1): 200-659-6

Methyl Alcohol (CAS # 67-56-1): 270-649-4

Bromomethane (CAS # 74-83-9): 200-813-2

Chloromethane (CAS # 74-87-3): 200-817-4

Chloroethane (CAS # 75-00-3): 200-830-5

Vinyl Chloride (CAS # 75-01-4): 200-831-0

Trichlorofluoromethane (CAS # 75-69-4): 200-892-3

Dichlorodifluoromethane (CAS # 75-71-8): 200-893-9

Product Number: RV019037 Page 14 of 16



SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Highly flammable liquid and vapor. Toxic if swallowed. Causes serious eye irritation. May cause cancer. May damage fertility or the unborn child. May cause damage to organs.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves and eye protection.

IF SWALLOWED: Immediately call a POISON CENTER or physician. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Rinse mouth. If eye irritation persists: Get medical attention. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 3
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-10-11

Product Number: RV019037 Page 15 of 16

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RV019037 Page 16 of 16