



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: ICP-MS Calibration Standard 2

Product Number: RICPMS2

Other Identifying Product Numbers: RICPMS2-100, RICPMS2-1000

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet

Precautionary Statements:

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water.).
P321	Specific treatment (Wash areas of contact with water.).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	95.17
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	4.77
Aluminum Nitrate Nonahydrate	Al(NO ₃) ₃ ·9H ₂ O	375.13 g/mol	7784-27-2	< 0.1
Lithium Nitrate	LiNO ₃	68.94 g/mol	7790-69-4	< 0.1
Chromium Nitrate Nonahydrate	Cr(NO ₃) ₃ ·9H ₂ O	238.01 g/mol	7789-02-8	< 0.1
Calcium Carbonate	CaCO ₃	100.09 g/mol	471-34-1	< 0.1
Sodium Carbonate	Na ₂ CO ₃	105.98 g/mol	497-19-8	< 0.1
Barium Nitrate	Ba(NO ₃) ₂	261.33 g/mol	10022-31-8	< 0.1
Potassium Carbonate	K ₂ CO ₃	138.20 g/mol	584-08-7	< 0.1
Rubidium Nitrate	RbNO ₃	147.47 g/mol	13126-12-0	< 0.1
Strontium Carbonate	SrCO ₃	147.62 g/mol	1633-05-2	< 0.1
Cesium Nitrate	CsNO ₃	194.91 g/mol	7789-18-6	< 0.1
Arsenic Trioxide	As ₂ O ₃	197.84 g/mol	1327-53-3	< 0.1
Uranium Oxide	UO ₃	286.02 g/mol	1344-58-7	< 0.1
Selenium	Se	78.95 g/mol	7782-49-2	< 0.1
Indium	In	114.81 g/mol	7440-74-6	< 0.1
Bismuth	Bi	208.98 g/mol	7440-69-9	< 0.1
Zinc	Zn	65.40 g/mol	7440-66-6	< 0.1
Vanadium	V	50.94 g/mol	7440-62-2	< 0.1
Gallium	Ga	69.72 g/mol	7440-55-3	< 0.1
Copper	Cu	63.54 g/mol	7440-50-8	< 0.1
Cobalt	Co	58.93 g/mol	7440-48-4	< 0.1
Cadmium	Cd	112.41 g/mol	7440-43-9	< 0.1
Beryllium	Be	9.01 g/mol	7440-41-7	< 0.1
Thallium	Tl	204.38 g/mol	7440-28-0	< 0.1
Silver	Ag	107.86 g/mol	7440-22-4	< 0.1
Nickel	Ni	58.69 g/mol	7440-02-0	< 0.1
Manganese	Mn	54.93 g/mol	7439-96-5	< 0.1
Magnesium	Mg	24.30 g/mol	7439-95-4	< 0.1
Lead	Pb	207.2 g/mol	7439-92-1	< 0.1
Iron	Fe	55.84 g/mol	7439-89-6	< 0.1

Safety Data Sheet

Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	< 0.1
-------------------	----	-------------	-----------	-------

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Contains minute levels of known and suspected carcinogens. Corrosive Liquid. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor. If swallowed, do not induce vomiting. Dilute with water and call a physician. Wash areas of contact with plenty of water. **EYE CONTACT:** May cause irritation, redness, pain, and tearing. **SKIN CONTACT:** May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Specific treatment (Wash areas of contact with water.). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.



Safety Data Sheet

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Barium Nitrate (10022-31-8)	TLV-TWA	USA	"0.5 mg/m ³ TWA (as Ba)" As Barium soluble compounds [RR-00049-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Barium Nitrate (10022-31-8)	TWA	USA	"0.5 mg/m ³ TWA (regulated under CAS 7440-39-3, as Ba)" As Barium, soluble compounds [RR-00049-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Barium Nitrate (10022-31-8)	TLV-TWA	USA	0.5 mg/m ³ TWA (as Ba)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Barium Nitrate (10022-31-8)	TWA	USA	0.5 mg/m ³ TWA (regulated under CAS 7440-39-3, as Ba)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic Trioxide (1327-53-3)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic Trioxide (1327-53-3)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic Trioxide (1327-53-3)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic Trioxide (1327-53-3)	PEL	USA	10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic Trioxide (1327-53-3)	TWA	USA	10 µg/m ³ TWA (as As)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic Trioxide (1327-53-3)	TLV-TWA	USA	0.01 mg/m ³ TWA (as As)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic Trioxide (1327-53-3)	TWA	USA	"0.5 mg/m ³ TWA (as As)" As Arsenic, organic compounds [RR-00035-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Safety Data Sheet

Arsenic Trioxide (1327-53-3)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic Trioxide (1327-53-3)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic Trioxide (1327-53-3)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic Trioxide (1327-53-3)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Arsenic Trioxide (1327-53-3)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic Trioxide (1327-53-3)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic Trioxide (1327-53-3)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic Trioxide (1327-53-3)	TWA	USA	"10 µg/m ³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic Trioxide (1327-53-3)	PEL	USA	"10 µg/m ³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m ³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Uranium Oxide (1344-58-7)	TLV-STEL	USA	"0.6 mg/m ³ STEL (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Safety Data Sheet

Uranium Oxide (1344-58-7)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Uranium Oxide (1344-58-7)	TWA	USA	"0.25 mg/m ³ TWA (as U)" As Uranium, insoluble compounds [RR-00045-3]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Uranium Oxide (1344-58-7)	TLV-STEL	USA	"0.6 mg/m ³ STEL (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Uranium Oxide (1344-58-7)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Uranium Oxide (1344-58-7)	TWA	USA	0.25 mg/m ³ TWA (as U)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Uranium Oxide (1344-58-7)	TLV-TWA	USA	0.2 mg/m ³ TWA (as U)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Uranium Oxide (1344-58-7)	TLV-STEL	USA	0.6 mg/m ³ STEL (as U)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Lead (7439-92-1)	PEL	USA	30 µg/m ³ Action Level (See 29 CFR 1910.1025); 50 µg/m ³ TWA	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TWA	USA	50 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits

Safety Data Sheet

Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m ³ TWA (respirable particulate matter); 0.1 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Manganese (7439-96-5)	PEL-Ceiling	USA	5 mg/m ³ Ceiling (fume)	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m ³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S. - OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m ³ TWA (respirable particulate matter, as Mn); 0.1 mg/m ³ TWA (inhalable particulate matter, as Mn)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TLV-TWA	USA	1.5 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	1 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Silver (7440-22-4)	TLV-TWA	USA	0.1 mg/m ³ TWA (dust and fume)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TWA	USA	0.01 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as Tl)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as Tl)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as Tl)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	0.02 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Beryllium (7440-41-7)	TLV-TWA	USA	"0.00005 mg/m ³ TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	TWA	USA	"0.2 µg/m ³ TWA (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	PEL-Ceiling	USA	"2 µg/m ³ Ceiling (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	TLV-TWA	USA	"0.00005 mg/m ³ TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	TWA	USA	"0.2 µg/m ³ TWA (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	PEL-Ceiling	USA	"2 µg/m ³ Ceiling (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	PEL	USA	0.2 µg/m ³ TWA (See 29 CFR 1910.1024); 0.1 µg/m ³ Action Level; 2.0 µg/m ³ STEL (15 min)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Beryllium (7440-41-7)	PEL-STEL	USA	2 µg/m ³ STEL (see 29 CFR 1910.1024)	U.S. - OSHA - Final PELs - Short Term Exposure Limits
Beryllium (7440-41-7)	TLV-TWA	USA	0.00005 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	PEL-Ceiling	USA	2 µg/m ³ Ceiling	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	TWA	USA	0.2 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	PEL-Ceiling	USA	"2 µg/m ³ Ceiling (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	TWA	USA	"0.2 µg/m ³ TWA (as Be)" As Beryllium compounds [RR-00557-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Safety Data Sheet

Beryllium (7440-41-7)	TLV-TWA	USA	"0.00005 mg/m ³ TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs

Safety Data Sheet

Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs

Safety Data Sheet

Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	5 µg/m ³ TWA (See 29 CFR 1910.1027); 2.5 µg/m ³ Action Level	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m ³ TWA; 0.002 mg/m ³ TWA (respirable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Cadmium (7440-43-9)	PEL-Ceiling	USA	0.3 mg/m ³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, fume); 0.6 mg/m ³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, dust)	U.S. - OSHA - Final PELs - Ceiling Limits
Cadmium (7440-43-9)	TWA	USA	5 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	"5 µg/m ³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m ³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as Cd); 0.002 mg/m ³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cobalt (7440-48-4)	TWA	USA	0.1 mg/m ³ TWA (dust and fume)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m ³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m ³ TWA (inhalable particulate matter, as Co)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Copper (7440-50-8)	TWA	USA	0.1 mg/m ³ TWA (fume); 1 mg/m ³ TWA (dust and mist)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	0.2 mg/m ³ TWA (fume)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m ³ TWA (dust and mist, as Cu)" As Copper compounds [RR-00595-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m ³ TWA (dust and mist, as Cu)" As Copper compounds [RR-00595-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Vanadium (7440-62-2)	PEL-Ceiling	USA	0.5 mg/m ³ Ceiling (respirable dust, as V2O5); 0.1 mg/m ³ Ceiling (fume, as V2O5)	U.S. - OSHA - Final PELs - Ceiling Limits
Indium (7440-74-6)	TLV-TWA	USA	0.1 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Indium (7440-74-6)	TLV-TWA	USA	"0.1 mg/m ³ TWA (as In)" As Indium compounds [RR-00600-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	"2.5 mg/m ³ TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"2.5 mg/m ³ TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m ³ TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m ³ TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Safety Data Sheet

Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Safety Data Sheet

Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Chromium Nitrate Nonahydrate (7789-1 TWA		USA	"0.5 mg/m ³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-1 TWA		USA	"0.5 mg/m ³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-1 TWA		USA	0.5 mg/m ³ TWA (as Cr)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-1 TWA		USA	"0.5 mg/m ³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-1 TWA		USA	"0.5 mg/m ³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.



Safety Data Sheet

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.04

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders, Carbides, Hydrogen Sulfide, Turpentine and combustible organics.

10.4. Hazardous Decomposition Products

Will not occur.



Safety Data Sheet

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.



Safety Data Sheet

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.
Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1 L, 100 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



Safety Data Sheet

14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 L, 100 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1 L, 100 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Arsenic Trioxide (CAS # 1327-53-3): "10 µg/m³ TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 µg/m³ Action Level (See 29 CFR 1910.1018, except Arsine, as As)" As Inorganic arsenic compounds [RR-00065-7]

Arsenic Trioxide (CAS # 1327-53-3): 10 µg/m³ TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 µg/m³ Action Level (See 29 CFR 1910.1018, except Arsine, as As)

Lead (CAS # 7439-92-1): 30 µg/m³ Action Level (See 29 CFR 1910.1025); 50 µg/m³ TWA (See 29 CFR 1910.1025)

Beryllium (CAS # 7440-41-7): 0.2 µg/m³ TWA (See 29 CFR 1910.1024); 0.1 µg/m³ Action Level (See 29 CFR 1910.1024); 2.0 µg/m³ STEL (See 29 CFR 1910.1024, 15 min)

Cadmium (CAS # 7440-43-9): "5 µg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 5 µg/m³ TWA (See 29 CFR 1910.1027); 2.5 µg/m³ Action Level

Safety Data Sheet

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Arsenic Trioxide (CAS # 1327-53-3): 1 lb EPCRA RQ
Arsenic Trioxide (CAS # 1327-53-3): 100 lb lower TPQ; 10000 lb upper TPQ
Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ
Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ
Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ
Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Arsenic Trioxide (CAS # 1327-53-3): 1 lb final RQ; 0.454 kg final RQ
Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)
Nickel (CAS # 7440-02-0): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)
Silver (CAS # 7440-22-4): 1 lb final RQ; 0.454 kg final RQ
Silver (CAS # 7440-22-4): 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)
Thallium (CAS # 7440-28-0): 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)
Beryllium (CAS # 7440-41-7): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$)
Cadmium (CAS # 7440-43-9): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100\ \mu\text{m}$); 4.54 kg final RQ (no reporting o

Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0];

"1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Rubidium Nitrate (CAS # 13126-12-0): "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Rubidium Nitrate (CAS # 13126-12-0): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Arsenic Trioxide (CAS # 1327-53-3): "0.1 % de minimis concentration (includes any unique chemical substance that contains Arsenic as part of that chemical's infrastructure, listed under Chemical Category N020)" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic Trioxide (CAS # 1327-53-3): "1.0 % de minimis concentration (includes any unique chemical substance that contains Arsenic as part of that chemical's infrastructure, listed under Chemical Category N020)" As Arsenic organic compounds [RR-00035-1]

Arsenic Trioxid

15.5. Massachusetts Right-to-Know Substance List

Barium Nitrate (CAS # 10022-31-8): Present

Arsenic Trioxide (CAS # 1327-53-3): Extraordinarily hazardous

Lead (CAS # 7439-92-1): Teratogen

Magnesium (CAS # 7439-95-4): Present

Manganese (CAS # 7439-96-5): Present

Nickel (CAS # 7440-02-0): Carcinogen; Extraordinarily hazardous

Silver (CAS # 7440-22-4): Present

Thallium (CAS # 7440-28-0): Present

Beryllium (CAS # 7440-41-7): Carcinogen; Extraordinarily hazardous

Cadmium (CAS # 7440-43-9): Carcinogen; Extraordinarily hazardous

Cobalt (CAS # 7440-48-4): Present

Copper (CAS # 7440-50-8): Present

Vanadium (CAS # 7440-62-2): Present (dust and fume)

Zinc (CAS # 7440-66-6): Present

Indium (CAS # 7440-74-6): Present

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Selenium (CAS # 7782-49-2): Present

Safety Data Sheet

15.6. Pennsylvania Right-to-Know Hazardous Substances

Barium Nitrate (CAS # 10022-31-8): "Environmental hazard" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "Present" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): Environmental hazard

Barium Nitrate (CAS # 10022-31-8): Present

Arsenic Trioxide (CAS # 1327-53-3): "Environmental hazard" As Arsenic compounds [RR-00625-7]

Arsenic Trioxide (CAS # 1327-53-3): "Present" As Arsenic compounds [RR-00625-7]

Arsenic Trioxide (CAS # 1327-53-3): Environmental hazard

Arsenic Trioxide (CAS # 1327-53-3): Environmental hazard; Special hazardous substance

Arsenic Trioxide (CAS # 1327-53-3): Present

Lead (CAS # 7439-92-1): Environmental hazard

Lead (CAS # 7439-92-1): Present

Magnesium (CAS # 7439-95-4): Present

Manganese (CAS # 7439-96-5): "Environmental hazard" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): "Present" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): Environmental hazard

Manganese (CAS # 7439-96-5): Present

Nickel (CAS # 7440-02-0): "Environmental hazard" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "Present" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): Environmental hazard

Nickel (CAS # 7440-02-0): Environmental hazard; Special hazardous substance

Nickel (CAS # 7440-02-0): Present

Silver (CAS # 7440-22-4): Environmental hazard

Silver (CAS # 7440-22-4): Present

Thallium (CAS # 7440-28-0): "Environmental hazard" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): "Present" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): Environmental hazard

Thallium (CAS # 7440-28-0): Present

Beryllium (CAS # 7440-41-7): "Environmental hazard" As Beryllium compounds [RR-00557-2]

Beryllium (CAS # 7440-41-7): "Present" As Beryllium compounds [RR-00557-2]

Beryllium (CAS # 7440-41-7): Environmental hazard (dust; metal); Special hazardous substance

Beryllium (CAS # 7440-41-7): Present

Beryllium (CAS # 7440-41-7): Present (dust; metal)

Cadmium (CAS # 7440-43-9): "Env

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0];

"SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 2146" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 3722" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): sn 0186

Barium Nitrate (CAS # 10022-31-8): sn 2146

Barium Nitrate (CAS # 10022-31-8): SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Barium Nitrate (CAS # 10022-31-8): sn 3722

Barium Nitrate (CAS # 10022-31-8): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Rubidium Nitrate (CAS # 13126-12-0): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Rubidium Nitrate (CAS # 13126-12-0): "sn 3722" As Nitrate compounds [RR-01770-9]

Rubidium Nitrate (CAS # 13126-12-0): sn 3722

Rubidium Nitrate (CAS # 13126-12-0): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Arsenic Trioxide (CAS # 1327-53-3): "SN 2138 500 lb TPQ (Category Code N020. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Arsenic compounds [RR-00625-7]

Arsenic Trioxide (CAS # 1327-53-3): "sn 2138" As Arsenic compounds [RR-00625-7]

Safety Data Sheet

15.8. California Proposition 65

Arsenic Trioxide (CAS # 1327-53-3): "0.06 µg/day NSRL (inhalation, listed under Arsenic); 10 µg/day NSRL (except inhalation, listed under Arsenic)"
As Arsenic, inorganic compounds [RR-00065-7]

Arsenic Trioxide (CAS # 1327-53-3): "carcinogen, 2/27/1987" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic Trioxide (CAS # 1327-53-3): "developmental toxicity, 5/1/1997" As Arsenic inorganic oxides [RR-03689-5]

Arsenic Trioxide (CAS # 1327-53-3): 0.06 µg/day NSRL (inhalation, listed under Arsenic); 10 µg/day NSRL (except inhalation, listed under Arsenic)

Arsenic Trioxide (CAS # 1327-53-3): carcinogen, 2/27/1987

Arsenic Trioxide (CAS # 1327-53-3): developmental toxicity, 5/1/1997

Lead (CAS # 7439-92-1): 15 µg/day NSRL (oral)

Lead (CAS # 7439-92-1): carcinogen, 10/1/1992

Lead (CAS # 7439-92-1): developmental toxicity, 2/27/1987

Lead (CAS # 7439-92-1): female reproductive toxicity 2/27/87

Lead (CAS # 7439-92-1): male reproductive toxicity, 2/27/87

Nickel (CAS # 7440-02-0): "carcinogen, 5/7/2004" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): carcinogen, 10/1/1989 (metallic)

Beryllium (CAS # 7440-41-7): "carcinogen, 10/1/1987" As Beryllium compounds [RR-00557-2]

Beryllium (CAS # 7440-41-7): 0.1 µg/day NSRL

Beryllium (CAS # 7440-41-7): carcinogen, 10/1/1987

Cadmium (CAS # 7440-43-9): "carcinogen, 10/1/1987" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 0.05 µg/day NSRL (inhalation)

Cadmium (CAS # 7440-43-9): carcinogen, 10/1/1987

Cadmium (CAS # 7440-43-9): developmental toxicity, 5/1/1997

Cadmium (CAS # 7440-43-9): male reproductive toxicity, 5/1/97

Cobalt (CAS # 7440-48-4): carcinogen, 7/1/1992 (powder)

Safety Data Sheet

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Barium Nitrate (CAS # 10022-31-8): Present (DSL)
Rubidium Nitrate (CAS # 13126-12-0): Present (NDSL)
Arsenic Trioxide (CAS # 1327-53-3): Present (DSL)
Uranium Oxide (CAS # 1344-58-7): Present (DSL)
Strontium Carbonate (CAS # 1633-05-2): Present (DSL)
Calcium Carbonate (CAS # 471-34-1): Present (DSL)
Sodium Carbonate (CAS # 497-19-8): Present (DSL)
Potassium Carbonate (CAS # 584-08-7): Present (DSL)
Iron (CAS # 7439-89-6): Present (DSL)
Lead (CAS # 7439-92-1): Present (DSL)
Magnesium (CAS # 7439-95-4): Present (DSL)
Manganese (CAS # 7439-96-5): Present (DSL)
Nickel (CAS # 7440-02-0): Present (DSL)
Silver (CAS # 7440-22-4): Present (DSL)
Thallium (CAS # 7440-28-0): Present (DSL)
Beryllium (CAS # 7440-41-7): Present (DSL)
Cadmium (CAS # 7440-43-9): Present (DSL)
Cobalt (CAS # 7440-48-4): Present (DSL)
Copper (CAS # 7440-50-8): Present (DSL)
Gallium (CAS # 7440-55-3): Present (DSL)
Vanadium (CAS # 7440-62-2): Present (DSL)
Zinc (CAS # 7440-66-6): Present (DSL)
Bismuth (CAS # 7440-69-9): Present (DSL)
Indium (CAS # 7440-74-6): Present (DSL)
Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)
Nitric Acid (CAS # 7697-37-2): Present (DSL)
Water (CAS # 7732-18-5): Present (DSL)
Selenium (CAS # 7782-49-2): Present (DSL)
Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (DSL)
Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (DSL)
Cesium Nitrate (CAS # 7789-18-6): Present (DSL)
Lithium Nitrate (CAS # 7790-69-4): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Safety Data Sheet

Barium Nitrate (CAS # 10022-31-8): Present (ACTIVE)
Rubidium Nitrate (CAS # 13126-12-0): Present (ACTIVE)
Arsenic Trioxide (CAS # 1327-53-3): Present (ACTIVE)
Uranium Oxide (CAS # 1344-58-7): Present (ACTIVE)
Strontium Carbonate (CAS # 1633-05-2): Present (ACTIVE)
Calcium Carbonate (CAS # 471-34-1): Present (ACTIVE)
Sodium Carbonate (CAS # 497-19-8): Present (ACTIVE)
Potassium Carbonate (CAS # 584-08-7): Present (ACTIVE)
Iron (CAS # 7439-89-6): Present (ACTIVE)
Lead (CAS # 7439-92-1): Present (ACTIVE)
Magnesium (CAS # 7439-95-4): Present (ACTIVE)
Manganese (CAS # 7439-96-5): Present (ACTIVE)
Nickel (CAS # 7440-02-0): Present (ACTIVE)
Silver (CAS # 7440-22-4): Present (ACTIVE)
Thallium (CAS # 7440-28-0): Present (ACTIVE)
Beryllium (CAS # 7440-41-7): Present (ACTIVE)
Cadmium (CAS # 7440-43-9): Present (ACTIVE)
Cobalt (CAS # 7440-48-4): Present (ACTIVE)
Copper (CAS # 7440-50-8): Present (ACTIVE)
Gallium (CAS # 7440-55-3): Present (ACTIVE)
Vanadium (CAS # 7440-62-2): Present (ACTIVE)
Zinc (CAS # 7440-66-6): Present (ACTIVE)
Bismuth (CAS # 7440-69-9): Present (ACTIVE)
Indium (CAS # 7440-74-6): Present (ACTIVE)
Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)
Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)
Water (CAS # 7732-18-5): Present (ACTIVE)
Selenium (CAS # 7782-49-2): Present (ACTIVE)
Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (ACTIVE)
Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (ACTIVE)
Cesium Nitrate (CAS # 7789-18-6): Present (ACTIVE)
Lithium Nitrate (CAS # 7790-69-4): Present (ACTIVE)

Safety Data Sheet

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Barium Nitrate (CAS # 10022-31-8): 233-020-5
Rubidium Nitrate (CAS # 13126-12-0): 236-060-1
Arsenic Trioxide (CAS # 1327-53-3): 215-481-4
Uranium Oxide (CAS # 1344-58-7): 215-701-9
Strontium Carbonate (CAS # 1633-05-2): 216-643-7
Calcium Carbonate (CAS # 471-34-1): 207-439-9
Sodium Carbonate (CAS # 497-19-8): 207-838-8
Sodium Carbonate (CAS # 497-19-8): 231-420-4
Potassium Carbonate (CAS # 584-08-7): 209-529-3
Potassium Carbonate (CAS # 584-08-7): 241-378-9
Iron (CAS # 7439-89-6): 231-096-4
Lead (CAS # 7439-92-1): 231-100-4
Magnesium (CAS # 7439-95-4): 231-104-6
Manganese (CAS # 7439-96-5): 231-105-1
Nickel (CAS # 7440-02-0): 231-111-4
Silver (CAS # 7440-22-4): 231-131-3
Thallium (CAS # 7440-28-0): 231-138-1
Beryllium (CAS # 7440-41-7): 231-150-7
Cadmium (CAS # 7440-43-9): 231-152-8
Cobalt (CAS # 7440-48-4): 231-158-0
Copper (CAS # 7440-50-8): 231-159-6
Gallium (CAS # 7440-55-3): 231-163-8
Vanadium (CAS # 7440-62-2): 231-171-1
Zinc (CAS # 7440-66-6): 231-175-3
Bismuth (CAS # 7440-69-9): 231-177-4
Indium (CAS # 7440-74-6): 231-180-0
Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8
Nitric Acid (CAS # 7697-37-2): 231-714-2
Water (CAS # 7732-18-5): 231-791-2
Selenium (CAS # 7782-49-2): 231-957-4
Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): 236-751-8
Chromium Nitrate Nonahydrate (CAS # 7789-02-8): 236-921-1
Cesium Nitrate (CAS # 7789-18-6): 232-146-8
Lithium Nitrate (CAS # 7790-69-4): 232-218-9

Safety Data Sheet

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-09-11

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.