Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: ICP-MS Instrument Calibration Standard #2

Product Number: RICPMS22
Other Identifying Product Numbers: RICPMS22-100B

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

Product Number: RICPMS22 Page 1 of 36



Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

2.2. GHS Label Elements

Pictograms:







Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Product Number: RICPMS22 Page 2 of 36

Precautionary Statements:

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water.).
P321	Specific treatment (Wash areas of contact with water.).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: RICPMS22 Page 3 of 36



Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	94.74
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	4.74
Aluminum Nitrate Nonahydrate	Al(NO ₃) ₃ ·9H ₂ O	375.13 g/mol	7784-27-2	0.13
Chromium Nitrate Nonahydrate	$Cr(NO_3)_3 \cdot 9H_2O$	238.01 g/mol	7789-02-8	< 0.1
Manganous Nitrate Tetrahydrate	$Mn(NO_3)_2 \cdot 4H_2O$	251.01 g/mol	15710-66-4	< 0.1
Strontium Nitrate	Sr(NO ₃) ₂	211.62 g/mol	10042-76-9	< 0.1
Sodium Carbonate	Na ₂ CO ₃	105.98 g/mol	497-19-8	< 0.1
Ammonium Molybdate	(NH ₄) ₂ MoO ₄	196.03 g/mol	13106-76-8	< 0.1
Barium Nitrate	Ba(NO ₃) ₂	261.33 g/mol	10022-31-8	< 0.1
Potassium Carbonate	K₂CO₃	138.20 g/mol	584-08-7	< 0.1
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	< 0.1
Antimony Trioxide	Sb ₂ O ₃	291.51 g/mol	1309-64-4	< 0.1
Selenium	Se	78.95 g/mol	7782-49-2	< 0.1
Zinc	Zn	65.40 g/mol	7440-66-6	< 0.1
Vanadium	V	50.94 g/mol	7440-62-2	< 0.1
Copper	Cu	63.54 g/mol	7440-50-8	< 0.1
Cobalt	Со	58.93 g/mol	7440-48-4	< 0.1
Cadmium	Cd	112.41 g/mol	7440-43-9	< 0.1
Beryllium	Be	9.01 g/mol	7440-41-7	< 0.1
Arsenic	As	74.92 g/mol	7440-38-2	< 0.1
Titanium	Ti	47.86 g/mol	7440-32-6	< 0.1
Tin	Sn	118.71 g/mol	7440-31-5	< 0.1
Thallium	TI	204.38 g/mol	7440-28-0	< 0.1
Silver	Ag	107.86 g/mol	7440-22-4	< 0.1
Nickel	Ni	58.69 g/mol	7440-02-0	< 0.1
Magnesium	Mg	24.30 g/mol	7439-95-4	< 0.1
Lead	Pb	207.2 g/mol	7439-92-1	< 0.1
Iron	Fe	55.84 g/mol	7439-89-6	< 0.1
Ammonium Hydroxide	NH₄OH	35.04 g/mol	1336-21-6	< 0.1

Product Number: RICPMS22 Page 4 of 36

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Specific treatment (Wash areas of contact with water.).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Not considered to be a fire or explosion hazard.

5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

5.3. Special Protective Equipment for Firefighters

Wear protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner.

Product Number: RICPMS22 Page 5 of 36



Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Barium Nitrate (10022-31-8)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Ba)"	ACGIH - Threshold Limit Values - Time
			As Barium soluble	Weighted Averages (TLV-TWA)
			compounds [RR-00049-7]	
Barium Nitrate (10022-31-8)	TWA	USA	"0.5 mg/m3 TWA (regulated	U.S OSHA - Final PELs - Time
			under CAS 7440-39-3, as	Weighted Averages (TWAs)
			Ba)" As Barium, soluble	
			compounds [RR-00049-7]	
Barium Nitrate (10022-31-8)	TLV-TWA	USA	0.5 mg/m³ TWA (as Ba)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Barium Nitrate (10022-31-8)	TWA	USA	0.5 mg/m³ TWA (regulated	U.S OSHA - Final PELs - Time
·			under CAS 7440-39-3, as	Weighted Averages (TWAs)
			Ba)	
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m3 TWA (as Sb)"	U.S OSHA - Final PELs - Time
, , ,			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
,			particulate matter)	Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)"	U.S OSHA - Final PELs - Time
, , ,			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	3 ()
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)"	ACGIH - Threshold Limit Values - Time
,			As Antimony compounds	Weighted Averages (TLV-TWA)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)"	U.S OSHA - Final PELs - Time
,			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	3 (,
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)"	ACGIH - Threshold Limit Values - Time
, - ()			As Antimony compounds	Weighted Averages (TLV-TWA)
			[RR-00585-6]	3 ··· · · · · · · · · · · · · · · · · ·
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)"	ACGIH - Threshold Limit Values - Time
, ,			As Antimony compounds	Weighted Averages (TLV-TWA)
			[RR-00585-6]	J - (,
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)"	U.S OSHA - Final PELs - Time
,			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	3 ···· · · · · · · · · · · · · · · · ·

Product Number: RICPMS22 Page 6 of 36



Safety Data Sheet

Antimony Trioxide (1309-64-4)	TWA	USA	0.5 mg/m ³ TWA (as Sb)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.5 mg/m³ TWA (as Sb)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)"	U.S OSHA - Final PELs - Time
			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)"	ACGIH - Threshold Limit Values - Time
			As Antimony compounds	Weighted Averages (TLV-TWA)
			[RR-00585-6]	
Ammonium Molybdate (13106-76-8)	TLV-TWA	USA	"0.5 mg/m3 TWA (respirable	ACGIH - Threshold Limit Values - Time
			particulate matter, as Mo)"	Weighted Averages (TLV-TWA)
			As Molybdenum soluble	
			compounds [RR-00036-2]	
Ammonium Molybdate (13106-76-8)	TWA	USA	"5 mg/m³ TWA (as Mo)" As	U.S OSHA - Final PELs - Time
			Molybdenum, soluble	Weighted Averages (TWAs)
			compounds [RR-00036-2]	
Ammonium Molybdate (13106-76-8)	TLV-TWA	USA	0.5 mg/m³ TWA (respirable	ACGIH - Threshold Limit Values - Time
			particulate matter, as Mo)	Weighted Averages (TLV-TWA)
Ammonium Molybdate (13106-76-8)	TWA	USA	5 mg/m³ TWA (as Mo)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Ammonium Hydroxide (1336-21-6)	TLV-TWA	USA	25 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Ammonium Hydroxide (1336-21-6)	TLV-STEL	USA	35 ppm STEL	ACGIH - Threshold Limit Values -
				Short Term Exposure Limits
				(TLV-STEL)
Ammonium Hydroxide (1336-21-6)	TWA	USA	50 ppm TWA; 35 mg/m ³	U.S OSHA - Final PELs - Time
			TWA	Weighted Averages (TWAs)
Manganous Nitrate Tetrahydrate (1571	TLV-TWA	USA	"0.02 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time
			(respirable particulate	Weighted Averages (TLV-TWA)
			matter, as Mn); 0.1 mg/m ³	
			TWA (inhalable particulate	
			matter, as Mn)" As	
			Manganese inorganic	
			compounds [RR-03861-9]	
Manganous Nitrate Tetrahydrate (1571	PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)"	U.S OSHA - Final PELs - Ceiling
			As Manganese compounds	Limits
			[RR-00602-0]	

Product Number: RICPMS22 Page 7 of 36



Safety Data Sheet

Manganous Nitrate Tetrahyo	drate (1571 TLV-TWA	USA	"0.02 mg/m³ TWA (respirable particulate matter, as Mn); 0.1 mg/m³ TWA (inhalable particulate matter, as Mn)" As Manganese inorganic compounds [RR-03861-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Manganous Nitrate Tetrahyo	drate (1571 PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganous Nitrate Tetrahyo	drate (1571 PEL-Ceiling	USA	5 mg/m³ Ceiling (as Mn)	U.S OSHA - Final PELs - Ceiling Limits
Manganous Nitrate Tetrahyo	drate (1571 PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganous Nitrate Tetrahyo	drate (1571 TLV-TWA	USA	0.02 mg/m³ TWA (respirable particulate matter, as Mn); 0.1 mg/m³ TWA (inhalable particulate matter, as Mn)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Manganous Nitrate Tetrahyo	drate (1571 PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganous Nitrate Tetrahyo	drate (1571 TLV-TWA	USA	"0.02 mg/m³ TWA (respirable particulate matter, as Mn); 0.1 mg/m³ TWA (inhalable particulate matter, as Mn)" As Manganese inorganic compounds [RR-03861-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Manganous Nitrate Tetrahyo	drate (1571 PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Lead (7439-92-1)	PEL	USA	30 μg/m³ Action Level (See 29 CFR 1910.1025); 50 μg/m³ TWA	U.S OSHA - Specifically Regulated Chemicals with PELs
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TWA	USA	50 μg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)

Product Number: RICPMS22 Page 8 of 36



Safety Data Sheet

Nickel (7440-02-0)	TLV-TWA	USA	1.5 mg/m ³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	1 mg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Silver (7440-22-4)	TLV-TWA	USA	0.1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
			fume)	Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TWA	USA	0.01 mg/m ³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	

Product Number: RICPMS22 Page 9 of 36



Safety Data Sheet

Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Tin (7440-31-5)	TLV-TWA	USA	"2 mg/m³ TWA (excluding	ACGIH - Threshold Limit Values - Time
			tin hydride and indium tin	Weighted Averages (TLV-TWA)
			oxide, inhalable particulate	
			matter, as Sn)" As Tin	
			inorganic compounds	
			[RR-00043-1]	
Tin (7440-31-5)	TWA	USA	"2 mg/m3 TWA (except	U.S OSHA - Final PELs - Time
			oxides, as Sn)" As Tin,	Weighted Averages (TWAs)
			inorganic compounds	
			[RR-00043-1]	
Tin (7440-31-5)	TWA	USA	"2 mg/m3 TWA (except	U.S OSHA - Final PELs - Time
			oxides, as Sn)" As Tin,	Weighted Averages (TWAs)
			inorganic compounds	
			[RR-00043-1]	
Tin (7440-31-5)	TLV-TWA	USA	2 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Tin (7440-31-5)	TLV-TWA	USA	2 mg/m³ TWA (excluding tin	ACGIH - Threshold Limit Values - Time
			hydride and indium tin	Weighted Averages (TLV-TWA)
			oxide, inhalable particulate	
			matter, as Sn)	
Tin (7440-31-5)	TWA	USA	2 mg/m³ TWA (except	U.S OSHA - Final PELs - Time
			oxides, as Sn)	Weighted Averages (TWAs)

Product Number: RICPMS22 Page 10 of 36



Safety Data Sheet

Tin (7440-31-5)	TWA	USA	"2 mg/m³ TWA (except oxides, as Sn)" As Tin, inorganic compounds	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
			[RR-00043-1]	
Tin (7440-31-5)	TLV-TWA	USA	"2 mg/m³ TWA (excluding tin hydride and indium tin oxide, inhalable particulate matter, as Sn)" As Tin inorganic compounds [RR-00043-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	PEL	USA	"10 µg/m³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TWA	USA	"10 µg/m³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: RICPMS22 Page 11 of 36



Safety Data Sheet

Arsenic (7440-38-2)	PEL	USA	"10 µg/m³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m³ Action Level (as As)" As Inorganic arsenic	U.S OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	PEL	USA	compounds [RR-00065-7] "10 µg/m³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m³ Action Level (as As)" As Inorganic arsenic	U.S OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TLV-TWA	USA	compounds [RR-00065-7] "0.01 mg/m³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)

Product Number: RICPMS22 Page 12 of 36



Safety Data Sheet

Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m ³	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m ³	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m ³	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	

Product Number: RICPMS22 Page 13 of 36



Safety Data Sheet

Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m ³	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	0.01 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
Arearia (7440 00 0)	DEI	LICA	#10 TMA /Co.o. 00	Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m³ TWA (See 29	U.S OSHA - Specifically Regulated Chemicals with PELs
			CFR 1910.1018; except	Chemicals with PELS
			Arsine, as As); 5 μg/m ³	
			Action Level (as As)" As	
			Inorganic arsenic	
/=			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m ³ TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μ g/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	
Beryllium (7440-41-7)	TLV-TWA	USA	"0.00005 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as Be)" As Beryllium	
			compounds [RR-00557-2]	
Beryllium (7440-41-7)	TWA	USA	"0.2 μg/m³ TWA (as Be)" As	U.S OSHA - Final PELs - Time
			Beryllium compounds	Weighted Averages (TWAs)
			[RR-00557-2]	
Beryllium (7440-41-7)	PEL-Ceiling	USA	"2 μg/m³ Ceiling (as Be)" As	U.S OSHA - Final PELs - Ceiling
,	· ·		Beryllium compounds	Limits
			[RR-00557-2]	
Beryllium (7440-41-7)	TLV-TWA	USA	"0.00005 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
, ,			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as Be)" As Beryllium	,
			compounds [RR-00557-2]	
Beryllium (7440-41-7)	TWA	USA	"0.2 μg/m³ TWA (as Be)" As	U.S OSHA - Final PELs - Time
		- - - ·	Beryllium compounds	Weighted Averages (TWAs)
			[RR-00557-2]	
Beryllium (7440-41-7)	PEL-Ceiling	USA	"2 μg/m³ Ceiling (as Be)" As	U.S OSHA - Final PELs - Ceiling
	-		Beryllium compounds	Limits
			[RR-00557-2]	

Product Number: RICPMS22 Page 14 of 36



Safety Data Sheet

Beryllium (7440-41-7)	PEL	USA	0.2 μg/m³ TWA (See 29 CFR 1910.1024); 0.1 μg/m³ Action Level; 2.0 μg/m³ STEL (15 min)	U.S OSHA - Specifically Regulated Chemicals with PELs
Beryllium (7440-41-7)	PEL-STEL	USA	2 μg/m³ STEL (see 29 CFR 1910.1024)	U.S OSHA - Final PELs - Short Term Exposure Limits
Beryllium (7440-41-7)	TLV-TWA	USA	0.00005 mg/m³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	PEL-Ceiling	USA	2 μg/m³ Ceiling	U.S OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	TWA	USA	0.2 μg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	PEL-Ceiling	USA	"2 μg/m³ Ceiling (as Be)" As Beryllium compounds [RR-00557-2]	U.S OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	TWA	USA	"0.2 μg/m³ TWA (as Be)" As Beryllium compounds [RR-00557-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	TLV-TWA	USA	"0.00005 mg/m³ TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs

Product Number: RICPMS22 Page 15 of 36



Safety Data Sheet

Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m ³ TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m ³ TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
0 1 (7110 10 0)	TI \ / T\A/A	1104	[RR-00559-4]	ACOULT Three hold I will Value Tree
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m³ TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds [RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
Caumum (7440-45-9)	I LL	OOA	1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	Officialis with LES
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m ³ TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	3 ···· · · · · · · · · · · · · · · · ·
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	

Product Number: RICPMS22 Page 16 of 36



Safety Data Sheet

Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m³ TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: RICPMS22 Page 17 of 36



Safety Data Sheet

Cadmium (7440-43-9) Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4] 5 µg/m³ TWA (See 29 CFR	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) U.S OSHA - Specifically Regulated
Cadmium (7440-43-9)	TLV-TWA	USA	1910.1027); 2.5 µg/m³ Action Level 0.01 mg/m³ TWA; 0.002 mg/m³ TWA (respirable particulate matter)	Chemicals with PELs ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL-Ceiling	USA	0.3 mg/m³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, fume); 0.6 mg/m³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, dust)	U.S OSHA - Final PELs - Ceiling Limits
Cadmium (7440-43-9)	TWA	USA	5 μg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs

Product Number: RICPMS22 Page 18 of 36



Safety Data Sheet

Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cobalt (7440-48-4)	TWA	USA	0.1 mg/m³ TWA (dust and fume)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable particulate matter, as Co)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	0.1 mg/m³ TWA (fume); 1 mg/m³ TWA (dust and mist)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	0.2 mg/m³ TWA (fume)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m³ TWA (dust and mist, as Cu)" As Copper compounds [RR-00595-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m³ TWA (dust and mist, as Cu)" As Copper compounds [RR-00595-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Vanadium (7440-62-2)	PEL-Ceiling	USA	0.5 mg/m³ Ceiling (respirable dust, as V2O5); 0.1 mg/m³ Ceiling (fume, as V2O5)	U.S OSHA - Final PELs - Ceiling Limits
Hydrofluoric Acid (7664-39-3)	TWA	USA	"2.5 mg/m³ TWA (as F)" As Fluorides [RR-02792-9]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m³ TWA (as F)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)

Product Number: RICPMS22 Page 19 of 36



Safety Data Sheet

Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values -
				Short Term Exposure Limits
				(TLV-STEL)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m3 TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m3 TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m3 TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m3 TWA (as Se)"	ACGIH - Threshold Limit Values - Time
,			As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
,			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	3 ()
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	J - (/
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
- /		-	As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	J

Product Number: RICPMS22 Page 20 of 36



Safety Data Sheet

Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Chromium Nitrate Nonahydrate	(7789-(TWA	USA	"0.5 mg/m3 TWA (as Cr)" As	U.S OSHA - Final PELs - Time
·			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	
Chromium Nitrate Nonahydrate (7789-(TWA		USA	0.5 mg/m³ TWA (as Cr)	U.S OSHA - Final PELs - Time
			-	Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	
Chromium Nitrate Nonahydrate	(7789-(TWA	USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
,			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	5 , ,

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection.

Skin Protection: Wear protective gloves and eye protection. **Eye Protection:** Wear protective gloves and eye protection.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

Product Number: RICPMS22 Page 21 of 36



SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Slightly colored liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Data not available.

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.07

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container.

10.4. Hazardous Decomposition Products

May emit irritating fumes when heated to decomposition.

Product Number: RICPMS22 Page 22 of 36

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

Data not available.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Product Number: RICPMS22 Page 23 of 36



Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: RICPMS22 Page 24 of 36



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead (CAS # 7439-92-1): 30 μg/m3 Action Level (See 29 CFR 1910.1025); 50 μg/m3 TWA (See 29 CFR 1910.1025)

Arsenic (CAS # 7440-38-2): "10 μ g/m3 TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 μ g/m3 Action Level (See 29 CFR 1910.1018, except Arsine, as As)" As Inorganic arsenic compounds [RR-00065-7]

Beryllium (CAS # 7440-41-7): 0.2 μg/m3 TWA (See 29 CFR 1910.1024); 0.1 μg/m3 Action Level (See 29 CFR 1910.1024); 2.0 μg/m3 STEL (See 29 CFR 1910.1024, 15 min)

Cadmium (CAS # 7440-43-9): "5 μ g/m3 TWA (See 29 CFR 1910.1027, as Cd); 2.5 μ g/m3 Action Level (as Cd)" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 5 μg/m3 TWA (See 29 CFR 1910.1027); 2.5 μg/m3 Action Level

Product Number: RICPMS22 Page 25 of 36

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Ammonium Hydroxide (CAS # 1336-21-6): 100 lb EPCRA RQ Ammonium Hydroxide (CAS # 1336-21-6): 500 lb TPQ Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Antimony Trioxide (CAS # 1309-64-4): 1000 lb final RQ; 454 kg final RQ Ammonium Hydroxide (CAS # 1336-21-6): 100 lb final RQ; 45.4 kg final RQ Ammonium Hydroxide (CAS # 1336-21-6): 1000 lb final RQ; 454 kg final RQ

Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)

Nickel (CAS # 7440-02-0): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$)

Silver (CAS # 7440-22-4): 1 lb final RQ; 0.454 kg final RQ

Silver (CAS # 7440-22-4): 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)

Thallium (CAS # 7440-28-0): 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)

Arsenic (CAS # 7440-38-2): 1 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 0.454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)

Arsenic (CAS # 7440-38-2): 1 lb final RQ; 0.454 kg final RQ

Berylli

Product Number: RICPMS22 Page 26 of 36



Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0] Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0]; "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Strontium Nitrate (CAS # 10042-76-9): "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Strontium Nitrate (CAS # 10042-76-9): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Antimony Trioxide (CAS # 1309-64-4): "1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of that chemical's infrastructure, listed under Chemical Category N010)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): 1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of that chemical's infrastructure, listed under Chemical Category N010)

Ammonium Molybdate (CAS # 13106-76-8): "1.0 % de minimis concen

Product Number: RICPMS22 Page 27 of 36



15.5. Massachusetts Right-to-Know Substance List

Barium Nitrate (CAS # 10022-31-8): Present

Strontium Nitrate (CAS # 10042-76-9): Present

Antimony Trioxide (CAS # 1309-64-4): Present

Ammonium Hydroxide (CAS # 1336-21-6): Extraordinarily hazardous (including anhydrous)

Ammonium Hydroxide (CAS # 1336-21-6): Present

Lead (CAS # 7439-92-1): Teratogen

Magnesium (CAS # 7439-95-4): Present

Nickel (CAS # 7440-02-0): Carcinogen; Extraordinarily hazardous

Silver (CAS # 7440-22-4): Present

Thallium (CAS # 7440-28-0): Present

Tin (CAS # 7440-31-5): Present

Arsenic (CAS # 7440-38-2): Carcinogen; Extraordinarily hazardous Beryllium (CAS # 7440-41-7): Carcinogen; Extraordinarily hazardous Cadmium (CAS # 7440-43-9): Carcinogen; Extraordinarily hazardous

Cobalt (CAS # 7440-48-4): Present Copper (CAS # 7440-50-8): Present

Vanadium (CAS # 7440-62-2): Present (dust and fume)

Zinc (CAS # 7440-66-6): Present

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Selenium (CAS # 7782-49-2): Present

Product Number: RICPMS22 Page 28 of 36



Safety Data Sheet

15.6. Pennsylvania Right-to-Know Hazardous Substances

Barium Nitrate (CAS # 10022-31-8): "Environmental hazard" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "Present" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): Environmental hazard

Barium Nitrate (CAS # 10022-31-8): Present

Strontium Nitrate (CAS # 10042-76-9): Present

Antimony Trioxide (CAS # 1309-64-4): "Environmental hazard" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): Environmental hazard

Antimony Trioxide (CAS # 1309-64-4): Present

Ammonium Hydroxide (CAS # 1336-21-6): Environmental hazard

Ammonium Hydroxide (CAS # 1336-21-6): Present

Manganous Nitrate Tetrahydrate (CAS # 15710-66-4): "Environmental hazard" As Manganese compounds [RR-00602-0]

Manganous Nitrate Tetrahydrate (CAS # 15710-66-4): "Present" As Manganese compounds [RR-00602-0]

Manganous Nitrate Tetrahydrate (CAS # 15710-66-4): Environmental hazard

Manganous Nitrate Tetrahydrate (CAS # 15710-66-4): Present

Lead (CAS # 7439-92-1): Environmental hazard

Lead (CAS # 7439-92-1): Present

Magnesium (CAS # 7439-95-4): Present

Nickel (CAS # 7440-02-0): "Environmental hazard" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "Present" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): Environmental hazard

Nickel (CAS # 7440-02-0): Environmental hazard; Special hazardous substance

Nickel (CAS # 7440-02-0): Present

Silver (CAS # 7440-22-4): Environmental hazard

Silver (CAS # 7440-22-4): Present

Thallium (CAS # 7440-28-0): "Environmental hazard" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): "Present" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): Environmental hazard

Thallium (CAS # 7440-28-0): Present

Tin (CAS # 7440-31-5): Present

Arsenic (CAS # 7440-38-2): "Environmental hazard" As Arsenic compounds [RR-00625-7]

Arsenic (CAS # 7440-38-2): "Present" As Arsenic compounds [RR-00625-7]

Arsenic (CAS # 7440-38-2): Env

Product Number: RICPMS22 Page 29 of 36

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0];

"SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 2146" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 3722" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): sn 0186 Barium Nitrate (CAS # 10022-31-8): sn 2146

Barium Nitrate (CAS # 10022-31-8): SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Barium Nitrate (CAS # 10022-31-8): sn 3722

Barium Nitrate (CAS # 10022-31-8): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Strontium Nitrate (CAS # 10042-76-9): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Strontium Nitrate (CAS # 10042-76-9): "sn 3722" As Nitrate compounds [RR-01770-9]

Strontium Nitrate (CAS # 10042-76-9): sn 1743

Strontium Nitrate (CAS # 10042-76-9): sn 3722

Strontium Nitrate (CAS # 10042-76-9): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Antimony Trioxide (CAS # 1309-64-4): "SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 130

Product Number: RICPMS22 Page 30 of 36

15.8. California Proposition 65

Antimony Trioxide (CAS # 1309-64-4): carcinogen, 10/1/1990

Lead (CAS # 7439-92-1): 15 μg/day NSRL (oral) Lead (CAS # 7439-92-1): carcinogen, 10/1/1992

Lead (CAS # 7439-92-1): developmental toxicity, 2/27/1987 Lead (CAS # 7439-92-1): female reproductive toxicity 2/27/87 Lead (CAS # 7439-92-1): male reproductive toxicity, 2/27/87

Nickel (CAS # 7440-02-0): "carcinogen, 5/7/2004" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): carcinogen, 10/1/1989 (metallic)

Arsenic (CAS # 7440-38-2): "0.06 µg/day NSRL (inhalation, listed under Arsenic); 10 µg/day NSRL (except inhalation, listed under Arsenic)" As

Arsenic, inorganic compounds [RR-00065-7]

Arsenic (CAS # 7440-38-2): "carcinogen, 2/27/1987" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic (CAS # 7440-38-2): 0.06 μg/day NSRL (inhalation); 10 μg/day NSRL (except inhalation)

Beryllium (CAS # 7440-41-7): "carcinogen, 10/1/1987" As Beryllium compounds [RR-00557-2]

Beryllium (CAS # 7440-41-7): 0.1 μg/day NSRL Beryllium (CAS # 7440-41-7): carcinogen, 10/1/1987

Cadmium (CAS # 7440-43-9): "carcinogen, 10/1/1987" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 0.05 µg/day NSRL (inhalation)

Cadmium (CAS # 7440-43-9): carcinogen, 10/1/1987

Cadmium (CAS # 7440-43-9): developmental toxicity, 5/1/1997 Cadmium (CAS # 7440-43-9): male reproductive toxicity, 5/1/97 Cobalt (CAS # 7440-48-4): carcinogen, 7/1/1992 (powder)

Product Number: RICPMS22 Page 31 of 36



Safety Data Sheet

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Barium Nitrate (CAS # 10022-31-8): Present (DSL)

Strontium Nitrate (CAS # 10042-76-9): Present (DSL)

Antimony Trioxide (CAS # 1309-64-4): Present (DSL)

Ammonium Molybdate (CAS # 13106-76-8): Present (DSL)

Ammonium Hydroxide (CAS # 1336-21-6): Present (DSL)

Manganous Nitrate Tetrahydrate (CAS # 15710-66-4): Present (DSL)

Sodium Carbonate (CAS # 497-19-8): Present (DSL)

Potassium Carbonate (CAS # 584-08-7): Present (DSL)

Iron (CAS # 7439-89-6): Present (DSL)

Lead (CAS # 7439-92-1): Present (DSL)

Magnesium (CAS # 7439-95-4): Present (DSL)

Nickel (CAS # 7440-02-0): Present (DSL)

Silver (CAS # 7440-22-4): Present (DSL)

Thallium (CAS # 7440-28-0): Present (DSL)

Tin (CAS # 7440-31-5): Present (DSL)

Titanium (CAS # 7440-32-6): Present (DSL)

Arsenic (CAS # 7440-38-2): Present (DSL)

Beryllium (CAS # 7440-41-7): Present (DSL)

Cadmium (CAS # 7440-43-9): Present (DSL)

Cobalt (CAS # 7440-48-4): Present (DSL)

Copper (CAS # 7440-50-8): Present (DSL)

Vanadium (CAS # 7440-62-2): Present (DSL)

Zinc (CAS # 7440-66-6): Present (DSL)

Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Selenium (CAS # 7782-49-2): Present (DSL)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (DSL)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Product Number: RICPMS22 Page 32 of 36



Safety Data Sheet

Barium Nitrate (CAS # 10022-31-8): Present (ACTIVE)

Strontium Nitrate (CAS # 10042-76-9): Present (ACTIVE)

Antimony Trioxide (CAS # 1309-64-4): Present (ACTIVE)

Ammonium Molybdate (CAS # 13106-76-8): Present (ACTIVE)

Ammonium Hydroxide (CAS # 1336-21-6): Present (ACTIVE)

Manganous Nitrate Tetrahydrate (CAS # 15710-66-4): Present (ACTIVE)

Sodium Carbonate (CAS # 497-19-8): Present (ACTIVE)

Potassium Carbonate (CAS # 584-08-7): Present (ACTIVE)

Iron (CAS # 7439-89-6): Present (ACTIVE)

Lead (CAS # 7439-92-1): Present (ACTIVE)

Magnesium (CAS # 7439-95-4): Present (ACTIVE)

Nickel (CAS # 7440-02-0): Present (ACTIVE)

Silver (CAS # 7440-22-4): Present (ACTIVE)

Thallium (CAS # 7440-28-0): Present (ACTIVE)

Tin (CAS # 7440-31-5): Present (ACTIVE)

Titanium (CAS # 7440-32-6): Present (ACTIVE)

Arsenic (CAS # 7440-38-2): Present (ACTIVE)

Beryllium (CAS # 7440-41-7): Present (ACTIVE)

Cadmium (CAS # 7440-43-9): Present (ACTIVE)

Cobalt (CAS # 7440-48-4): Present (ACTIVE)

Copper (CAS # 7440-50-8): Present (ACTIVE)

Vanadium (CAS # 7440-62-2): Present (ACTIVE)

Zinc (CAS # 7440-66-6): Present (ACTIVE)

Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

Selenium (CAS # 7782-49-2): Present (ACTIVE)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (ACTIVE)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (ACTIVE)

Product Number: RICPMS22 Page 33 of 36



15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Barium Nitrate (CAS # 10022-31-8): 233-020-5

Strontium Nitrate (CAS # 10042-76-9): 233-131-9

Antimony Trioxide (CAS # 1309-64-4): 215-175-0

Antimony Trioxide (CAS # 1309-64-4): 215-474-6

Ammonium Molybdate (CAS # 13106-76-8): 236-031-3

Ammonium Hydroxide (CAS # 1336-21-6): 215-647-6

Ammonium Hydroxide (CAS # 1336-21-6): 231-635-3

Manganous Nitrate Tetrahydrate (CAS # 15710-66-4): 233-828-8

Sodium Carbonate (CAS # 497-19-8): 207-838-8

Sodium Carbonate (CAS # 497-19-8): 231-420-4

Potassium Carbonate (CAS # 584-08-7): 209-529-3

Potassium Carbonate (CAS # 584-08-7): 241-378-9

Iron (CAS # 7439-89-6): 231-096-4

Lead (CAS # 7439-92-1): 231-100-4

Magnesium (CAS # 7439-95-4): 231-104-6

Nickel (CAS # 7440-02-0): 231-111-4

Silver (CAS # 7440-22-4): 231-131-3

Thallium (CAS # 7440-28-0): 231-138-1

Tin (CAS # 7440-31-5): 231-141-8

Titanium (CAS # 7440-32-6): 231-142-3

Arsenic (CAS # 7440-38-2): 231-148-6

Beryllium (CAS # 7440-41-7): 231-150-7

Cadmium (CAS # 7440-43-9): 231-152-8

Cobalt (CAS # 7440-48-4): 231-158-0

Copper (CAS # 7440-50-8): 231-159-6

Vanadium (CAS # 7440-62-2): 231-171-1

Zinc (CAS # 7440-66-6): 231-175-3

Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8

Nitric Acid (CAS # 7697-37-2): 231-714-2

Water (CAS # 7732-18-5): 231-791-2

Selenium (CAS # 7782-49-2): 231-957-4

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): 236-751-8

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): 236-921-1

Product Number: RICPMS22 Page 34 of 36



SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable. Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0

Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-09-11

Product Number: RICPMS22 Page 35 of 36

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RICPMS22 Page 36 of 36