

Classified According to OSHA Hazard Communication Standard (HCS)

#### **SECTION 1: Identification**

#### **1.1. Product Identifier**

Trade Name or Designation:

Instrument Calibration Standard 2

Product Number: RINSTCL2 Other Identifying Product Numbers: RINSTCL2-100

**1.2. Recommended Use and Restrictions on Use** 

General Laboratory Reagent

#### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

#### **1.4. Emergency Telephone Number (24 hours)**

CHEMTREC (USA) CHEMTREC (International) 800-424-9300 1+ 703-527-3887

## **Safety Data Sheet**

#### **SECTION 2: Hazard(s) Identification**

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

#### 2.2. GHS Label Elements

#### **Pictograms:**



#### Signal Word: Danger

#### Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

RICCA CHEMICAL COMPANY<sup>®</sup>

## **Safety Data Sheet**

#### **Precautionary Statements:**

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water immediately).
P321	Specific treatment (Wash areas of contact with water immediately).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

#### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

## Safety Data Sheet

#### **SECTION 3: Composition / Information on Ingredients**

#### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	94.80
Nitric Acid	HNO <sub>3</sub>	63.01 g/mol	7697-37-2	5.04
Chromium Nitrate Nonahydrate	Cr(NO <sub>3</sub> ) <sub>3</sub> ·9H <sub>2</sub> O	238.01 g/mol	7789-02-8	< 0.1
Nickel	Ni	58.69 g/mol	7440-02-0	< 0.1
Zinc	Zn	65.40 g/mol	7440-66-6	< 0.1
Manganese	Mn	54.93 g/mol	7439-96-5	< 0.1
Silver	Ag	107.86 g/mol	7440-22-4	< 0.1

#### **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled.

#### 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately).

#### **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing Media

Not considered to be a fire or explosion hazard.

#### 5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

#### 5.3. Special Protective Equipment for Firefighters

Wear protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

#### Product Number: RINSTCL2



#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

#### 6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

#### **SECTION 7: Handling and Storage**

#### 7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner.

RICCA CHEMICAL COMPANY<sup>®</sup>

## **Safety Data Sheet**

#### **SECTION 8: Exposure Controls / Personal Protection**

#### **8.1 Control Parameters**

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m <sup>3</sup> Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m <sup>3</sup> Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m <sup>3</sup> Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m <sup>3</sup> Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m <sup>3</sup> Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m <sup>3</sup> TWA (respirable particulate matter); 0.1 mg/m <sup>3</sup> TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Manganese (7439-96-5)	PEL-Ceiling	USA	5 mg/m <sup>3</sup> Ceiling (fume)	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m <sup>3</sup> Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m <sup>3</sup> TWA (respirable particulate matter, as Mn); 0.1 mg/m <sup>3</sup> TWA (inhalable particulate matter, as Mn)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TLV-TWA	USA	1.5 mg/m <sup>3</sup> TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	1 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)

RICCA CHEMICAL COMPANY<sup>®</sup>

## Safety Data Sheet

Silver (7440-22-4)	TLV-TWA	USA	0.1 mg/m <sup>3</sup> TWA (dust and	ACGIH - Threshold Limit Values - Time
			fume)	Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TWA	USA	0.01 mg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values -
				Short Term Exposure Limits
				(TLV-STEL)
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	
Chromium Nitrate Nonahydrate (7789-(TWA		USA	0.5 mg/m³ TWA (as Cr)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	

#### 8.2. Exposure Controls

**Engineering Controls:** Use only outdoors or in a well-ventilated area.

**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection.

Skin Protection: Wear protective gloves and eye protection.

**Eye Protection:** Wear protective gloves and eye protection.

#### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

### **Safety Data Sheet**

#### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Basic Physical and Chemical Properties

```
Appearance: Colorless liquid
                  Physical State: Liquid
                            Odor: Data not available.
                Odor Threshold: Data not available.
                               pH: Data not available.
        Melting/Freezing Point: Data not available.
    Initial Boiling Point/Range: Data not available.
                     Flash Point: Data not available.
              Evaporation Rate: Data not available.
                   Flammability: Data not available.
Flammability/Explosive Limits: Data not available.
                Vapor Pressure: Data not available.
                  Vapor Density: Data not available.
               Relative Density: 1.0
                       Solubility: Miscible
           Partition Coefficient: Data not available.
    Auto-Ignition Temperature: Data not available.
 Decomposition Temperature: Data not available.
                        Viscosity: Data not available.
          Explosive Properties: Data not available.
           Oxidizing Properties: Data not available.
```

#### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### **10.2. Possibility of Hazardous Reactions**

Data not available.

#### 10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container.

#### **10.4. Hazardous Decomposition Products**

May emit irritating fumes when heated to decomposition.

#### Product Number: RINSTCL2

## **Safety Data Sheet**

#### **SECTION 11: Toxicological Information**

#### **11.1. Information on Toxicological Effects**

#### Acute Toxicity - Oral Exposure:

Not applicable.

#### Acute Toxicity - Dermal Exposure:

Not applicable.

#### Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Other Information:

Data not available.

#### Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

#### **Respiratory Sensitization:**

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity: Not applicable.

Carcinogenicity: Not applicable.

#### **Reproductive Toxicity:**

Not applicable.

#### Specific Target Organ Toxicity from Single Exposure:

Not applicable.



Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

#### **Aspiration Hazard:**

Not applicable.

#### Additional Toxicology Information:

Data not available.

#### **SECTION 12: Ecological Information**

#### 12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

#### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

#### 12.5. Other Adverse Ecological Effects

Data not available.

#### **SECTION 13: Disposal Considerations**

#### **13.1. Waste Treatment Methods**

Data not available.



#### **SECTION 14: Transportation Information**

#### 14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group:

Hazard Label(s):



#### 14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes:	100 mL
UN Number:	UN3264
Proper Shipping Name:	Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)
Hazard Class:	8
Packing Group:	III
Hazard Label(s):	CODPOSIVE

#### 14.3 Transportation of Dangerous Goods (TDG, Canada)

8

Sizes:	100 mL
UN Number:	UN3264
Proper Shipping Name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
Hazard Class:	8
Packing Group:	III
Hazard Label(s):	CORROSIVE

## **Safety Data Sheet**

#### **SECTION 15: Regulatory Information**

#### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

#### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

#### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Nickel (CAS # 7440-02-0): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)

Silver (CAS # 7440-22-4): 1 lb final RQ; 0.454 kg final RQ

Silver (CAS # 7440-22-4): 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)

Zinc (CAS # 7440-66-6): 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m); 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

#### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Manganese (CAS # 7439-96-5): "1.0 % de minimis concentration (includes any unique chemical substance that contains Manganese as part of that chemical's infrastructure, listed under Chemical Category N450)" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): 1.0 % de minimis concentration

Nickel (CAS # 7440-02-0): "0.1 % de minimis concentration (includes any unique chemical substance that contains Nickel as part of that chemical's infrastructure, listed under Chemical Category N495)" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): 0.1 % de minimis concentration

Silver (CAS # 7440-22-4): 1.0 % de minimis concentration

Zinc (CAS # 7440-66-6): "1.0 % de minimis concentration (includes any unique chemical substance that contains Zinc as part of that chemical's infrastructure, listed under Chemical Category N982)" As Zinc compounds [RR-00578-7]

Zinc (CAS # 7440-66-6): 1.0 % de minimis concentration (dust or fume only)

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Chromium as part of that chemical's infrastructure except for Chromite ore mined in the Transvaal Region of South Africa and the unreacted ore component of the Chromite ore processing residue (COPR), no de minimis concentration has been assigned to this chemical category, listed under Chemical Category N090)" As Chromium(III) compounds [RR-03889-1]

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0];

"1.0 % de minimis concentration (includes any unique chemical substance that contains Chromium as part of that chemical's infrastructure except for Chromite ore mined in the Transvaal Region of South Africa and the unreacted ore component of the Chromite ore processing residue (COPR),



#### Manganese (CAS # 7439-96-5): Present Nickel (CAS # 7440-02-0): Carcinogen; Extraordinarily hazardous Silver (CAS # 7440-22-4): Present Zinc (CAS # 7440-66-6): Present Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous 15.6. Pennsylvania Right-to-Know Hazardous Substances Manganese (CAS # 7439-96-5): "Environmental hazard" As Manganese compounds [RR-00602-0] Manganese (CAS # 7439-96-5): "Present" As Manganese compounds [RR-00602-0] Manganese (CAS # 7439-96-5): Environmental hazard Manganese (CAS # 7439-96-5): Present Nickel (CAS # 7440-02-0): "Environmental hazard" As Nickel compounds [RR-00800-4] Nickel (CAS # 7440-02-0): "Present" As Nickel compounds [RR-00800-4] Nickel (CAS # 7440-02-0): Environmental hazard Nickel (CAS # 7440-02-0): Environmental hazard; Special hazardous substance Nickel (CAS # 7440-02-0): Present Silver (CAS # 7440-22-4): Environmental hazard Silver (CAS # 7440-22-4): Present Zinc (CAS # 7440-66-6): "Environmental hazard" As Zinc compounds [RR-00578-7] Zinc (CAS # 7440-66-6): "Present" As Zinc compounds [RR-00578-7] Zinc (CAS # 7440-66-6): Environmental hazard Zinc (CAS # 7440-66-6): Present Nitric Acid (CAS # 7697-37-2): Environmental hazard Nitric Acid (CAS # 7697-37-2): Present Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6] Water (CAS # 7732-18-5): Present Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Environmental hazard" As Chromium compounds [RR-00634-8] Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Present" As Chromium compounds [RR-00634-8] Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Environmental hazard Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present

15.5. Massachusetts Right-to-Know Substance List



#### 15.7. New Jersey Worker and Community Right-to-Know Components

Manganese (CAS # 7439-96-5): "SN 2324 500 lb TPQ (Category Code N450. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Manganese compounds [RR-00602-0] Manganese (CAS # 7439-96-5): "sn 2324" As Manganese compounds [RR-00602-0] Manganese (CAS # 7439-96-5): flammable - third degree Manganese (CAS # 7439-96-5): sn 1155 Manganese (CAS # 7439-96-5): SN 1155 500 lb TPQ Nickel (CAS # 7440-02-0): "carcinogen" As Nickel compounds [RR-00800-4] Nickel (CAS # 7440-02-0): "SN 2366 500 lb TPQ (Category Code N495. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Nickel compounds [RR-00800-4] Nickel (CAS # 7440-02-0): "sn 2366" As Nickel compounds [RR-00800-4] Nickel (CAS # 7440-02-0): carcinogen Nickel (CAS # 7440-02-0): sn 1341 Nickel (CAS # 7440-02-0): SN 1341 500 lb TPQ Silver (CAS # 7440-22-4): flammable - third degree Silver (CAS # 7440-22-4): sn 1669 Silver (CAS # 7440-22-4): SN 1669 500 lb TPQ Zinc (CAS # 7440-66-6): "SN 3012 500 lb TPQ (Category Code N982. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Zinc compounds [RR-00578-7] Zinc (CAS # 7440-66-6): "sn 3012" As Zinc compounds [RR-00578-7] Zinc (CAS # 7440-66-6): flammable - third degree Zinc (CAS # 7440-66-6): sn 2021 Zinc (CAS # 7440-66-6): SN 2021 500 lb TPQ (dust or fume) Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree Nitric Acid (CAS # 7697-37-2): sn 1356 Nitric Acid (CAS # 7697-37-2): SN 1356 500 lb TPQ Nitric Acid (CAS # 7697-37-2): sn 3722 Nitric Acid (CAS # 7697-37-2): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "SN 2245 500 lb TPQ (Category Code N090. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Chromium compounds [RR-00634-8] Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "SN 2245 500

#### 15.8. California Proposition 65

Nickel (CAS # 7440-02-0): "carcinogen, 5/7/2004" As Nickel compounds [RR-00800-4] Nickel (CAS # 7440-02-0): carcinogen, 10/1/1989 (metallic)



#### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Manganese (CAS # 7439-96-5): Present (DSL) Nickel (CAS # 7440-02-0): Present (DSL) Silver (CAS # 7440-22-4): Present (DSL) Zinc (CAS # 7440-66-6): Present (DSL) Nitric Acid (CAS # 7697-37-2): Present (DSL) Water (CAS # 7732-18-5): Present (DSL) Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (DSL)

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Manganese (CAS # 7439-96-5): Present (ACTIVE) Nickel (CAS # 7440-02-0): Present (ACTIVE) Silver (CAS # 7440-22-4): Present (ACTIVE) Zinc (CAS # 7440-66-6): Present (ACTIVE) Nitric Acid (CAS # 7697-37-2): Present (ACTIVE) Water (CAS # 7732-18-5): Present (ACTIVE) Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (ACTIVE)

## 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Manganese (CAS # 7439-96-5): 231-105-1 Nickel (CAS # 7440-02-0): 231-111-4 Silver (CAS # 7440-22-4): 231-131-3 Zinc (CAS # 7440-66-6): 231-175-3 Nitric Acid (CAS # 7697-37-2): 231-714-2 Water (CAS # 7732-18-5): 231-791-2 Chromium Nitrate Nonahydrate (CAS # 7789-02-8): 236-921-1

## **Safety Data Sheet**

#### **SECTION 16: Other Information**

#### 16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable. Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable. Health Hazards Not Otherwise Classified (HHNOC): Not Applicable. Biohazardous Infectious Materials Hazard Class: Not Applicable.

#### 16.3. National Fire Protection Association (NFPA) Rating

Health:2Flammability:0Reactivity:0Special Hazard:



#### 16.4. Document Revision

Last Revision Date: 2023-09-11

#### DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.