Classified According to OSHA Hazard Communication Standard (HCS)

#### **SECTION 1: Identification**

#### 1.1. Product Identifier

Trade Name or Designation: Mixed ICP Standard

2.5 ppm Al, B, Ba, Ca, Fe, K, Li, Mg, Mn, Na, Pb, Sr, Zn in 3% HNO<sub>3</sub>

Product Number: RPMX103N

Other Identifying Product Numbers: RPMX103N-1N

#### 1.2. Recommended Use and Restrictions on Use

Calibration standard for ICP

#### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

#### 1.4. Emergency Telephone Number (24 hours)

 CHEMTREC (USA)
 800-424-9300

 CHEMTREC (International)
 1+ 703-527-3887

Product Number: RPMX103N Page 1 of 17



# RICCA CHEMICAL COMPANY®

# **Safety Data Sheet**

# SECTION 2: Hazard(s) Identification

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 2	H319	P264, P280, P305+P351+P338, P337+P313
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

### 2.2. GHS Label Elements

#### Pictograms:









Signal Word: Danger

#### **Hazard Statements:**

<b>Hazard Number</b>	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Product Number: RPMX103N Page 2 of 17

#### **Precautionary Statements:**

Duscoutioners Number	Dranautianam, Ctatamant
Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water immediately).
P321	Specific treatment (Wash areas of contact with water immediately).
P337+P313	If eye irritation persists: Get medical attention.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: RPMX103N Page 3 of 17



# RICCA CHEMICAL COMPANY®

# **Safety Data Sheet**

### **SECTION 3: Composition / Information on Ingredients**

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H <sub>2</sub> O	18.01 g/mol	7732-18-5	97.08
Nitric Acid	HNO <sub>3</sub>	63.01 g/mol	7697-37-2	2.91
Aluminum Nitrate Nonahydrate	AI(NO <sub>3</sub> ) <sub>3</sub> ·9H <sub>2</sub> O	375.13 g/mol	7784-27-2	< 0.1
Lithium Nitrate	LiNO <sub>3</sub>	68.94 g/mol	7790-69-4	< 0.1
Boric Acid	H <sub>3</sub> BO <sub>3</sub>	61.83 g/mol	10043-35-3	< 0.1
Potassium Nitrate	KNO <sub>3</sub>	101.10 g/mol	7757-79-1	< 0.1
Sodium Carbonate	Na <sub>2</sub> CO <sub>3</sub>	105.98 g/mol	497-19-8	< 0.1
Calcium Carbonate	CaCO₃	100.09 g/mol	471-34-1	< 0.1
Strontium Nitrate	Sr(NO <sub>3</sub> ) <sub>2</sub>	211.62 g/mol	10042-76-9	< 0.1
Barium Nitrate	Ba(NO <sub>3</sub> ) <sub>2</sub>	261.33 g/mol	10022-31-8	< 0.1
Zinc	Zn	65.40 g/mol	7440-66-6	< 0.1
Manganese	Mn	54.93 g/mol	7439-96-5	< 0.1
Magnesium	Mg	24.30 g/mol	7439-95-4	< 0.1
Lead	Pb	207.2 g/mol	7439-92-1	< 0.1
Iron	Fe	55.84 g/mol	7439-89-6	< 0.1

#### **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

**Ingestion:** IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye irritation. Fatal if inhaled.

#### 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Product Number: RPMX103N Page 4 of 17

### **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing Media

Use water or water spray.

#### 5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas. May react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, hydrogen sulfide, etc.

### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

#### **SECTION 6: Accidental Release Measures**

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

### 6.2. Cleanup and Containment Methods and Materials

Cover the spill with Sodium Carbonate or a soda ash-slaked lime mixture (50:50). Mix and add water to form slurry. Decant the liquid to the drain with excess water. Treat the solid residue as normal refuse. Wash site with soda ash solution. Always dispose of in accordance with local regulations.

## **SECTION 7: Handling and Storage**

### 7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: RPMX103N Page 5 of 17



## **SECTION 8: Exposure Controls / Personal Protection**

#### **8.1 Control Parameters**

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Barium Nitrate (10022-31-8)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Ba)" As Barium soluble compounds [RR-00049-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Barium Nitrate (10022-31-8)	TWA	USA	"0.5 mg/m³ TWA (regulated under CAS 7440-39-3, as Ba)" As Barium, soluble compounds [RR-00049-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Barium Nitrate (10022-31-8)	TLV-TWA	USA	0.5 mg/m³ TWA (as Ba)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Barium Nitrate (10022-31-8)	TWA	USA	0.5 mg/m³ TWA (regulated under CAS 7440-39-3, as Ba)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Boric Acid (10043-35-3)	TLV-TWA	USA	2 mg/m³ TWA (inhalable particulate matter, listed under Borate compounds, inorganic)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Boric Acid (10043-35-3)	TLV-STEL	USA	6 mg/m³ STEL (inhalable particulate matter, listed under Borate compounds, inorganic)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Boric Acid (10043-35-3)	TLV-TWA	USA	"2 mg/m³ TWA (inhalable particulate matter)" As Borate compounds, inorganic [RR-33876-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Boric Acid (10043-35-3)	TLV-STEL	USA	"6 mg/m³ STEL (inhalable particulate matter)" As Borate compounds, inorganic [RR-33876-1]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Boric Acid (10043-35-3)	TLV-TWA	USA	2 mg/m³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Boric Acid (10043-35-3)	TLV-STEL	USA	6 mg/m³ STEL (inhalable particulate matter)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Product Number: RPMX103N Page 6 of 17



# RICCA CHEMICAL COMPANY®

# **Safety Data Sheet**

Lead (7439-92-1)	PEL	USA	30 μg/m³ Action Level (See 29 CFR 1910.1025); 50 μg/m³ TWA	U.S OSHA - Specifically Regulated Chemicals with PELs
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TWA	USA	50 μg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m³ TWA (respirable particulate matter); 0.1 mg/m³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Manganese (7439-96-5)	PEL-Ceiling	USA	5 mg/m³ Ceiling (fume)	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)" As Manganese compounds [RR-00602-0]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m³ TWA (respirable particulate matter, as Mn); 0.1 mg/m³ TWA (inhalable particulate matter, as Mn)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: RPMX103N Page 7 of 17

Nitric Acid (7697-37-2)

TLV-STEL

USA
4 ppm STEL

ACGIH - Threshold Limit Values Short Term Exposure Limits
(TLV-STEL)

#### 8.2. Exposure Controls

**Engineering Controls:** Use only outdoors or in a well-ventilated area.

**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection.

**Skin Protection:** Wear protective gloves and eye protection. **Eye Protection:** Wear protective gloves and eye protection.

#### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Odorless

Odor Threshold: Data not available.

pH: Acidic

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.02

Solubility: Miscible

Partition Coefficient: Data not available.

**Auto-Ignition Temperature:** Data not available.

**Decomposition Temperature:** Data not available.

Viscosity: Data not available.

**Explosive Properties:** Data not available.

Oxidizing Properties: Data not available.

Product Number: RPMX103N Page 8 of 17

### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

#### 10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders, Carbides, Hydrogen Sulfide, Turpentine and combustible organics.

#### 10.4. Hazardous Decomposition Products

May emit irritating fumes when heated to decomposition.

## **SECTION 11: Toxicological Information**

### 11.1. Information on Toxicological Effects

#### **Acute Toxicity - Oral Exposure:**

Not applicable.

#### **Acute Toxicity - Dermal Exposure:**

Not applicable.

#### **Acute Toxicity - Inhalation Exposure:**

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Acute Toxicity - Other Information:**

Data not available.

#### **Skin Corrosion and Irritation:**

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Product Number: RPMX103N Page 9 of 17

#### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

#### Germ Cell Mutagenicity:

Not applicable.

#### Carcinogenicity:

Not applicable.

#### **Reproductive Toxicity:**

Not applicable.

#### **Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

#### **Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

#### **Aspiration Hazard:**

Not applicable.

#### **Additional Toxicology Information:**

Data not available.

## **SECTION 12: Ecological Information**

#### 12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

#### 12.5. Other Adverse Ecological Effects

Data not available.

### **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

Product Number: RPMX103N Page 10 of 17



### **SECTION 14: Transportation Information**

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1L

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1L

UN Number: UN3264

**Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1L

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: RPMX103N Page 11 of 17

### **SECTION 15: Regulatory Information**

#### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead (CAS # 7439-92-1): 30 μg/m3 Action Level (See 29 CFR 1910.1025); 50 μg/m3 TWA (See 29 CFR 1910.1025)

#### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

#### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)

Zinc (CAS # 7440-66-6): 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $>100 \mu m$ ); 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $>100 \mu m$ )

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

#### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0] Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0]; "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Strontium Nitrate (CAS # 10042-76-9): "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Strontium Nitrate (CAS # 10042-76-9): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Lead (CAS # 7439-92-1): 0.1 % Supplier notification limit; 0.1 % de minimis concentration (when contained in stainless steel, brass, or bronze)

Lead (CAS # 7439-92-1): 100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy)

Manganese (CAS # 7439-96-5): "1.0 % de minimis concentration (includes any unique chemical substance that contains Manganese as part of that chemical's infrastructure, listed under Chemical Category N450)" As Manganese compounds [RR-00

Product Number: RPMX103N Page 12 of 17

#### 15.5. Massachusetts Right-to-Know Substance List

Barium Nitrate (CAS # 10022-31-8): Present

Strontium Nitrate (CAS # 10042-76-9): Present

Lead (CAS # 7439-92-1): Teratogen

Magnesium (CAS # 7439-95-4): Present

Manganese (CAS # 7439-96-5): Present

Zinc (CAS # 7440-66-6): Present

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Potassium Nitrate (CAS # 7757-79-1): Present

#### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Barium Nitrate (CAS # 10022-31-8): "Environmental hazard" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "Present" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): Environmental hazard

Barium Nitrate (CAS # 10022-31-8): Present

Strontium Nitrate (CAS # 10042-76-9): Present

Lead (CAS # 7439-92-1): Environmental hazard

Lead (CAS # 7439-92-1): Present

Magnesium (CAS # 7439-95-4): Present

Manganese (CAS # 7439-96-5): "Environmental hazard" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): "Present" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): Environmental hazard

Manganese (CAS # 7439-96-5): Present

Zinc (CAS # 7440-66-6): "Environmental hazard" As Zinc compounds [RR-00578-7]

Zinc (CAS # 7440-66-6): "Present" As Zinc compounds [RR-00578-7]

Zinc (CAS # 7440-66-6): Environmental hazard

Zinc (CAS # 7440-66-6): Present

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Potassium Nitrate (CAS # 7757-79-1): Present

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): "Present" As Aluminum soluble salts [RR-00021-5]

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present

Product Number: RPMX103N Page 13 of 17



#### 15.7. New Jersey Worker and Community Right-to-Know Components

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0];

"SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 2146" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 3722" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): sn 0186 Barium Nitrate (CAS # 10022-31-8): sn 2146

Barium Nitrate (CAS # 10022-31-8): SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Barium Nitrate (CAS # 10022-31-8): sn 3722

Barium Nitrate (CAS # 10022-31-8): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Strontium Nitrate (CAS # 10042-76-9): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Strontium Nitrate (CAS # 10042-76-9): "sn 3722" As Nitrate compounds [RR-01770-9]

Strontium Nitrate (CAS # 10042-76-9): sn 1743 Strontium Nitrate (CAS # 10042-76-9): sn 3722

Strontium Nitrate (CAS # 10042-76-9): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Boric Acid (CAS # 10043-35-3): "sn 0241" As Borate compounds, inorganic [RR-33876-1]

Boric Acid (CAS # 10043-35-3): sn 0241

Lead (CAS # 7439-92-1): carcinogen; teratogen

Lead (CAS # 7439-92-1): sn 1096

Lead (CAS # 7439-92-1): SN 1096 500 lb TPQ

Ма

#### 15.8. California Proposition 65

Lead (CAS # 7439-92-1): 15 μg/day NSRL (oral)

Lead (CAS # 7439-92-1): carcinogen, 10/1/1992

Lead (CAS # 7439-92-1): developmental toxicity, 2/27/1987 Lead (CAS # 7439-92-1): female reproductive toxicity 2/27/87

Lead (CAS # 7439-92-1): male reproductive toxicity, 2/27/87

Product Number: RPMX103N Page 14 of 17



#### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Barium Nitrate (CAS # 10022-31-8): Present (DSL)

Strontium Nitrate (CAS # 10042-76-9): Present (DSL)

Boric Acid (CAS # 10043-35-3): Present (DSL)

Calcium Carbonate (CAS # 471-34-1): Present (DSL)

Sodium Carbonate (CAS # 497-19-8): Present (DSL)

Iron (CAS # 7439-89-6): Present (DSL)

Lead (CAS # 7439-92-1): Present (DSL)

Magnesium (CAS # 7439-95-4): Present (DSL)

Manganese (CAS # 7439-96-5): Present (DSL)

Zinc (CAS # 7440-66-6): Present (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Potassium Nitrate (CAS # 7757-79-1): Present (DSL)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (DSL)

Lithium Nitrate (CAS # 7790-69-4): Present (DSL)

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Barium Nitrate (CAS # 10022-31-8): Present (ACTIVE)

Strontium Nitrate (CAS # 10042-76-9): Present (ACTIVE)

Boric Acid (CAS # 10043-35-3): Present (ACTIVE)

Calcium Carbonate (CAS # 471-34-1): Present (ACTIVE)

Sodium Carbonate (CAS # 497-19-8): Present (ACTIVE)

Iron (CAS # 7439-89-6): Present (ACTIVE)

Lead (CAS # 7439-92-1): Present (ACTIVE)

Magnesium (CAS # 7439-95-4): Present (ACTIVE)

Manganese (CAS # 7439-96-5): Present (ACTIVE)

Zinc (CAS # 7440-66-6): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

Potassium Nitrate (CAS # 7757-79-1): Present (ACTIVE)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (ACTIVE)

Lithium Nitrate (CAS # 7790-69-4): Present (ACTIVE)

Product Number: RPMX103N Page 15 of 17



# 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Barium Nitrate (CAS # 10022-31-8): 233-020-5

Strontium Nitrate (CAS # 10042-76-9): 233-131-9

Boric Acid (CAS # 10043-35-3): 233-139-2

Boric Acid (CAS # 10043-35-3): 234-343-4

Calcium Carbonate (CAS # 471-34-1): 207-439-9

Sodium Carbonate (CAS # 497-19-8): 207-838-8

Sodium Carbonate (CAS # 497-19-8): 231-420-4

Iron (CAS # 7439-89-6): 231-096-4

Lead (CAS # 7439-92-1): 231-100-4

Magnesium (CAS # 7439-95-4): 231-104-6

Manganese (CAS # 7439-96-5): 231-105-1

Zinc (CAS # 7440-66-6): 231-175-3

Nitric Acid (CAS # 7697-37-2): 231-714-2

Water (CAS # 7732-18-5): 231-791-2

Potassium Nitrate (CAS # 7757-79-1): 231-818-8

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): 236-751-8

Lithium Nitrate (CAS # 7790-69-4): 232-218-9

#### **SECTION 16: Other Information**

#### 16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye irritation. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). If eye irritation persists: Get medical attention. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: RPMX103N Page 16 of 17



#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

### 16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



#### 16.4. Document Revision

Last Revision Date: 2023-10-11

#### **DISCLAIMER**

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RPMX103N Page 17 of 17