



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: ICP Standard, 100 ppm Tungsten in dilute HNO₃, trace HF

Product Number: RPW100NF

Other Identifying Product Numbers: RPW100NF-100N

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 2	H319	P264, P280, P305+P351+P338, P337+P313
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet

Precautionary Statements:

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water immediately).
P321	Specific treatment (Wash areas of contact with water immediately).
P337+P313	If eye irritation persists: Get medical attention.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	97.07
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	2.91
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	< 0.1
Tungsten	W	183.84 g/mol	7440-33-7	< 0.1

Safety Data Sheet

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye irritation. Fatal if inhaled. Corrosive Liquid. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor. If swallowed, do not induce vomiting. Dilute with water and call a physician. Wash areas of contact with plenty of water. Some of the Hydrofluoric Acid is used up in the reaction to dissolve the metal. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.



Safety Data Sheet

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	3 mg/m ³ TWA (respirable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m ³ TWA (in the absence of cobalt, respirable particulate matter, as W)" As Tungsten compounds [RR-00616-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	"2.5 mg/m ³ TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"2.5 mg/m ³ TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m ³ TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m ³ TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.



Safety Data Sheet

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.
Chemical resistant gloves. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Clear colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: 0°C

Initial Boiling Point/Range: 100°C - 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.02

Solubility: Miscible in water

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

Safety Data Sheet

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.



Safety Data Sheet

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.
Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Safety Data Sheet

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 100 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



Safety Data Sheet

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb final RQ; 45.4 kg final RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Hydrofluoric Acid (CAS # 7664-39-3): 1.0 % de minimis concentration

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

15.5. Massachusetts Right-to-Know Substance List

Tungsten (CAS # 7440-33-7): Present

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

15.6. Pennsylvania Right-to-Know Hazardous Substances

Tungsten (CAS # 7440-33-7): Present

Hydrofluoric Acid (CAS # 7664-39-3): Environmental hazard

Hydrofluoric Acid (CAS # 7664-39-3): Present

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Tungsten (CAS # 7440-33-7): flammable - third degree
Tungsten (CAS # 7440-33-7): sn 1959
Hydrofluoric Acid (CAS # 7664-39-3): "sn 0936" As Fluorides [RR-02792-9]
Hydrofluoric Acid (CAS # 7664-39-3): corrosive
Hydrofluoric Acid (CAS # 7664-39-3): sn 0936
Hydrofluoric Acid (CAS # 7664-39-3): sn 3759
Hydrofluoric Acid (CAS # 7664-39-3): SN 3759 100 lb TPQ; SN 1014 100 lb TPQ
Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree
Nitric Acid (CAS # 7697-37-2): sn 1356
Nitric Acid (CAS # 7697-37-2): SN 1356 500 lb TPQ
Nitric Acid (CAS # 7697-37-2): sn 3722
Nitric Acid (CAS # 7697-37-2): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

15.8. California Proposition 65

Not listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Tungsten (CAS # 7440-33-7): Present (DSL)
Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)
Nitric Acid (CAS # 7697-37-2): Present (DSL)
Water (CAS # 7732-18-5): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Tungsten (CAS # 7440-33-7): Present (ACTIVE)
Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)
Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)
Water (CAS # 7732-18-5): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Tungsten (CAS # 7440-33-7): 231-143-9
Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8
Nitric Acid (CAS # 7697-37-2): 231-714-2
Water (CAS # 7732-18-5): 231-791-2

Safety Data Sheet

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye irritation. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). If eye irritation persists: Get medical attention. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health:	2
Flammability:	0
Reactivity:	0
Special Hazard:	



16.4. Document Revision

Last Revision Date: 2023-11-27

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.