Classified According to OSHA Hazard Communication Standard (HCS)

## **SECTION 1: Identification**

#### 1.1. Product Identifier

Trade Name or Designation: Acetone, ACS Reagent Grade

**Product Number: RSOA0010** 

Other Identifying Product Numbers: RSOA0010-1C, RSOA0010-1C1, RSOA0010-20E4, RSOA0010-20F, RSOA0010-4A,

RSOA0010-4C, RSOA0010-500C, RSOA0010-55E4

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

## 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

## 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

## **SECTION 2: Hazard(s) Identification**

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Eye Damage / Irritation	Category 2A	H319	P264, P280, P305+P351+P338, P337+P313
Flammable Liquids	Category 2	H225	P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P501

Product Number: RSOA0010 Page 1 of 11



## 2.2. GHS Label Elements

Pictograms:





Signal Word: Danger

#### **Hazard Statements:**

<b>Hazard Number</b>	Hazard Statement
H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.

## **Precautionary Statements:**

Precautionary Number	Precautionary Statement
P210	Keep away from heat, sparks and open flame. No smoking.
P233	Keep container tightly closed.
P240	Ground container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash arms, hands and face thoroughly after handling.
P280	Wear protective gloves and eye protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical attention.
P370+P378	In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

# 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: RSOA0010 Page 2 of 11



# **SECTION 3: Composition / Information on Ingredients**

## 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight CAS Number	Weight%
Acetone	(CH <sub>3</sub> ) <sub>2</sub> CO	58.07 g/mol 67-64-1	100.00

## **SECTION 4: First-Aid Measures**

### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.

**Inhalation:** Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Results in drying and cracking

which can lead to secondary infections and dermatitis.

Ingestion: Aspiration hazard. Do not induce vomiting, vomiting may occur spontaneously. If vomiting occurs, keep head below hips to

prevent aspiration into lungs. Call a physician.

## 4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes serious eye irritation. Flammable liquid. Harmful if swallowed or inhaled. If ingested, vomiting may occur spontaneously, but do not induce. Call a physician immediately. Causes irritation to the eyes, skin and respiratory tract. Wash areas of contact with water. May affect central nervous system. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: Results in drying and cracking which can lead to secondary infections and dermatitis. CHRONIC EFFECTS / CARCINOGENICITY: Prolonged or repeated exposure may cause dermatitis.

## 4.3. Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Aspiration hazard. Do not induce vomiting, vomiting may occur spontaneously. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Call a physician.

# **SECTION 5: Fire-Fighting Measures**

## 5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Dry chemical, alcohol foam, carbon dioxide

## 5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor. Vapors may produce flash fires. Vapors can flow along surfaces to distant ignition source and flash back. Explosion hazard when exposed to heat, flame or oxidizers.

Product Number: RSOA0010 Page 3 of 11

# 5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

## **SECTION 6: Accidental Release Measures**

## 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection.

## 6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

# **SECTION 7: Handling and Storage**

# 7.1. Precautions for Safe Handling and Storage Conditions

Store in a well-ventilated place. Keep cool. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues. Use non-sparking tools and equipment.

# **SECTION 8: Exposure Controls / Personal Protection**

### **8.1 Control Parameters**

Chemical Name	Limit Type	Count	ry Exposure Limit	Information Source
Acetone (67-64-1)	TWA	USA	1000 ppm TWA; 2400	U.S OSHA - Final PELs - Time
			mg/m³ TWA	Weighted Averages (TWAs)
Acetone (67-64-1)	TLV-STEL	USA	500 ppm STEL	ACGIH - Threshold Limit Values -
				Short Term Exposure Limits
				(TLV-STEL)
Acetone (67-64-1)	TLV-TWA	USA	250 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

#### 8.2. Exposure Controls

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne

Exposure Limit.

Product Number: RSOA0010 Page 4 of 11



Respiratory Protection: If the TLV is exceeded, a half-mask organic vapor respirator may be worn for up to 10 times the exposure limit

or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full facepiece organic vapor respirator may be worn for up to 50 times the exposure

limit, or the maximum use concentration specified by the respirator supplier, whichever is lowest.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

## 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. If the TLV is exceeded, a half-mask organic vapor respirator may be worn for up to 10 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full facepiece organic vapor respirator may be worn for up to 50 times the exposure limit, or the maximum use concentration specified by the respirator supplier, whichever is lowest. Chemical resistant gloves. Safety glasses or goggles.

# **SECTION 9: Physical and Chemical Properties**

## 9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Characteristic, sweet, mint-like

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: -94.7°C

Initial Boiling Point/Range: 56.05°C at 1013.25 hPa - 56.05°C at 1013.25 hPa

Flash Point: -20°C

**Evaporation Rate:** Data not available. **Flammability:** Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: 233 hPa at 20°C

Vapor Density: 2 Relative Density: 0.79

Solubility: Miscible

Partition Coefficient: -0.24

**Auto-Ignition Temperature:** Data not available. **Decomposition Temperature:** Data not available.

Viscosity: Data not available.

**Explosive Properties:** Data not available. **Oxidizing Properties:** Data not available.

Product Number: RSOA0010 Page 5 of 11

# **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

## 10.2. Possibility of Hazardous Reactions

Data not available.

## 10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Oxidizers, Nitric Acid-Sulfuric Aid mixtures, Acids, Chromium Trioxide, Sulfuric Acid-Potassium Dichromate, Hydrogen Peroxide, Chloroform and a base, Sodium Hypobromate, heat, sparks, open flame.

## 10.4. Hazardous Decomposition Products

Will not occur.

# **SECTION 11: Toxicological Information**

## 11.1. Information on Toxicological Effects

#### **Acute Toxicity - Oral Exposure:**

Not applicable.

#### **Acute Toxicity - Dermal Exposure:**

Not applicable.

#### **Acute Toxicity - Inhalation Exposure:**

Not applicable.

### **Acute Toxicity - Other Information:**

LD50, Oral, Rat: (Acetone) 5800 mg/kg, behavioral affects noted.

#### **Skin Corrosion and Irritation:**

Not applicable.

#### Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

## Germ Cell Mutagenicity:

Not applicable.

Product Number: RSOA0010 Page 6 of 11

## Carcinogenicity:

Not applicable.

## **Reproductive Toxicity:**

Not applicable.

### **Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

## **Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

## **Aspiration Hazard:**

Not applicable.

## **Additional Toxicology Information:**

Data not available.

# **SECTION 12: Ecological Information**

# 12.1. Ecotoxicity

Not applicable.

## 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

## 12.4. Mobility in Soil

Data not available.

## 12.5. Other Adverse Ecological Effects

Data not available.

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

Product Number: RSOA0010 Page 7 of 11



# **SECTION 14: Transportation Information**

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1 L, 4 L, 16 L, 20 L, 55 Gal, 500 mL

UN Number: UN1090

Proper Shipping Name: Acetone

Hazard Class: 3

Packing Group: ||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

**Sizes:** 1 L, 4 L, 16 L, 20 L, 55 Gal, 500 mL

UN Number: UN1090

Proper Shipping Name: Acetone

Hazard Class: 3

Packing Group: ||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

**Sizes:** 1 L, 4 L, 16 L, 20 L, 55 Gal, 500 mL

UN Number: UN1090

Proper Shipping Name: ACETONE

Hazard Class: 3

Packing Group: ||

Hazard Label(s):



Product Number: RSOA0010 Page 8 of 11

# **SECTION 15: Regulatory Information**

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

- 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances Not listed.
- 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals
  Acetone (CAS # 67-64-1): 5000 lb final RQ; 2270 kg final RQ
- 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

  Not listed.
- 15.5. Massachusetts Right-to-Know Substance List

Acetone (CAS # 67-64-1): Present

15.6. Pennsylvania Right-to-Know Hazardous Substances

Acetone (CAS # 67-64-1): Environmental hazard Acetone (CAS # 67-64-1): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Acetone (CAS # 67-64-1): flammable - third degree Acetone (CAS # 67-64-1): sn 0006

15.8. California Proposition 65

Not listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Acetone (CAS # 67-64-1): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Acetone (CAS # 67-64-1): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Acetone (CAS # 67-64-1): 200-662-2

Product Number: RSOA0010 Page 9 of 11



# **SECTION 16: Other Information**

## 16.1. Full Text of Hazard Statements and Precautionary Statements

Highly flammable liquid and vapor. Causes serious eye irritation.

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

# 16.3. National Fire Protection Association (NFPA) Rating

Health: 1
Flammability: 3
Reactivity: 0
Special Hazard:



#### 16.4. Document Revision

Last Revision Date: 2023-10-11

Product Number: RSOA0010 Page 10 of 11

# **DISCLAIMER**

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RSOA0010 Page 11 of 11