Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: VeriSpec® ICP Calibration Standard 15

5 ppm: Al, As, Ba, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Se Sr, Zn; 50 ppm K

Product Number: RV010672

Other Identifying Product Numbers: RV010672-100N, RV010672-500N

1.2. Recommended Use and Restrictions on Use

Calibration Standard

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

 CHEMTREC (USA)
 800-424-9300

 CHEMTREC (International)
 1+ 703-527-3887

Product Number: RV010672 Page 1 of 20



Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

| Hazard Class | Category | Hazard Statements | Precautionary Statements: |
|--|------------|----------------------|---|
| Acute Toxicity - Inhalation | Category 2 | H330 | P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501 |
| Skin Corrosion / Irritation | Category 1 | H314 | P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501 |
| Eye Damage / Irritation | Category 1 | H318 | P280, P305+P351+P338, P310 |
| Corrosive to Metals | Category 1 | H290 | P234, P390, P406 |
| Hazardous to the Aquatic Environment (Acute) | Category 2 | H401 | P273, P501 |
| Hazardous to the Aquatic Environment (Chronic) | Category 2 | H411 | P273, P391, P501 |

2.2. GHS Label Elements

Pictograms:







Signal Word: Danger

Hazard Statements:

| Hazard Number | Hazard Statement |
|---------------|--|
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H401 | Toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

Product Number: RV010672 Page 2 of 20

Precautionary Statements:

| Precautionary Number | Precautionary Statement |
|----------------------|--|
| P234 | Keep only in original container. |
| P260 | Do not breathe fumes, mist, vapors, or spray. |
| P264 | Wash arms, hands and face thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves and eye protection. |
| P285 | In case of inadequate ventilation wear respiratory protection. |
| P301+P330+P331 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and |
| | easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or physician. |
| P320 | Specific treatment is urgent (Wash areas of contact with water.). |
| P321 | Specific treatment (Wash areas of contact with water.). |
| P363 | Wash contaminated clothing before reuse. |
| P390 | Absorb spillage to prevent material damage. |
| P391 | Collect spillage. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P406 | Store in corrosive resistant container with a resistant inner liner. |
| P501 | Dispose of contents in accordance with local, state, federal and international regulations. |

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: RV010672 Page 3 of 20



Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

| Chemical Name | Formula | Molecular Weight | CAS Number | Weight% |
|------------------------|-----------------------------------|------------------|------------|---------|
| Nitric Acid | HNO ₃ | 63.01 g/mol | 7697-37-2 | 5.00 |
| Aluminum Nitrate | AI(NO ₃) ₃ | 212.99 g/mol | 13473-90-0 | < 0.1 |
| Chromium (III) Nitrate | Cr(NO ₃) ₃ | 238.01 g/mol | 13548-38-4 | < 0.1 |
| Cobalt (II) Nitrate | Co(NO ₃) ₂ | 182.94 g/mol | 10141-05-6 | < 0.1 |
| Cadmium Nitrate | CdN_2O_6 | 236.42 g/mol | 10325-94-7 | < 0.1 |
| Barium Nitrate | Ba(NO ₃) ₂ | 261.33 g/mol | 10022-31-8 | < 0.1 |
| Arsenic Acid | H₃AsO₄ | 141.94 g/mol | 7778-39-4 | < 0.1 |
| Cupric Nitrate | $Cu(NO_3)_2 \cdot xH_2O$ | 251.10 g/mol | 3251-23-8 | < 0.1 |

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Specific treatment (Wash areas of contact with water.).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Not considered to be a fire or explosion hazard.

5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

Product Number: RV010672 Page 4 of 20

5.3. Special Protective Equipment for Firefighters

Wear protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner.

Product Number: RV010672 Page 5 of 20



SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

| Chemical Name | Limit Type | Country | Exposure Limit | Information Source |
|----------------------------------|------------|---------|---|--|
| Barium Nitrate (10022-31-8) | TLV-TWA | USA | "0.5 mg/m³ TWA (as Ba)" As Barium soluble compounds [RR-00049-7] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Barium Nitrate (10022-31-8) | TWA | USA | "0.5 mg/m³ TWA (regulated under CAS 7440-39-3, as Ba)" As Barium, soluble compounds [RR-00049-7] | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Barium Nitrate (10022-31-8) | TLV-TWA | USA | 0.5 mg/m³ TWA (as Ba) | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Barium Nitrate (10022-31-8) | TWA | USA | 0.5 mg/m³ TWA (regulated under CAS 7440-39-3, as Ba) | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Cobalt (II) Nitrate (10141-05-6) | TLV-TWA | USA | "0.02 mg/m³ TWA (inhalable particulate matter, as Co)" As Cobalt inorganic compounds [RR-02516-1] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Cobalt (II) Nitrate (10141-05-6) | TLV-TWA | USA | "0.02 mg/m³ TWA (inhalable particulate matter, as Co)" As Cobalt inorganic compounds [RR-02516-1] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Cobalt (II) Nitrate (10141-05-6) | TLV-TWA | USA | "0.02 mg/m³ TWA (inhalable particulate matter, as Co)" As Cobalt inorganic compounds [RR-02516-1] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Cobalt (II) Nitrate (10141-05-6) | TLV-TWA | USA | 0.02 mg/m³ TWA (inhalable particulate matter, as Co) | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Cobalt (II) Nitrate (10141-05-6) | TLV-TWA | USA | "0.02 mg/m³ TWA (inhalable particulate matter, as Co)" As Cobalt inorganic compounds [RR-02516-1] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |

Product Number: RV010672 Page 6 of 20



Safety Data Sheet

| Cadmium Nitrate (10325-94-7) | PEL | USA | "5 μg/m³ TWA (See 29 CFR | U.S OSHA - Specifically Regulated |
|-------------------------------|-------------|------|--------------------------------------|---------------------------------------|
| | | | 1910.1027, as Cd); 2.5 | Chemicals with PELs |
| | | | μg/m³ Action Level (as Cd)" | |
| | | | As Cadmium compounds | |
| | | | [RR-00559-4] | |
| Cadmium Nitrate (10325-94-7) | TLV-TWA | USA | "0.01 mg/m³ TWA (as Cd); | ACGIH - Threshold Limit Values - Time |
| | | | 0.002 mg/m ³ TWA | Weighted Averages (TLV-TWA) |
| | | | (respirable particulate | |
| | | | matter, as Cd)" As | |
| | | | Cadmium compounds | |
| | | | [RR-00559-4] | |
| Cadmium Nitrate (10325-94-7) | PEL | USA | "5 μg/m³ TWA (See 29 CFR | U.S OSHA - Specifically Regulated |
| | | | 1910.1027, as Cd); 2.5 | Chemicals with PELs |
| | | | μg/m³ Action Level (as Cd)" | |
| | | | As Cadmium compounds | |
| | | | [RR-00559-4] | |
| Cadmium Nitrate (10325-94-7) | TLV-TWA | USA | "0.01 mg/m ³ TWA (as Cd); | ACGIH - Threshold Limit Values - Time |
| | | | 0.002 mg/m ³ TWA | Weighted Averages (TLV-TWA) |
| | | | (respirable particulate | |
| | | | matter, as Cd)" As | |
| | | | Cadmium compounds | |
| | | | [RR-00559-4] | |
| Cadmium Nitrate (10325-94-7) | PEL | USA | "5 μg/m³ TWA (See 29 CFR | U.S OSHA - Specifically Regulated |
| | | | 1910.1027, as Cd); 2.5 | Chemicals with PELs |
| | | | μg/m³ Action Level (as Cd)" | |
| | | | As Cadmium compounds | |
| O. J. J NP (40005 04 7) | TI 1/ T14/4 | 1104 | [RR-00559-4] | ACCIUL Thursball 11 11 11 11 Th |
| Cadmium Nitrate (10325-94-7) | TLV-TWA | USA | "0.01 mg/m³ TWA (as Cd); | ACGIH - Threshold Limit Values - Time |
| | | | 0.002 mg/m³ TWA | Weighted Averages (TLV-TWA) |
| | | | (respirable particulate | |
| | | | matter, as Cd)" As | |
| | | | Cadmium compounds | |
| Codmium Nitrata (1000E 0.4.7) | DEI | LICA | [RR-00559-4] | II.C. OCHA Chockically Demileted |
| Cadmium Nitrate (10325-94-7) | PEL | USA | "5 µg/m³ TWA (See 29 CFR | U.S OSHA - Specifically Regulated |
| | | | 1910.1027, as Cd); 2.5 | Chemicals with PELs |
| | | | μg/m³ Action Level (as Cd)" | |
| | | | As Cadmium compounds | |
| | | | [RR-00559-4] | |

Product Number: RV010672 Page **7** of **20**



Safety Data Sheet

| Cadmium Nitrate (10325-94-7) | TLV-TWA | USA | "0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
|-------------------------------------|---------|-----|---|--|
| Cadmium Nitrate (10325-94-7) | PEL | USA | 5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd) | U.S OSHA - Specifically Regulated Chemicals with PELs |
| Cadmium Nitrate (10325-94-7) | TLV-TWA | USA | 0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd) | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Cadmium Nitrate (10325-94-7) | TLV-TWA | USA | "0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Cadmium Nitrate (10325-94-7) | PEL | USA | "5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4] | U.S OSHA - Specifically Regulated Chemicals with PELs |
| Cadmium Nitrate (10325-94-7) | TLV-TWA | USA | "0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Cadmium Nitrate (10325-94-7) | PEL | USA | "5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4] | U.S OSHA - Specifically Regulated Chemicals with PELs |
| Chromium (III) Nitrate (13548-38-4) | TWA | USA | "0.5 mg/m³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1] | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Chromium (III) Nitrate (13548-38-4) | TWA | USA | "0.5 mg/m³ TWA (as Cr)" As Chromium(III) compounds [RR-03889-1] | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |

Product Number: RV010672 Page 8 of 20



Safety Data Sheet

| Chromium (III) Nitrate (13548-38-4) | TWA | USA | 0.5 mg/m³ TWA (as Cr) | U.S OSHA - Final PELs - Time |
|-------------------------------------|----------|--------------|----------------------------|---------------------------------------|
| | | | | Weighted Averages (TWAs) |
| Chromium (III) Nitrate (13548-38-4) | TWA | USA | "0.5 mg/m3 TWA (as Cr)" As | U.S OSHA - Final PELs - Time |
| | | | Chromium(III) compounds | Weighted Averages (TWAs) |
| | | | [RR-03889-1] | |
| Chromium (III) Nitrate (13548-38-4) | TWA | USA | "0.5 mg/m³ TWA (as Cr)" As | U.S OSHA - Final PELs - Time |
| | | | Chromium(III) compounds | Weighted Averages (TWAs) |
| | | | [RR-03889-1] | |
| Cupric Nitrate (3251-23-8) | TLV-TWA | USA | "1 mg/m³ TWA (dust and | ACGIH - Threshold Limit Values - Time |
| | | | mist, as Cu)" As Copper | Weighted Averages (TLV-TWA) |
| | | | compounds [RR-00595-8] | |
| Cupric Nitrate (3251-23-8) | TLV-TWA | USA | "1 mg/m³ TWA (dust and | ACGIH - Threshold Limit Values - Time |
| | | | mist, as Cu)" As Copper | Weighted Averages (TLV-TWA) |
| | | | compounds [RR-00595-8] | |
| Cupric Nitrate (3251-23-8) | TLV-TWA | USA | 1 mg/m³ TWA (dust and | ACGIH - Threshold Limit Values - Time |
| , , | | | mist, as Cu) | Weighted Averages (TLV-TWA) |
| Cupric Nitrate (3251-23-8) | TLV-TWA | USA | "1 mg/m³ TWA (dust and | ACGIH - Threshold Limit Values - Time |
| , | | | mist, as Cu)" As Copper | Weighted Averages (TLV-TWA) |
| | | | compounds [RR-00595-8] | |
| Cupric Nitrate (3251-23-8) | TLV-TWA | USA | "1 mg/m3 TWA (dust and | ACGIH - Threshold Limit Values - Time |
| , , , | | | mist, as Cu)" As Copper | Weighted Averages (TLV-TWA) |
| | | | compounds [RR-00595-8] | |
| Cupric Nitrate (3251-23-8) | TLV-TWA | USA | "1 mg/m3 TWA (dust and | ACGIH - Threshold Limit Values - Time |
| , , , | | | mist, as Cu)" As Copper | Weighted Averages (TLV-TWA) |
| | | | compounds [RR-00595-8] | |
| Nitric Acid (7697-37-2) | TWA | USA | 2 ppm TWA; 5 mg/m³ TWA | U.S OSHA - Final PELs - Time |
| , | | | | Weighted Averages (TWAs) |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | 2 ppm TWA | ACGIH - Threshold Limit Values - Time |
| , | | | | Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | 4 ppm STEL | ACGIH - Threshold Limit Values - |
| , , | | | | Short Term Exposure Limits |
| | | | | (TLV-STEL) |
| Arsenic Acid (7778-39-4) | PEL | USA | "10 μg/m³ TWA (See 29 | U.S OSHA - Specifically Regulated |
| | | | CFR 1910.1018; except | Chemicals with PELs |
| | | | Arsine, as As); 5 µg/m³ | |
| | | | Action Level (as As)" As | |
| | | | Inorganic arsenic | |
| | | | compounds [RR-00065-7] | |
| Arsenic Acid (7778-39-4) | TLV-TWA | USA | "0.01 mg/m³ TWA (as As)" | ACGIH - Threshold Limit Values - Time |
| ,, | | - - . | As Arsenic inorganic | Weighted Averages (TLV-TWA) |
| | | | compounds [RR-00065-7] | |

Product Number: RV010672 Page 9 of 20



Safety Data Sheet

| Arsenic Acid (7778-39-4) | TWA | USA | "10 μg/m³ TWA (as As)" As Arsenic, inorganic | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |
|--------------------------|-----------------|------|---|--|
| | | | compounds [RR-00065-7] | |
| Arsenic Acid (7778-39-4) | TWA | USA | "10 μg/m³ TWA (as As)" As | U.S OSHA - Final PELs - Time |
| | | | Arsenic, inorganic | Weighted Averages (TWAs) |
| | | | compounds [RR-00065-7] | |
| Arsenic Acid (7778-39-4) | TLV-TWA | USA | "0.01 mg/m3 TWA (as As)" | ACGIH - Threshold Limit Values - Time |
| | | | As Arsenic inorganic | Weighted Averages (TLV-TWA) |
| | | | compounds [RR-00065-7] | |
| Arsenic Acid (7778-39-4) | PEL | USA | "10 μg/m³ TWA (See 29 | U.S OSHA - Specifically Regulated |
| , , | | | CFR 1910.1018; except | Chemicals with PELs |
| | | | Arsine, as As); 5 μg/m ³ | |
| | | | Action Level (as As)" As | |
| | | | Inorganic arsenic | |
| | | | compounds [RR-00065-7] | |
| Arsenic Acid (7778-39-4) | PEL | USA | "10 μg/m³ TWA (See 29 | U.S OSHA - Specifically Regulated |
| , | | | CFR 1910.1018; except | Chemicals with PELs |
| | | | Arsine, as As); 5 μg/m ³ | |
| | | | Action Level (as As)" As | |
| | | | Inorganic arsenic | |
| | | | compounds [RR-00065-7] | |
| Arsenic Acid (7778-39-4) | TWA | USA | "10 μg/m³ TWA (as As)" As | U.S OSHA - Final PELs - Time |
| , | | | Arsenic, inorganic | Weighted Averages (TWAs) |
| | | | compounds [RR-00065-7] | 3 (, |
| Arsenic Acid (7778-39-4) | TLV-TWA | USA | "0.01 mg/m³ TWA (as As)" | ACGIH - Threshold Limit Values - Time |
| , | | | As Arsenic inorganic | Weighted Averages (TLV-TWA) |
| | | | compounds [RR-00065-7] | ·····g································ |
| Arsenic Acid (7778-39-4) | PEL | USA | "10 μg/m³ TWA (See 29 | U.S OSHA - Specifically Regulated |
| (| | | CFR 1910.1018; except | Chemicals with PELs |
| | | | Arsine, as As); 5 μg/m ³ | |
| | | | Action Level (as As)" As | |
| | | | Inorganic arsenic | |
| | | | compounds [RR-00065-7] | |
| Arsenic Acid (7778-39-4) | TWA | USA | "10 µg/m³ TWA (as As)" As | U.S OSHA - Final PELs - Time |
| | | 30/1 | Arsenic, inorganic | Weighted Averages (TWAs) |
| | | | compounds [RR-00065-7] | Tronginou / tronagou (1 tt/10) |
| Arsenic Acid (7778-39-4) | TLV-TWA | USA | "0.01 mg/m³ TWA (as As)" | ACGIH - Threshold Limit Values - Time |
| AISERIC ACIO (7778-39-4) | 1 L V 1 V V / (| 00/1 | ` , | |
| , | | | As Arsenic inorganic | Weighted Averages (TLV-TWA) |

Product Number: RV010672 Page 10 of 20



Safety Data Sheet

| Arsenic Acid (7778-39-4) | PEL | USA | 10 μg/m³ TWA (See 29 | U.S OSHA - Specifically Regulated |
|--------------------------|---------|-----|-------------------------------------|---------------------------------------|
| | | | CFR 1910.1018; except | Chemicals with PELs |
| | | | Arsine, as As); 5 μg/m ³ | |
| | | | Action Level (as As) | |
| Arsenic Acid (7778-39-4) | TWA | USA | 10 μg/m³ TWA (as As) | U.S OSHA - Final PELs - Time |
| | | | | Weighted Averages (TWAs) |
| Arsenic Acid (7778-39-4) | TLV-TWA | USA | 0.01 mg/m³ TWA (as As) | ACGIH - Threshold Limit Values - Time |
| | | | | Weighted Averages (TLV-TWA) |
| Arsenic Acid (7778-39-4) | TWA | USA | "0.5 mg/m³ TWA (as As)" | U.S OSHA - Final PELs - Time |
| · | | | As Arsenic, organic | Weighted Averages (TWAs) |
| | | | compounds [RR-00035-1] | |

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection.

Skin Protection: Wear protective gloves and eye protection. **Eye Protection:** Wear protective gloves and eye protection.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

Product Number: RV010672 Page 11 of 20



SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Data not available.

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Data not available.

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.07

Solubility: Data not available.

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container.

10.4. Hazardous Decomposition Products

May emit irritating fumes when heated to decomposition.

Product Number: RV010672 Page 12 of 20

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

Data not available.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Product Number: RV010672 Page 13 of 20



Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 100 mL, 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: ||

Hazard Label(s):



Product Number: RV010672 Page 14 of 20



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 100 mL, 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: ||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 100 mL, 500 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: ||

Hazard Label(s):



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Cadmium Nitrate (CAS # 10325-94-7): "5 μg/m3 TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m3 Action Level (as Cd)" As Cadmium compounds [RR-00559-4]

Cadmium Nitrate (CAS # 10325-94-7): 5 µg/m3 TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m3 Action Level (as Cd)

Arsenic Acid (CAS # 7778-39-4): "10 µg/m3 TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 µg/m3 Action Level (See 29 CFR 1910.1018, except Arsine, as As)" As Inorganic arsenic compounds [RR-00065-7]

Arsenic Acid (CAS # 7778-39-4): 10 μ g/m3 TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 μ g/m3 Action Level (See 29 CFR 1910.1018, except Arsine, as As)

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

Product Number: RV010672 Page 15 of 20

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Cupric Nitrate (CAS # 3251-23-8): 100 lb final RQ; 45.4 kg final RQ Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ Arsenic Acid (CAS # 7778-39-4): 1 lb final RQ; 0.454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0] Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0]; "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Cobalt (II) Nitrate (CAS # 10141-05-6): "0.1 % de minimis concentration (includes any unique chemical substance that contains Cobalt as part of that chemical's infrastructure, listed under Chemical Category N096)" As Cobalt, inorganic compounds [RR-02516-1]

Cobalt (II) Nitrate (CAS # 10141-05-6): 0.1 % de minimis concentration (includes any unique chemical substance that contains Cobalt as part of that chemical's infrastructure, listed under Chemical Category N096)

Cadmium Nitrate (CAS # 10325-94-7): "0.1 % de minimis concentration (includes any unique chemical substance that contains Cadmium as part of that chemical's infrastructure, listed under Chemical Category N078)" As Cadmium compounds [RR-00559-4]

Cadmium Nitrate (CAS # 10325-94-7): "0.1 % de minimis concentration (includes any unique chemical substance that contains Cadmium as part of that chemical's inf

15.5. Massachusetts Right-to-Know Substance List

Barium Nitrate (CAS # 10022-31-8): Present Cobalt (II) Nitrate (CAS # 10141-05-6): Present Cupric Nitrate (CAS # 3251-23-8): Present Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Arsenic Acid (CAS # 7778-39-4): Present

Product Number: RV010672 Page 16 of 20

Safety Data Sheet

15.6. Pennsylvania Right-to-Know Hazardous Substances

Barium Nitrate (CAS # 10022-31-8): "Environmental hazard" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "Present" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): Environmental hazard

Barium Nitrate (CAS # 10022-31-8): Present

Cobalt (II) Nitrate (CAS # 10141-05-6): "Environmental hazard" As Cobalt compounds [RR-00107-0]

Cobalt (II) Nitrate (CAS # 10141-05-6): "Present" As Cobalt compounds [RR-00107-0]

Cobalt (II) Nitrate (CAS # 10141-05-6): Environmental hazard

Cobalt (II) Nitrate (CAS # 10141-05-6): Present

Cadmium Nitrate (CAS # 10325-94-7): "Environmental hazard" As Cadmium compounds [RR-00559-4]

Cadmium Nitrate (CAS # 10325-94-7): "Present" As Cadmium compounds [RR-00559-4]

Cadmium Nitrate (CAS # 10325-94-7): Environmental hazard

Cadmium Nitrate (CAS # 10325-94-7): Present

Chromium (III) Nitrate (CAS # 13548-38-4): "Environmental hazard" As Chromium compounds [RR-00634-8]

Chromium (III) Nitrate (CAS # 13548-38-4): "Present" As Chromium compounds [RR-00634-8]

Chromium (III) Nitrate (CAS # 13548-38-4): Environmental hazard

Chromium (III) Nitrate (CAS # 13548-38-4): Present

Cupric Nitrate (CAS # 3251-23-8): "Environmental hazard" As Copper compounds [RR-00595-8]

Cupric Nitrate (CAS # 3251-23-8): "Present" As Copper compounds [RR-00595-8]

Cupric Nitrate (CAS # 3251-23-8): Environmental hazard

Cupric Nitrate (CAS # 3251-23-8): Present

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Arsenic Acid (CAS # 7778-39-4): "Environmental hazard" As Arsenic compounds [RR-00625-7]

Arsenic Acid (CAS # 7778-39-4): "Present" As Arsenic compounds [RR-00625-7]

Arsenic Acid (CAS # 7778-39-4): Environmental hazard

Arsenic Acid (CAS # 7778-39-4): Present

Product Number: RV010672 Page 17 of 20



Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0];

"SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 2146" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 3722" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): sn 0186

Barium Nitrate (CAS # 10022-31-8): sn 2146

Barium Nitrate (CAS # 10022-31-8): SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Barium Nitrate (CAS # 10022-31-8): sn 3722

Barium Nitrate (CAS # 10022-31-8): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Cobalt (II) Nitrate (CAS # 10141-05-6): "carcinogen" As Cobalt compounds [RR-00107-0]

Cobalt (II) Nitrate (CAS # 10141-05-6): "SN 2222 500 lb TPQ (Category Code N096. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Cobalt compounds [RR-00107-0]

Cobalt (II) Nitrate (CAS # 10141-05-6): "SN 2222 500 lb TPQ (Category Code N096. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Cobalt compounds [RR-00107-0];

"SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Cobalt (II) Nitrate (CAS # 1

15.8. California Proposition 65

Cadmium Nitrate (CAS # 10325-94-7): "carcinogen, 10/1/1987" As Cadmium compounds [RR-00559-4]

Cadmium Nitrate (CAS # 10325-94-7): carcinogen, 10/1/1987

Arsenic Acid (CAS # 7778-39-4): "0.06 μg/day NSRL (inhalation, listed under Arsenic); 10 μg/day NSRL (except inhalation, listed under Arsenic)" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic Acid (CAS # 7778-39-4): "carcinogen, 2/27/1987" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic Acid (CAS # 7778-39-4): 0.06 μg/day NSRL (inhalation, listed under Arsenic); 10 μg/day NSRL (except inhalation, listed under Arsenic)

Arsenic Acid (CAS # 7778-39-4): carcinogen, 2/27/1987

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Barium Nitrate (CAS # 10022-31-8): Present (DSL)

Cobalt (II) Nitrate (CAS # 10141-05-6): Present (DSL)

Cadmium Nitrate (CAS # 10325-94-7): Present (DSL)

Aluminum Nitrate (CAS # 13473-90-0): Present (DSL)

Chromium (III) Nitrate (CAS # 13548-38-4): Present (DSL)

Cupric Nitrate (CAS # 3251-23-8): Present (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Arsenic Acid (CAS # 7778-39-4): Present (DSL)

Product Number: RV010672 Page 18 of 20

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Barium Nitrate (CAS # 10022-31-8): Present (ACTIVE)

Cobalt (II) Nitrate (CAS # 10141-05-6): Present (ACTIVE)

Cadmium Nitrate (CAS # 10325-94-7): Present (ACTIVE)

Aluminum Nitrate (CAS # 13473-90-0): Present (ACTIVE)

Chromium (III) Nitrate (CAS # 13548-38-4): Present (ACTIVE)

Cupric Nitrate (CAS # 3251-23-8): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Arsenic Acid (CAS # 7778-39-4): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Barium Nitrate (CAS # 10022-31-8): 233-020-5

Cobalt (II) Nitrate (CAS # 10141-05-6): 233-402-1

Cadmium Nitrate (CAS # 10325-94-7): 233-710-6

Aluminum Nitrate (CAS # 13473-90-0): 236-751-8

Chromium (III) Nitrate (CAS # 13548-38-4): 236-921-1

Cupric Nitrate (CAS # 3251-23-8): 221-838-5

Nitric Acid (CAS # 7697-37-2): 231-714-2

Arsenic Acid (CAS # 7778-39-4): 231-901-9

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water.). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: RV010672 Page 19 of 20



16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 3
Flammability: 0
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-10-11

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RV010672 Page 20 of 20