

Manufacture Date: APR 16, 2024

## **Certificate of Analysis**

## Potassium Iodate, 0.00564 Normal, 200 ppm as $Cl_2$

Lot Number: 2404G24	coduct Number: 6270		Expiration Date: (	OCT 2025
Name	CAS#	Grade		
Water	7732-18-5	ACS/ASTM/USI	P/EP	
Potassium Iodate	7758-05-6	ACS		
Test	Specification	Resul	t NIS	ST SRM#
Appearance	Colorless liquid	Passe	d	
Assay (vs. Sodium Thiosulfate/Starch	) 0.005639-0.005641 N a	at 20°C 0.005	640 N at 20°C 13	6
Specification	Ref	erence		

0070

Standard Iodate Titrant,	
Standard lodate Litrant	U UU364 N
Standard Iodate Intrante	, 0.00011

0101001

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

APHA (4500-Cl C)

Part Number	Size / Package Type	Shelf Life (Unopened Container)	
6270-32	1 L amber glass	18 months	

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Jose Pena (04/16/2024) Operations Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.