Classified according to WHMIS 2015

### **SECTION 1: Identification**

#### 1.1. Product Identifier

Trade Name or Designation: Clarke Solution

Product Number: R2137000

Other Identifying Product Numbers: R2137000-1C

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

#### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

#### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

Product Number: R2137000 Page 1 of 16



# **Safety Data Sheet**

### SECTION 2: Hazard(s) Identification

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Acute Toxicity - Oral	Category 4	H302	P264, P270, P301+P312, P330, P501
Acute Toxicity - Inhalation	Category 3	H331	P261, P271, P304+P340, P311, P321,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Carcinogenicity	Category 2	H351	P201, P202, P280, P308+P313, P405, P501
Corrosive to Metals	Category 1	H290	P234, P390, P406

#### 2.2. GHS Label Elements

#### Pictograms:









Signal Word: Danger

#### **Hazard Statements:**

<b>Hazard Number</b>	Hazard Statement
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.

Product Number: R2137000 Page 2 of 16

#### **Precautionary Statements:**

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P261	Avoid breathing fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical attention.
P310	Immediately call a POISON CENTER or physician.
P311	Call a POISON CENTER or physician.
P321	Specific treatment (Wash areas of contact with water).
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: R2137000 Page 3 of 16



# **Safety Data Sheet**

### **SECTION 3: Composition / Information on Ingredients**

#### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight C	AS Number	Weight%
Water	H <sub>2</sub> O	18.01 g/mol	7732-18-5	59.29
Hydrochloric Acid	HCI	36.46 g/mol	7647-01-0	34.82
Stannous Chloride Dihydrate	SnCl <sub>2</sub> ·2H <sub>2</sub> O	225.65 g/mol	10025-69-1	4.20
Antimony Trioxide	$Sb_2O_3$	291.51 g/mol	1309-64-4	1.68

#### **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause severe burns and permanent damage.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness,

and pain.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a

physician if necessary.

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Toxic if inhaled. Suspected of causing cancer. DANGER! Corrosive liquid! Causes severe burns to all areas of contact. May be fatal if swallowed. Wash areas of contact with water immediately for at least 15 minutes. Inhalation can cause coughing, choking, inflammation of the nose, throat and upper respiratory tract. If ingested, give large quantity of water. Do not induce vomiting. Call a physician immediately. EYE CONTACT: May cause severe burns and permanent damage. SKIN CONTACT: May cause irritation, redness, and pain.

#### 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

### **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing Media

Does not burn. Use extinguishing agents compatible with acid and appropriate for the burning material.

Product Number: R2137000 Page 4 of 16

#### 5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible. Aqueous hydrochloric acid solutions react with most metals, forming flammable hydrogen gas.

#### 5.3. Special Protective Equipment for Firefighters

Wear special protective clothing and positive pressure self-contained breathing apparatus. Butyl rubber or Teflon barrier recommended.

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

#### 6.2. Cleanup and Containment Methods and Materials

Approach release from upwind. Stop or control the leak, if this can be done without undue risk. Use water fog or spray to knock down and absorb vapors. Releases may require isolation or evacuation. Control runoff and isolate discharged material for proper disposal.

### **SECTION 7: Handling and Storage**

#### 7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: R2137000 Page 5 of 16



### **SECTION 8: Exposure Controls / Personal Protection**

#### **8.1 Control Parameters**

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Stannous Chloride Dihydrate (100	)25-6:TWA	USA	"2 mg/m³ TWA (except oxides, as Sn)" As Tin, inorganic compounds [RR-00043-1]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Stannous Chloride Dihydrate (100	025-6! TLV-TWA	USA	"2 mg/m³ TWA (excluding tin hydride and indium tin oxide, inhalable particulate matter, as Sn)" As Tin inorganic compounds [RR-00043-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Stannous Chloride Dihydrate (100	)25-6:TLV-TWA	USA	"2 mg/m³ TWA (excluding tin hydride and indium tin oxide, inhalable particulate matter, as Sn)" As Tin inorganic compounds [RR-00043-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Stannous Chloride Dihydrate (100	)25-6! TWA	USA	"2 mg/m³ TWA (except oxides, as Sn)" As Tin, inorganic compounds [RR-00043-1]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Stannous Chloride Dihydrate (100	)25-6! TWA	USA	"2 mg/m³ TWA (except oxides, as Sn)" As Tin, inorganic compounds [RR-00043-1]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Stannous Chloride Dihydrate (100	)25-6! TLV-TWA	USA	"2 mg/m³ TWA (excluding tin hydride and indium tin oxide, inhalable particulate matter, as Sn)" As Tin inorganic compounds [RR-00043-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Stannous Chloride Dihydrate (100	)25-6!TLV-TWA	USA	2 mg/m³ TWA (excluding tin hydride and indium tin oxide, inhalable particulate matter, as Sn)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: R2137000 Page 6 of 16



# **Safety Data Sheet**

Stannous Chloride Dihydrate (10025-6:TWA		USA	2 mg/m³ TWA (except	U.S OSHA - Final PELs - Time
			oxides, as Sn)	Weighted Averages (TWAs)
Stannous Chloride Dihydrate (10025-6!TWA		USA	"2 mg/m3 TWA (except	U.S OSHA - Final PELs - Time
			oxides, as Sn)" As Tin,	Weighted Averages (TWAs)
			inorganic compounds	
			[RR-00043-1]	
Stannous Chloride Dihydrate (10025-6:TLV-TWA		USA	"2 mg/m³ TWA (excluding	ACGIH - Threshold Limit Values - Time
			tin hydride and indium tin	Weighted Averages (TLV-TWA)
			oxide, inhalable particulate	
			matter, as Sn)" As Tin	
			inorganic compounds	
			[RR-00043-1]	
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)"	U.S OSHA - Final PELs - Time
			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)"	U.S OSHA - Final PELs - Time
			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)"	ACGIH - Threshold Limit Values - Time
			As Antimony compounds	Weighted Averages (TLV-TWA)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)"	U.S OSHA - Final PELs - Time
			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)"	ACGIH - Threshold Limit Values - Time
			As Antimony compounds	Weighted Averages (TLV-TWA)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)"	ACGIH - Threshold Limit Values - Time
			As Antimony compounds	Weighted Averages (TLV-TWA)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)"	U.S OSHA - Final PELs - Time
			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TWA	USA	0.5 mg/m³ TWA (as Sb)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.5 mg/m³ TWA (as Sb)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

Product Number: R2137000 Page 7 of 16



# **Safety Data Sheet**

Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m3 TWA (as Sb)"	U.S OSHA - Final PELs - Time
			As Antimony compounds	Weighted Averages (TWAs)
			[RR-00585-6]	
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)"	ACGIH - Threshold Limit Values - Time
			As Antimony compounds	Weighted Averages (TLV-TWA)
			[RR-00585-6]	
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	2 ppm Ceiling	ACGIH - Threshold Limit Values -
				Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	5 ppm Ceiling; 7 mg/m <sup>3</sup>	U.S OSHA - Final PELs - Ceiling
	_		Ceiling	Limits

#### 8.2. Exposure Controls

**Engineering Controls:** Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is

adequate.

Respiratory Protection: Normal room ventilation is adequate. If necessary, wear a respirator equipped with an acid gas cartridge.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

#### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. If necessary, wear a respirator equipped with an acid gas cartridge. Chemical resistant gloves. Safety glasses or goggles.

Product Number: R2137000 Page 8 of 16



### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Basic Physical and Chemical Properties

Appearance: Clear, tan liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Data not available.

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.19

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

**Decomposition Temperature:** Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

#### 10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Most metals, Alkalis, active metals, Cyanides, Sulfides, Sulfites, Metal Oxides, Formaldehyde.

#### 10.4. Hazardous Decomposition Products

Will not occur.

Product Number: R2137000 Page 9 of 16

### **SECTION 11: Toxicological Information**

#### 11.1. Information on Toxicological Effects

#### **Acute Toxicity - Oral Exposure:**

Harmful if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Acute Toxicity - Dermal Exposure:**

Not applicable.

#### **Acute Toxicity - Inhalation Exposure:**

Toxic if inhaled. Avoid breathing fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Acute Toxicity - Other Information:**

LD50, Oral, Rabbit (Hydrochloric Acid) 900 mg/kg; Details of toxic effects not reported other than lethal dose value. LCLo, inhalation, human: 3000 ppm/5 minutes: No toxic effects noted. LD50, Oral, Rat: (Stannous Chloride) 700 mg/kg, details of toxic effects not reported other than lethal dose value. LD50, Oral, Rat: (Antimony Trioxide) >34600 mg/kg, behavioral and skin effects noted. Antimony Trioxide is investigated as a tumorigen.

#### **Skin Corrosion and Irritation:**

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Serious Eye Damage and Irritation:**

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

#### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

#### **Germ Cell Mutagenicity:**

Not applicable.

#### Carcinogenicity:

Suspected of causing cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: R2137000 Page 10 of 16

#### **Reproductive Toxicity:**

Not applicable.

#### **Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

#### **Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

#### **Aspiration Hazard:**

Not applicable.

#### **Additional Toxicology Information:**

Data not available.

### **SECTION 12: Ecological Information**

#### 12.1. Ecotoxicity

Not applicable.

#### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

#### 12.5. Other Adverse Ecological Effects

Data not available.

### **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

Product Number: R2137000 Page 11 of 16



### **SECTION 14: Transportation Information**

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1L

UN Number: UN1789

Proper Shipping Name: Hydrochloric Acid Solution

Hazard Class: 8

Packing Group: ||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1L

UN Number: UN1789

Proper Shipping Name: Hydrochloric Acid Solution

Hazard Class: 8

Packing Group: ||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1L

UN Number: UN1789

Proper Shipping Name: HYDROCHLORIC ACID SOLUTION

Hazard Class: 8

Packing Group: ||

Hazard Label(s):



Product Number: R2137000 Page 12 of 16

### **SECTION 15: Regulatory Information**

#### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

#### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrochloric Acid (CAS # 7647-01-0): 500 lb TPQ (gas only) Hydrochloric Acid (CAS # 7647-01-0): 5000 lb EPCRA RQ (gas only)

#### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Antimony Trioxide (CAS # 1309-64-4): 1000 lb final RQ; 454 kg final RQ Hydrochloric Acid (CAS # 7647-01-0): 5000 lb final RQ; 2270 kg final RQ

#### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Antimony Trioxide (CAS # 1309-64-4): "1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of that chemical's infrastructure, listed under Chemical Category N010)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): 1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of that chemical's infrastructure, listed under Chemical Category N010)

Hydrochloric Acid (CAS # 7647-01-0): 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

#### 15.5. Massachusetts Right-to-Know Substance List

Stannous Chloride Dihydrate (CAS # 10025-69-1): Present

Antimony Trioxide (CAS # 1309-64-4): Present

Hydrochloric Acid (CAS # 7647-01-0): Extraordinarily hazardous

#### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Antimony Trioxide (CAS # 1309-64-4): "Environmental hazard" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): Environmental hazard

Antimony Trioxide (CAS # 1309-64-4): Present

Hydrochloric Acid (CAS # 7647-01-0): Environmental hazard

Hydrochloric Acid (CAS # 7647-01-0): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

**Product Number:** R2137000 Page **13** of **16** 

#### 15.7. New Jersey Worker and Community Right-to-Know Components

Stannous Chloride Dihydrate (CAS # 10025-69-1): corrosive

Stannous Chloride Dihydrate (CAS # 10025-69-1): sn 1733

Antimony Trioxide (CAS # 1309-64-4): "SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the

named metal as part of that chemical structure)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "sn 2223" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): carcinogen

Antimony Trioxide (CAS # 1309-64-4): sn 0149

Antimony Trioxide (CAS # 1309-64-4): sn 2223

Antimony Trioxide (CAS # 1309-64-4): SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named

metal as part of that chemical structure)

Hydrochloric Acid (CAS # 7647-01-0): corrosive

Hydrochloric Acid (CAS # 7647-01-0): sn 1012

Hydrochloric Acid (CAS # 7647-01-0): SN 1012 500 lb TPQ; SN 2909 500 lb TPQ (gas only)

#### 15.8. California Proposition 65

Antimony Trioxide (CAS # 1309-64-4): carcinogen, 10/1/1990

#### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Stannous Chloride Dihydrate (CAS # 10025-69-1): Present (DSL)

Stannous Chloride Dihydrate (CAS # 10025-69-1): Present (NDSL)

Antimony Trioxide (CAS # 1309-64-4): Present (DSL)

Hydrochloric Acid (CAS # 7647-01-0): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Stannous Chloride Dihydrate (CAS # 10025-69-1): Present (ACTIVE)

Antimony Trioxide (CAS # 1309-64-4): Present (ACTIVE)

Hydrochloric Acid (CAS # 7647-01-0): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

# 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Stannous Chloride Dihydrate (CAS # 10025-69-1): 215-689-5

Stannous Chloride Dihydrate (CAS # 10025-69-1): 231-868-0

Antimony Trioxide (CAS # 1309-64-4): 215-175-0

Antimony Trioxide (CAS # 1309-64-4): 215-474-6

Hydrochloric Acid (CAS # 7647-01-0): 231-595-7

Water (CAS # 7732-18-5): 231-791-2

Product Number: R2137000 Page 14 of 16



### **SECTION 16: Other Information**

#### 16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Toxic if inhaled. Suspected of causing cancer.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection.

IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. Specific treatment (Wash areas of contact with water). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

#### 16.3. National Fire Protection Association (NFPA) Rating

Health: 3
Flammability: 0
Reactivity: 0
Special Hazard:



#### 16.4. Document Revision

Last Revision Date: 2023-09-11

Product Number: R2137000 Page 15 of 16

### **DISCLAIMER**

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: R2137000 Page 16 of 16