

# Safety Data Sheet

Classified according to WHMIS 2015

## SECTION 1: Identification

### 1.1. Product Identifier

**Trade Name or Designation:** Fluoride Standard, 2 ppm F<sup>-</sup> (Premixed with TISAB / Color Coded Red)

**Product Number:** 3163

**Other Identifying Product Numbers:** 3163-1, 3163-16, 3163-2.5, 3163-32, 3163-5

### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

### 1.3. Details of the Supplier of the Safety Data Sheet

**Company:** Ricca Chemical Company

**Address:** 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

## SECTION 2: Hazard(s) Identification

### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements:	Precautionary Statements:
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310

## Safety Data Sheet

### 2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Precautionary Statements:

Precautionary Number	Precautionary Statement
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P280	Wear protective gloves and eye protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P321	Specific treatment (Wash areas of contact with water immediately).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

# Safety Data Sheet

## SECTION 3: Composition / Information on Ingredients

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H <sub>2</sub> O	18.01 g/mol	7732-18-5	92.49
Acetic Acid	CH <sub>3</sub> COOH	60.05 g/mol	64-19-7	2.85
Sodium Chloride	NaCl	58.44 g/mol	7647-14-5	2.76
Sodium Hydroxide	NaOH	39.99 g/mol	1310-73-2	1.70
1,2-Cyclohexylenediamine Tetraacetic Acid (CDTA)	C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub> ·H <sub>2</sub> O	346.33 g/mol	13291-61-7	0.19
Proprietary	Proprietary	Data not available.	Proprietary	< 0.1
Sodium Fluoride	NaF	41.98 g/mol	7681-49-4	< 0.1

## SECTION 4: First-Aid Measures

### 4.1. General First Aid Information

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Skin Contact:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness, and pain.

**Ingestion:** IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Call a physician if necessary.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. May cause irritation upon contact. Wash areas of contact with water. Does not present any significant health hazards. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness, and pain.

### 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Call a physician necessary.

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire.



## Safety Data Sheet

### 5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

### 6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material (vermiculite, clay, paper towels, etc.). Treat the solid residue as normal refuse. Liquid may be flushed to the sewer with plenty of water.

## SECTION 7: Handling and Storage

### 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

## Safety Data Sheet

### SECTION 8: Exposure Controls / Personal Protection

#### 8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Sodium Hydroxide (1310-73-2)	TLV-Ceiling	USA	2 mg/m <sup>3</sup> Ceiling	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Sodium Hydroxide (1310-73-2)	TWA	USA	2 mg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Hydroxide (1310-73-2)	TLV-Ceiling	USA	"2 mg/m <sup>3</sup> Ceiling" As Sodium hydroxide [1310-73-2]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Sodium Hydroxide (1310-73-2)	TWA	USA	"2 mg/m <sup>3</sup> TWA" As Sodium hydroxide [1310-73-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Hydroxide (1310-73-2)	TLV-Ceiling	USA	"2 mg/m <sup>3</sup> Ceiling" As Sodium hydroxide [1310-73-2]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Sodium Hydroxide (1310-73-2)	TWA	USA	"2 mg/m <sup>3</sup> TWA" As Sodium hydroxide [1310-73-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Hydroxide (1310-73-2)	TLV-Ceiling	USA	"2 mg/m <sup>3</sup> Ceiling" As Sodium hydroxide [1310-73-2]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Sodium Hydroxide (1310-73-2)	TWA	USA	"2 mg/m <sup>3</sup> TWA" As Sodium hydroxide [1310-73-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Acetic Acid (64-19-7)	TLV-STEL	USA	"15 ppm STEL" As Acetic acid [64-19-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Acetic Acid (64-19-7)	TLV-TWA	USA	"10 ppm TWA" As Acetic acid [64-19-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Acetic Acid (64-19-7)	TWA	USA	"10 ppm TWA; 25 mg/m <sup>3</sup> TWA" As Acetic acid [64-19-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Acetic Acid (64-19-7)	TWA	USA	10 ppm TWA; 25 mg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Acetic Acid (64-19-7)	TLV-TWA	USA	10 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Acetic Acid (64-19-7)	TLV-STEL	USA	15 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Acetic Acid (64-19-7)	TLV-TWA	USA	"10 ppm TWA" As Acetic acid [64-19-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Acetic Acid (64-19-7)	TLV-STEL	USA	"15 ppm STEL" As Acetic acid [64-19-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

## Safety Data Sheet

Acetic Acid (64-19-7)	TWA	USA	"10 ppm TWA; 25 mg/m <sup>3</sup> TWA" As Acetic acid [64-19-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Acetic Acid (64-19-7)	TLV-TWA	USA	"10 ppm TWA" As Acetic acid [64-19-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Acetic Acid (64-19-7)	TWA	USA	"10 ppm TWA; 25 mg/m <sup>3</sup> TWA" As Acetic acid [64-19-7]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Acetic Acid (64-19-7)	TLV-STEL	USA	"15 ppm STEL" As Acetic acid [64-19-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Sodium Fluoride (7681-49-4)	TWA	USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Fluoride (7681-49-4)	TLV-TWA	USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Sodium Fluoride (7681-49-4)	TLV-TWA	USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Sodium Fluoride (7681-49-4)	TWA	USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Fluoride (7681-49-4)	TWA	USA	2.5 mg/m <sup>3</sup> TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Fluoride (7681-49-4)	TLV-TWA	USA	2.5 mg/m <sup>3</sup> TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Sodium Fluoride (7681-49-4)	TLV-TWA	USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Sodium Fluoride (7681-49-4)	TWA	USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

### 8.2. Exposure Controls

**Engineering Controls:** No specific controls are needed. Normal room ventilation is adequate.

**Respiratory Protection:** Normal room ventilation is adequate.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves.

**Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.



## Safety Data Sheet

### SECTION 9: Physical and Chemical Properties

#### 9.1. Basic Physical and Chemical Properties

**Appearance:** Red liquid

**Physical State:** Liquid

**Odor:** Data not available.

**Odor Threshold:** Data not available.

**pH:** Data not available.

**Melting/Freezing Point:** Approximately 0°C

**Initial Boiling Point/Range:** Approximately 100°C - Approximately 100°C

**Flash Point:** Data not available.

**Evaporation Rate:** Data not available.

**Flammability:** Data not available.

**Flammability/Explosive Limits:** Data not available.

**Vapor Pressure:** Data not available.

**Vapor Density:** Data not available.

**Relative Density:** 1.05

**Solubility:** Miscible

**Partition Coefficient:** Data not available.

**Auto-Ignition Temperature:** Data not available.

**Decomposition Temperature:** Data not available.

**Viscosity:** Data not available.

**Explosive Properties:** Data not available.

**Oxidizing Properties:** Data not available.

### SECTION 10: Stability and Reactivity

#### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

#### 10.3. Conditions to Avoid and Incompatible Materials

oxidizing agents.

#### 10.4. Hazardous Decomposition Products

Will not occur.

# Safety Data Sheet

## SECTION 11: Toxicological Information

### 11.1. Information on Toxicological Effects

**Acute Toxicity - Oral Exposure:**

Not applicable.

**Acute Toxicity - Dermal Exposure:**

Not applicable.

**Acute Toxicity - Inhalation Exposure:**

Not applicable.

**Acute Toxicity - Other Information:**

LD50, Oral, Rat: 3000 mg/kg (Sodium Chloride) No toxic effects noted; 52 mg/kg (Sodium Fluoride) Details of toxic effects not reported other than lethal dose value; 3310 mg/kg (Acetic Acid).

**Skin Corrosion and Irritation:**

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

**Serious Eye Damage and Irritation:**

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

**Respiratory Sensitization:**

Not applicable.

**Skin Sensitization:**

Not applicable.

**Germ Cell Mutagenicity:**

Not applicable.

**Carcinogenicity:**

Not applicable.

**Reproductive Toxicity:**

Not applicable.

**Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

**Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

**Aspiration Hazard:**

Not applicable.





## Safety Data Sheet

### Additional Toxicology Information:

Data not available.

## SECTION 12: Ecological Information

### 12.1. Ecotoxicity

Not applicable.

### 12.2. Persistence and Degradability

Data not available.

### 12.3. Bioaccumulative Potential

Data not available.

### 12.4. Mobility in Soil

Data not available.

### 12.5. Other Adverse Ecological Effects

Data not available.

## SECTION 13: Disposal Considerations

### 13.1. Waste Treatment Methods

Data not available.

## SECTION 14: Transportation Information

### 14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.

## **Safety Data Sheet**

### **14.2. Transportation by Air - International Air Transport Association (IATA)**

Not regulated according to IATA Dangerous Goods Regulations.

### **14.3 Transportation of Dangerous Goods (TDG, Canada)**

Not regulated according to TDG Regulations.

## **SECTION 15: Regulatory Information**

### **15.1. Occupational Safety and Health Administration (OSHA) Hazards**

Not listed.

### **15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances**

Not listed.

## Safety Data Sheet

### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Sodium Hydroxide (CAS # 1310-73-2): "1000 lb final RQ  
Sodium Hydroxide (CAS # 1310-73-2): 1000 lb final RQ  
Sodium Hydroxide (CAS # 1310-73-2): 454 kg final RQ  
Sodium Hydroxide (CAS # 1310-73-2): 454 kg final RQ" As Sodium hydroxide [1310-73-2]  
Acetic Acid (CAS # 64-19-7): "5000 lb final RQ  
Acetic Acid (CAS # 64-19-7): 2270 kg final RQ  
Acetic Acid (CAS # 64-19-7): 2270 kg final RQ" As Acetic acid [64-19-7]  
Acetic Acid (CAS # 64-19-7): 5000 lb final RQ  
Sodium Fluoride (CAS # 7681-49-4): "1000 lb final RQ  
Sodium Fluoride (CAS # 7681-49-4): 1000 lb final RQ  
Sodium Fluoride (CAS # 7681-49-4): 454 kg final RQ  
Sodium Fluoride (CAS # 7681-49-4): 454 kg final RQ" As Sodium fluoride [7681-49-4]

### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Not listed.

### 15.5. Massachusetts Right-to-Know Substance List

Sodium Hydroxide (CAS # 1310-73-2): "Present" As Sodium hydroxide [1310-73-2]  
Sodium Hydroxide (CAS # 1310-73-2): Present  
Acetic Acid (CAS # 64-19-7): "Present (including glacial)" As Acetic acid [64-19-7]  
Acetic Acid (CAS # 64-19-7): Present (including glacial)  
Sodium Fluoride (CAS # 7681-49-4): "Present" As Sodium fluoride [7681-49-4]  
Sodium Fluoride (CAS # 7681-49-4): Present

### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Sodium Hydroxide (CAS # 1310-73-2): "Environmental hazard" As Sodium hydroxide (Na(OH)) [1310-73-2]  
Sodium Hydroxide (CAS # 1310-73-2): Environmental hazard  
Acetic Acid (CAS # 64-19-7): "Environmental hazard  
Acetic Acid (CAS # 64-19-7): "Environmental hazard (including water solutions)" As Acetic acid [64-19-7]  
Acetic Acid (CAS # 64-19-7): Environmental hazard  
Acetic Acid (CAS # 64-19-7): Environmental hazard (including water solutions)  
Acetic Acid (CAS # 64-19-7): Environmental hazard (water solutions)  
Acetic Acid (CAS # 64-19-7): Environmental hazard (water solutions)" As Acetic acid [64-19-7]  
Sodium Fluoride (CAS # 7681-49-4): "Environmental hazard" As Sodium fluoride (NaF) [7681-49-4]  
Sodium Fluoride (CAS # 7681-49-4): Environmental hazard  
Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]  
Water (CAS # 7732-18-5): Present

## Safety Data Sheet

### 15.7. New Jersey Worker and Community Right-to-Know Components

Sodium Hydroxide (CAS # 1310-73-2): "corrosive" As Sodium hydroxide [1310-73-2]

Sodium Hydroxide (CAS # 1310-73-2): "sn 1706" As Sodium hydroxide [1310-73-2]

Sodium Hydroxide (CAS # 1310-73-2): corrosive

Sodium Hydroxide (CAS # 1310-73-2): sn 1706

Acetic Acid (CAS # 64-19-7): "corrosive" As Acetic acid [64-19-7]

Acetic Acid (CAS # 64-19-7): "sn 0004" As Acetic acid [64-19-7]

Acetic Acid (CAS # 64-19-7): corrosive

Acetic Acid (CAS # 64-19-7): sn 0004

Sodium Fluoride (CAS # 7681-49-4): "sn 0936" As Fluorides [RR-02792-9]

Sodium Fluoride (CAS # 7681-49-4): "sn 1699" As Sodium fluoride [7681-49-4]

Sodium Fluoride (CAS # 7681-49-4): "teratogen" As Sodium fluoride [7681-49-4]

Sodium Fluoride (CAS # 7681-49-4): sn 0936

Sodium Fluoride (CAS # 7681-49-4): sn 1699

Sodium Fluoride (CAS # 7681-49-4): teratogen

### 15.8. California Proposition 65

Not listed.

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Sodium Hydroxide (CAS # 1310-73-2): "Present" As Sodium hydroxide [1310-73-2] (DSL)

Sodium Hydroxide (CAS # 1310-73-2): Present (DSL)

1,2-Cyclohexylenediamine Tetraacetic Acid (CDTA) (CAS # 13291-61-7): "Present" As Glycine, N,N'-1,2-cyclohexanediybis[N-(carboxymethyl)-, trans [13291-61-7] (DSL)

1,2-Cyclohexylenediamine Tetraacetic Acid (CDTA) (CAS # 13291-61-7): Present (DSL)

Acetic Acid (CAS # 64-19-7): "Present" As Acetic acid [64-19-7] (DSL)

Acetic Acid (CAS # 64-19-7): "Present" As Carboxylic acids, C1-5 [68937-68-8] (NDSL)

Acetic Acid (CAS # 64-19-7): Present (DSL)

Acetic Acid (CAS # 64-19-7): Present (NDSL)

Sodium Chloride (CAS # 7647-14-5): "Present" As Sodium chloride [7647-14-5] (DSL)

Sodium Chloride (CAS # 7647-14-5): Present (DSL)

Sodium Fluoride (CAS # 7681-49-4): "Present" As Sodium fluoride [7681-49-4] (DSL)

Sodium Fluoride (CAS # 7681-49-4): Present (DSL)

Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)

Water (CAS # 7732-18-5): Present (DSL)

### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

## Safety Data Sheet

Sodium Hydroxide (CAS # 1310-73-2): "Present (ACTIVE)" As Sodium hydroxide (Na(OH)) [1310-73-2]  
Sodium Hydroxide (CAS # 1310-73-2): Present (ACTIVE)  
1,2-Cyclohexylenediamine Tetraacetic Acid (CDTA) (CAS # 13291-61-7): "Present [PMN] (ACTIVE)" As Glycine, N,N'-(1R,2R)-1,2-cyclohexanediylbis[N-(carboxymethyl)-, rel- [13291-61-7]  
1,2-Cyclohexylenediamine Tetraacetic Acid (CDTA) (CAS # 13291-61-7): Present [PMN] (ACTIVE)  
Acetic Acid (CAS # 64-19-7): "Present (ACTIVE)" As Acetic acid [64-19-7]  
Acetic Acid (CAS # 64-19-7): Present (ACTIVE)  
Sodium Chloride (CAS # 7647-14-5): "Present (ACTIVE)" As Sodium chloride (NaCl) [7647-14-5]  
Sodium Chloride (CAS # 7647-14-5): Present (ACTIVE)  
Sodium Fluoride (CAS # 7681-49-4): "Present (ACTIVE)" As Sodium fluoride (NaF) [7681-49-4]  
Sodium Fluoride (CAS # 7681-49-4): Present (ACTIVE)  
Water (CAS # 7732-18-5): "Present [XU] (ACTIVE)" As Water [7732-18-5]  
Water (CAS # 7732-18-5): Present [XU] (ACTIVE)

### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Sodium Hydroxide (CAS # 1310-73-2): "215-185-5" As Sodium hydroxide [1310-73-2]  
Sodium Hydroxide (CAS # 1310-73-2): 215-185-5  
1,2-Cyclohexylenediamine Tetraacetic Acid (CDTA) (CAS # 13291-61-7): "236-308-9" As trans-Cyclohexane-1,2-dinitrilotetraacetic acid [13291-61-7]  
1,2-Cyclohexylenediamine Tetraacetic Acid (CDTA) (CAS # 13291-61-7): 236-308-9  
Acetic Acid (CAS # 64-19-7): "200-580-7" As Acetic acid [64-19-7]  
Acetic Acid (CAS # 64-19-7): 200-580-7  
Acetic Acid (CAS # 64-19-7): 273-079-4  
Sodium Chloride (CAS # 7647-14-5): "231-598-3" As Sodium chloride [7647-14-5]  
Sodium Chloride (CAS # 7647-14-5): 231-598-3  
Sodium Fluoride (CAS # 7681-49-4): "231-667-8" As Sodium fluoride [7681-49-4]  
Sodium Fluoride (CAS # 7681-49-4): 231-667-8  
Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]  
Water (CAS # 7732-18-5): 231-791-2

# Safety Data Sheet

## SECTION 16: Other Information

### 16.1. Full Text of Hazard Statements and Precautionary Statements

Causes severe skin burns and eye damage.

Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

### 16.2. Miscellaneous Hazard Classes

**Canadian Carcinogenicity Hazard Class:** Not Applicable.


**Physical Hazards Not Otherwise Classified (PHNOC):** Not Applicable.

**Health Hazards Not Otherwise Classified (HHNOC):** Not Applicable.

**Biohazardous Infectious Materials Hazard Class:** Not Applicable.

### 16.3. National Fire Protection Association (NFPA) Rating

**Health:** 1  
**Flammability:** 0  
**Reactivity:** 0  
**Special Hazard:**



### 16.4. Document Revision

**Last Revision Date:** 2025-04-02

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.