

## Safety Data Sheet

Classified according to WHMIS 2015

### SECTION 1: Identification

#### 1.1. Product Identifier

**Trade Name or Designation:** Perchloric Acid, 0.100 Normal (N/10) in Dioxane

**Product Number:** R5513600

**Other Identifying Product Numbers:** R5513600-1C, R5513600-500C, R5513600-F500C, R5513600-V1C

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

#### 1.3. Details of the Supplier of the Safety Data Sheet

**Company:** Ricca Chemical Company

**Address:** 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

#### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

### SECTION 2: Hazard(s) Identification

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements	Precautionary Statements:
Eye Damage / Irritation	Category 2	H319	P264, P280, P305+P351+P338, P337+P313
Carcinogenicity	Category 2	H351	P201, P202, P280, P308+P313, P405, P501
Flammable Liquids	Category 2	H225	P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P501

# Safety Data Sheet

## 2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

Precautionary Statements:

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks and open flame. No smoking.
P233	Keep container tightly closed.
P240	Ground container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash arms, hands and face thoroughly after handling.
P280	Wear protective gloves and eye protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical attention.
P337+P313	If eye irritation persists: Get medical attention.
P370+P378	In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

## 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

# Safety Data Sheet

## SECTION 3: Composition / Information on Ingredients

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Dioxane	C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	88.10 g/mol	123-91-1	98.63
Perchloric Acid	HClO <sub>4</sub>	100.45 g/mol	7601-90-3	0.96
Water	H <sub>2</sub> O	18.01 g/mol	7732-18-5	0.41

## SECTION 4: First-Aid Measures

### 4.1. General First Aid Information

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Causes severe irritation, redness, pain, tearing and burns.

**Inhalation:** Not expected to require first aid. If necessary, remove to fresh air.

**Skin Contact:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Mild to severe irritation and possible burns. On prolonged exposure, can be absorbed through intact skin causing toxic systemic effects.

**Ingestion:** Dilute immediately with water or milk. Induce vomiting. Call a physician.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes serious eye irritation. Suspected of causing cancer. DANGER! Tends to form explosive peroxides. Flammable liquid and vapor. Harmful if inhaled, swallowed or absorbed through skin. Causes irritation to skin, eyes and respiratory tract. Dioxane is a suspected carcinogen. Wash areas of contact with plenty of water. If swallowed, give large amount of water and induce vomiting. Call a physician. EYE CONTACT: Causes severe irritation, redness, pain, tearing and burns. SKIN CONTACT: Mild to severe irritation and possible burns. On prolonged exposure, can be absorbed through intact skin causing toxic systemic effects. CHRONIC EFFECTS / CARCINOGENICITY: Suspected human carcinogen. Prolonged skin contact may cause dermatitis. Prolonged exposure may cause central nervous system depression, loss of appetite, nausea, abdominal tenderness and liver or kidney damage. Repeated inhalation exposures to low concentrations have been fatal.

### 4.3. Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute immediately with water or milk. Induce vomiting. Call a physician.

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Carbon dioxide, alcohol foam, dry chemical powder Water may be ineffective.

# Safety Data Sheet

## 5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor. Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Peroxide formation may occur in containers that have been opened and remain in storage. Peroxides can be detonated by friction, impact, or heating.

## 5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and positive pressure self-contained breathing apparatus.

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection.

### 6.2. Cleanup and Containment Methods and Materials

Eliminate all ignition sources. Approach release from upwind. Stop or control the leak, if this can be done without undue risk. Use water spray to cool and disperse vapors, protect personnel, and dilute spills to form nonflammable mixtures. Control runoff and isolate discharged material for proper disposal.

## SECTION 7: Handling and Storage

### 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

## SECTION 8: Exposure Controls / Personal Protection

### 8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Dioxane (123-91-1)	TWA	USA	100 ppm TWA; 360 mg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Dioxane (123-91-1)	TLV-TWA	USA	20 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

### 8.2. Exposure Controls

**Engineering Controls:** A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source. Use explosion proof equipment.

**Respiratory Protection:** Work with adequate ventilation or wear respirator with acid gas/organic vapor cartridge.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves.



## Safety Data Sheet

**Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Work with adequate ventilation or wear respirator with acid gas/organic vapor cartridge. Chemical resistant gloves. Safety glasses or goggles.

## SECTION 9: Physical and Chemical Properties

### 9.1. Basic Physical and Chemical Properties

**Appearance:** Colorless liquid

**Physical State:** Liquid

**Odor:** Ether-like

**Odor Threshold:** Data not available.

**pH:** Data not available.

**Melting/Freezing Point:** 12°C

**Initial Boiling Point/Range:** Approximately 103°C - Approximately 103°C

**Flash Point:** 12°C

**Evaporation Rate:** 2.7 (butyl acetate = 1)

**Flammability:** Data not available.

**Flammability/Explosive Limits:** Data not available.

**Vapor Pressure:** 41 hPa at 20°C

**Vapor Density:** 3.03

**Relative Density:** 1.03

**Solubility:** 32000 G/L at 7.8°C

**Partition Coefficient:** -0.42

**Auto-Ignition Temperature:** Data not available.

**Decomposition Temperature:** Data not available.

**Viscosity:** Data not available.

**Explosive Properties:** Data not available.

**Oxidizing Properties:** Data not available.

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

### 10.2. Possibility of Hazardous Reactions

Data not available.



## Safety Data Sheet

### 10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Silver perchlorate, oxidizing agents, sulfur trioxide.

### 10.4. Hazardous Decomposition Products

Will not occur.

## SECTION 11: Toxicological Information

### 11.1. Information on Toxicological Effects

#### Acute Toxicity - Oral Exposure:

Not applicable.

#### Acute Toxicity - Dermal Exposure:

Not applicable.

#### Acute Toxicity - Inhalation Exposure:

Not applicable.

#### Acute Toxicity - Other Information:

Dioxane is investigated as a mutagen, tumorigen and reproductive effector. LC50, inhalation, rat (Dioxane) 46 gm/m<sup>3</sup>/2H. LD50, oral, rat (Perchloric Acid) 1100 mg/kg, behavioral, nutritional and respiratory effects noted.

#### Skin Corrosion and Irritation:

Not applicable.

#### Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

#### Respiratory Sensitization:

Not applicable.

#### Skin Sensitization:

Not applicable.

#### Germ Cell Mutagenicity:

Not applicable.

#### Carcinogenicity:

Suspected of causing cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Reproductive Toxicity:

Not applicable.

#### Specific Target Organ Toxicity from Single Exposure:

Not applicable.



## Safety Data Sheet

**Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

**Aspiration Hazard:**

Not applicable.

**Additional Toxicology Information:**

Data not available.

### SECTION 12: Ecological Information

**12.1. Ecotoxicity**

Not applicable.

**12.2. Persistence and Degradability**

Data not available.

**12.3. Bioaccumulative Potential**

Data not available.

**12.4. Mobility in Soil**

Data not available.

**12.5. Other Adverse Ecological Effects**

Data not available.

### SECTION 13: Disposal Considerations

**13.1. Waste Treatment Methods**

Data not available.

## Safety Data Sheet

### SECTION 14: Transportation Information

#### 14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

**Sizes:** 1 L, 500 mL

**UN Number:** UN1165

**Proper Shipping Name:** Dioxane

**Hazard Class:** 3

**Packing Group:** II

**Hazard Label(s):**



#### 14.2. Transportation by Air - International Air Transport Association (IATA)

**Sizes:** 1 L, 500 mL

**UN Number:** UN1165

**Proper Shipping Name:** Dioxane

**Hazard Class:** 3

**Packing Group:** II

**Hazard Label(s):**



#### 14.3 Transportation of Dangerous Goods (TDG, Canada)

**Sizes:** 1 L, 500 mL

**UN Number:** UN1165

**Proper Shipping Name:** DIOXANE

**Hazard Class:** 3

**Packing Group:** II

**Hazard Label(s):**





## Safety Data Sheet

### SECTION 15: Regulatory Information

#### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

#### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Not listed.

#### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Dioxane (CAS # 123-91-1): 100 lb final RQ; 45.4 kg final RQ

#### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Dioxane (CAS # 123-91-1): 0.1 % de minimis concentration

#### 15.5. Massachusetts Right-to-Know Substance List

Dioxane (CAS # 123-91-1): Carcinogen (including technical grade); Extraordinarily hazardous (including technical grade)

Perchloric Acid (CAS # 7601-90-3): Present

#### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Dioxane (CAS # 123-91-1): Environmental hazard; Special hazardous substance

Dioxane (CAS # 123-91-1): Present

Perchloric Acid (CAS # 7601-90-3): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

#### 15.7. New Jersey Worker and Community Right-to-Know Components

Dioxane (CAS # 123-91-1): carcinogen; flammable - third degree

Dioxane (CAS # 123-91-1): sn 0789

Dioxane (CAS # 123-91-1): SN 0789 500 lb TPQ

Perchloric Acid (CAS # 7601-90-3): reactive - third degree

Perchloric Acid (CAS # 7601-90-3): sn 2637

#### 15.8. California Proposition 65

Dioxane (CAS # 123-91-1): 30 µg/day NSRL

Dioxane (CAS # 123-91-1): carcinogen, 1/1/1988

#### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Dioxane (CAS # 123-91-1): Present (DSL)

Perchloric Acid (CAS # 7601-90-3): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

## Safety Data Sheet

Dioxane (CAS # 123-91-1): Present (ACTIVE)

Perchloric Acid (CAS # 7601-90-3): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Dioxane (CAS # 123-91-1): 204-661-8

Perchloric Acid (CAS # 7601-90-3): 231-512-4

Water (CAS # 7732-18-5): 231-791-2

## SECTION 16: Other Information

### 16.1. Full Text of Hazard Statements and Precautionary Statements

Highly flammable liquid and vapor. Causes serious eye irritation. Suspected of causing cancer.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. If eye irritation persists: Get medical attention. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

### 16.2. Miscellaneous Hazard Classes

**Canadian Carcinogenicity Hazard Class:** Not Applicable.

**Physical Hazards Not Otherwise Classified (PHNOC):** Not Applicable.

**Health Hazards Not Otherwise Classified (HHNOC):** Not Applicable.


**Biohazardous Infectious Materials Hazard Class:** Not Applicable.



## Safety Data Sheet

### 16.3. National Fire Protection Association (NFPA) Rating

Health: 2  
Flammability: 3  
Reactivity: 1  
Special Hazard:



### 16.4. Document Revision

Last Revision Date: 2023-09-11

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.