



Safety Data Sheet

Classified according to WHMIS 2015

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Potassium Dichromate Spectrophotometric Standard, 0.15 AU/cm at 340 nm
Alfa Wassermann Item #BX07-0077

Product Number: R6091015

Other Identifying Product Numbers: R6091015-1B

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

This product is not categorized as hazardous in any GHS hazard class.

2.2. GHS Label Elements

Pictograms: None Required.

Signal Word: None Required.

Safety Data Sheet

Hazard Statements: None Required.

Precautionary Statements: None Required.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	99.95
Sulfuric Acid	H ₂ SO ₄	98.07 g/mol	7664-93-9	0.05
Potassium Dichromate	K ₂ Cr ₂ O ₇	294.18 g/mol	7778-50-9	0.00

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: May cause irritation, redness, pain, and tearing.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: May cause irritation, redness, and pain.

Ingestion: Dilute immediately with water or milk. Induce vomiting. Call a physician.

4.2. Most Important Symptoms and Effects, Acute and Delayed

WARNING! Contains Hexavalent Chromium compound, which is a known carcinogen. Harmful if swallowed or absorbed through skin. Avoid ingestion and contact with skin, eyes, or clothing. May cause irritation to eyes and skin. Wash areas of contact with plenty of water. If ingested, dilute with water and induce vomiting. Call a physician. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness, and pain. CHRONIC EFFECTS / CARCINOGENICITY: Chronic poisoning can lead to liver damage.

4.3. Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Immediately flush with plenty of water for at least 15 minutes. Remove any contaminated clothing. Wash with soap and water, then flush again with water. Call a physician if irritation develops. Dilute immediately with water or milk. Induce vomiting. Call a physician.



Safety Data Sheet

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire (Water, water spray, foam, or dry chemical). If using water, do not allow water run off to enter sewer.

5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard. Contact with oxidizable substances may cause violent combustion.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear appropriate PPE for the size and nature of the spill. As a general rule, wear safety glasses and gloves.

6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Sulfuric Acid (7664-93-9)	TWA	USA	1 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sulfuric Acid (7664-93-9)	TLV-TWA	USA	0.2 mg/m ³ TWA (thoracic fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Potassium Dichromate (7778-50-9)	TWA	USA	5 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Potassium Dichromate (7778-50-9)	PEL	USA	5 µg/m ³ TWA (See 29 CFR 1910.1026, as Cr); 2.5 µg/m ³ Action Level (as Cr)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Potassium Dichromate (7778-50-9)	PEL-Ceiling	USA	0.1 mg/m ³ Ceiling (applies to any operations or sectors for which the Hexavalent Chromium standard [29 CFR 1910.1026] is stayed or is otherwise not in effect, as CrO ₃)	U.S. - OSHA - Final PELs - Ceiling Limits
Potassium Dichromate (7778-50-9)	TLV-TWA	USA	0.05 mg/m ³ TWA (as Cr)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Chemical resistant gloves.

Eye Protection: Safety glasses or goggles.

8.3. Personal Protective Equipment

Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.



Safety Data Sheet

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Yellow liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Acidic

Melting/Freezing Point: 0.0°C

Initial Boiling Point/Range: 100°C - 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.00

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Reducing Agents, Acetone plus Sulfuric Acid, Boron plus Silicon, Ethylene Glycol, Iron, Hydrazine, and Hydroxylamine. Any combustible organic or other readily oxidizable material (paper, wood, sulfur, aluminum, or plastics).



Safety Data Sheet

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LD50, Oral, Rat: 25 mg/kg (Potassium Dichromate), Behavioral and sensory effects noted. LD50, Dermal, Rabbit: 14 mg/kg (Potassium Dichromate) respiratory, gastrointestinal and skin effects noted. LD50, Oral, Rat: 2140 mg/kg (Sulfuric Acid), details of toxic effects not reported other than lethal dose value. LC50, Inhalation, Rat: (Sulfuric Acid) 510 mg/m³/2H, No toxic effect noted.

Skin Corrosion and Irritation:

Not applicable.

Serious Eye Damage and Irritation:

Not applicable.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.



Safety Data Sheet

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.



Safety Data Sheet

14.2. Transportation by Air - International Air Transport Association (IATA)

Not regulated according to IATA Dangerous Goods Regulations.

14.3 Transportation of Dangerous Goods (TDG, Canada)

Not regulated according to TDG Regulations.

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Potassium Dichromate (CAS # 7778-50-9): 5 µg/m³ TWA (See 29 CFR 1910.1026, as Cr); 2.5 µg/m³ Action Level (as Cr)

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Sulfuric Acid (CAS # 7664-93-9): 1000 lb EPCRA RQ

Sulfuric Acid (CAS # 7664-93-9): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Sulfuric Acid (CAS # 7664-93-9): 1000 lb final RQ; 454 kg final RQ

Potassium Dichromate (CAS # 7778-50-9): 10 lb final RQ; 4.54 kg final RQ

Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Sulfuric Acid (CAS # 7664-93-9): 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

Potassium Dichromate (CAS # 7778-50-9): 0.1 % de minimis concentration (except for Chromite ore mined in the Transvaal Region of South Africa and the unreacted ore component of the Chromite ore processing residue (COPR), Chemical Category N090)

15.5. Massachusetts Right-to-Know Substance List

Sulfuric Acid (CAS # 7664-93-9): Extraordinarily hazardous

Potassium Dichromate (CAS # 7778-50-9): Present

15.6. Pennsylvania Right-to-Know Hazardous Substances

Sulfuric Acid (CAS # 7664-93-9): Environmental hazard

Sulfuric Acid (CAS # 7664-93-9): Present

Water (CAS # 7732-18-5): Present

Potassium Dichromate (CAS # 7778-50-9): Environmental hazard

Potassium Dichromate (CAS # 7778-50-9): Environmental hazard; Special hazardous substance

Potassium Dichromate (CAS # 7778-50-9): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Sulfuric Acid (CAS # 7664-93-9): carcinogen; corrosive; reactive - second degree

Sulfuric Acid (CAS # 7664-93-9): sn 1761

Sulfuric Acid (CAS # 7664-93-9): SN 1761 500 lb TPQ

Potassium Dichromate (CAS # 7778-50-9): carcinogen

Potassium Dichromate (CAS # 7778-50-9): carcinogen; mutagen

Potassium Dichromate (CAS # 7778-50-9): sn 1564

Potassium Dichromate (CAS # 7778-50-9): sn 2245

Potassium Dichromate (CAS # 7778-50-9): SN 2245 500 lb TPQ (Category Code N090)

Potassium Dichromate (CAS # 7778-50-9): sn 3575

15.8. California Proposition 65

Sulfuric Acid (CAS # 7664-93-9): carcinogen, 3/14/2003

Potassium Dichromate (CAS # 7778-50-9): 0.001 µg/day NSRL (inhalation)

Potassium Dichromate (CAS # 7778-50-9): carcinogen, 2/27/1987

Potassium Dichromate (CAS # 7778-50-9): developmental toxicity, 12/19/2008

Potassium Dichromate (CAS # 7778-50-9): female reproductive toxicity 12/19/08

Potassium Dichromate (CAS # 7778-50-9): male reproductive toxicity, 12/19/08

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Sulfuric Acid (CAS # 7664-93-9): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Potassium Dichromate (CAS # 7778-50-9): Present (DSL)

Safety Data Sheet

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Sulfuric Acid (CAS # 7664-93-9): Present

Water (CAS # 7732-18-5): Present

Potassium Dichromate (CAS # 7778-50-9): Present [R]

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Sulfuric Acid (CAS # 7664-93-9): 231-639-5

Sulfuric Acid (CAS # 7664-93-9): 237-464-0

Water (CAS # 7732-18-5): 231-791-2

Water (CAS # 7732-18-5): 232-148-9

Potassium Dichromate (CAS # 7778-50-9): 231-906-6

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
 Flammability: 0
 Reactivity: 0
 Special Hazard:



16.4. Document Revision

Last Revision Date: 2021-10-06

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.