



Safety Data Sheet

Classified according to WHMIS 2015

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Sodium Chloride, 10 g/L in Mixed Alcohol Solvent
for determination of Salts in Crude Oil

Product Number: 7212

Other Identifying Product Numbers: 7212-32

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements:	Precautionary Statements:
Acute Toxicity - Oral	Category 4	H302	P264, P270, P301+P312, P330, P501
Skin Corrosion / Irritation	Category 2	H315	P264, P280, P302+P352, P321, P332+P313, P362
Eye Damage / Irritation	Category 2	H319	P264, P280, P305+P351+P338, P337+P313
Reproductive Toxicity	Category 1	H360	P201, P202, P280, P308+P313, P405, P501
Specific Target Organs/Systemic Toxicity Following Single Exposure	Category 2	H371	P260, P264, P270, P308+P311, P405, P501
Flammable Liquids	Category 3	H226	P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.
H371	May cause damage to organs.

Safety Data Sheet

Precautionary Statements:

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks and open flame. No smoking.
P233	Keep container tightly closed.
P240	Ground container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves and eye protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER or physician.
P308+P313	IF exposed or concerned: Get medical attention.
P321	Specific treatment (Wash areas of contact with water).
P330	Rinse mouth.
P332+P313	If skin irritation occurs: Get medical attention.
P337+P313	If eye irritation persists: Get medical attention.
P362	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
1-Butanol	CH ₃ CH ₂ CH ₂ CH ₂ OH	74.12 g/mol	71-36-3	44.33
Water	H ₂ O	18.01 g/mol	7732-18-5	29.22
Methyl Alcohol	CH ₃ OH	32.04 g/mol	67-56-1	25.29
Sodium Chloride	NaCl	58.44 g/mol	7647-14-5	1.16

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Results in drying and cracking which can lead to secondary infections and dermatitis. Dermal absorption causes many of the symptoms of inhalation.

Ingestion: IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Dilute immediately with water or milk. Induce vomiting. Call a physician.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May damage fertility or the unborn child. May cause damage to organs. Flammable liquid. Toxic by ingestion, inhalation and dermal absorption. Cannot be made non-poisonous. If ingested, give large quantity of water and induce vomiting. Call a physician. Contact may cause dryness and cracking of the skin. May cause irritation to the eyes. Wash areas of contact with water. May cause irritation of the respiratory system. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: Results in drying and cracking which can lead to secondary infections and dermatitis. Dermal absorption causes many of the symptoms of inhalation.

4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Call a physician if irritation develops. Dilute immediately with water or milk. Induce vomiting. Call a physician.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Carbon dioxide, dry chemical, alcohol foam



Safety Data Sheet

5.2. Specific Hazards Arising from the Substance or Mixture

Flammable liquid and vapor. Moderate explosion hazard and dangerous fire hazard when exposed to heat, sparks and open flames. Above flash point, vapor-air mixtures are explosive within flammable limits noted above. Sensitive to static discharge.

5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Methyl Alcohol (67-56-1)	TLV-STEL	USA	"250 ppm STEL" As Methanol [67-56-1]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Methyl Alcohol (67-56-1)	TWA	USA	"200 ppm TWA; 260 mg/m ³ TWA" As Methyl alcohol [67-56-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Methyl Alcohol (67-56-1)	TLV-TWA	USA	"200 ppm TWA" As Methanol [67-56-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Methyl Alcohol (67-56-1)	TWA	USA	"200 ppm TWA; 260 mg/m ³ TWA" As Methyl alcohol [67-56-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Methyl Alcohol (67-56-1)	TLV-TWA	USA	"200 ppm TWA" As Methanol [67-56-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Methyl Alcohol (67-56-1)	TLV-STEL	USA	"250 ppm STEL" As Methanol [67-56-1]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Methyl Alcohol (67-56-1)	TWA	USA	200 ppm TWA; 260 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Methyl Alcohol (67-56-1)	TLV-TWA	USA	200 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Methyl Alcohol (67-56-1)	TLV-STEL	USA	250 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Methyl Alcohol (67-56-1)	TLV-TWA	USA	"200 ppm TWA" As Methanol [67-56-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Methyl Alcohol (67-56-1)	TLV-STEL	USA	"250 ppm STEL" As Methanol [67-56-1]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Methyl Alcohol (67-56-1)	TWA	USA	"200 ppm TWA; 260 mg/m ³ TWA" As Methyl alcohol [67-56-1]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
1-Butanol (71-36-3)	TLV-TWA	USA	"20 ppm TWA" As n-Butanol [71-36-3]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
1-Butanol (71-36-3)	TWA	USA	"100 ppm TWA; 300 mg/m ³ TWA" As n-Butyl alcohol [71-36-3]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
1-Butanol (71-36-3)	TLV-TWA	USA	"20 ppm TWA" As n-Butanol [71-36-3]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Safety Data Sheet

1-Butanol (71-36-3)	TWA	USA	"100 ppm TWA; 300 mg/m ³ TWA" As n-Butyl alcohol [71-36-3]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
1-Butanol (71-36-3)	TLV-TWA	USA	"20 ppm TWA" As n-Butanol [71-36-3]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
1-Butanol (71-36-3)	TWA	USA	"100 ppm TWA; 300 mg/m ³ TWA" As n-Butyl alcohol [71-36-3]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
1-Butanol (71-36-3)	TLV-TWA	USA	"20 ppm TWA" As n-Butanol [71-36-3]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
1-Butanol (71-36-3)	TWA	USA	"100 ppm TWA; 300 mg/m ³ TWA" As n-Butyl alcohol [71-36-3]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
1-Butanol (71-36-3)	TLV-TWA	USA	20 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
1-Butanol (71-36-3)	TWA	USA	100 ppm TWA; 300 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

8.2. Exposure Controls

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

Respiratory Protection: Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn. Chemical resistant gloves. Safety glasses or goggles.



Safety Data Sheet

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Approximately 118°C - Approximately 118°C

Flash Point: Approximately 29°C

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 0.86

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Strong oxidizing agents such as Nitrates, Perchlorates or Sulfuric Acid, heat, sparks, open flame. Will attack some forms of plastics, rubber and coatings. May react with metallic aluminum and generate hydrogen gas.



Safety Data Sheet

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Harmful if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LD50, Oral, Rat: (Methanol) 5628 mg/kg, (Sodium Chloride) 3000 mg/kg, details of toxic effects not reported other than lethal dose value; (n-Butanol) 790 mg/kg, liver, kidney, blood effects noted.

Skin Corrosion and Irritation:

Causes skin irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

May damage fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.



Safety Data Sheet

Specific Target Organ Toxicity from Single Exposure:

May cause damage to organs. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed or concerned: Call a POISON CENTER or physician. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.



Safety Data Sheet

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1 L

UN Number: UN1987

Proper Shipping Name: Alcohols, n.o.s. (Butanol, Methanol)

Hazard Class: 3

Packing Group: III

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 L

UN Number: UN1987

Proper Shipping Name: Alcohols, n.o.s. (Butanol, Methanol)

Hazard Class: 3

Packing Group: III

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1 L

UN Number: UN1987

Proper Shipping Name: ALCOHOLS, N.O.S. (butanol, methanol)

Hazard Class: 3

Packing Group: III

Hazard Label(s):



Safety Data Sheet

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Not listed.

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Methyl Alcohol (CAS # 67-56-1): "5000 lb final RQ; 2270 kg final RQ" As Methanol [67-56-1]

Methyl Alcohol (CAS # 67-56-1): 5000 lb final RQ; 2270 kg final RQ

1-Butanol (CAS # 71-36-3): "5000 lb final RQ; 2270 kg final RQ" As 1-Butanol [71-36-3]

1-Butanol (CAS # 71-36-3): 5000 lb final RQ; 2270 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Methyl Alcohol (CAS # 67-56-1): "1.0 % de minimis concentration" As Methanol [67-56-1]

Methyl Alcohol (CAS # 67-56-1): 1.0 % de minimis concentration

1-Butanol (CAS # 71-36-3): "1.0 % de minimis concentration" As n-Butyl alcohol [71-36-3]

1-Butanol (CAS # 71-36-3): "100 lb RT" As Lead compounds [RR-00630-4]

1-Butanol (CAS # 71-36-3): "not eligible for the de minimis exemption" As Lead compounds [RR-00630-4]

1-Butanol (CAS # 71-36-3): 1.0 % de minimis concentration

15.5. Massachusetts Right-to-Know Substance List

Methyl Alcohol (CAS # 67-56-1): "Present" As Methanol [67-56-1]

Methyl Alcohol (CAS # 67-56-1): Present

1-Butanol (CAS # 71-36-3): "Present" As 1-Butanol [71-36-3]

1-Butanol (CAS # 71-36-3): Present

15.6. Pennsylvania Right-to-Know Hazardous Substances

Methyl Alcohol (CAS # 67-56-1): "Environmental hazard" As Methanol [67-56-1]

Methyl Alcohol (CAS # 67-56-1): "Present" As Denatured alcohols [RR-00113-8]

Methyl Alcohol (CAS # 67-56-1): "Present" As Methanol [67-56-1]

Methyl Alcohol (CAS # 67-56-1): Environmental hazard

Methyl Alcohol (CAS # 67-56-1): Present

1-Butanol (CAS # 71-36-3): "Environmental hazard" As 1-Butanol [71-36-3]

1-Butanol (CAS # 71-36-3): "Environmental hazard" As Lead compounds [RR-00630-4]

1-Butanol (CAS # 71-36-3): "Present" As 1-Butanol [71-36-3]

1-Butanol (CAS # 71-36-3): "Present" As Lead compounds [RR-00630-4]

1-Butanol (CAS # 71-36-3): Environmental hazard

1-Butanol (CAS # 71-36-3): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Methyl Alcohol (CAS # 67-56-1): "flammable - third degree; teratogen" As Methyl alcohol [67-56-1]
Methyl Alcohol (CAS # 67-56-1): "SN 1222 500 lb TPQ" As Methanol [67-56-1]
Methyl Alcohol (CAS # 67-56-1): "sn 1222" As Methyl alcohol [67-56-1]
Methyl Alcohol (CAS # 67-56-1): flammable - third degree; teratogen
Methyl Alcohol (CAS # 67-56-1): sn 1222
Methyl Alcohol (CAS # 67-56-1): SN 1222 500 lb TPQ
1-Butanol (CAS # 71-36-3): "carcinogen" As Lead compounds [RR-00630-4]
1-Butanol (CAS # 71-36-3): "flammable - third degree" As n-Butyl alcohol [71-36-3]
1-Butanol (CAS # 71-36-3): "SN 1330 500 lb TPQ" As n-Butyl alcohol [71-36-3]
1-Butanol (CAS # 71-36-3): "sn 1330" As n-Butyl alcohol [71-36-3]
1-Butanol (CAS # 71-36-3): "SN 2266 500 lb TPQ (Category Code N420. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Lead compounds [RR-00630-4]
1-Butanol (CAS # 71-36-3): "sn 2266" As Lead compounds [RR-00630-4]
1-Butanol (CAS # 71-36-3): flammable - third degree
1-Butanol (CAS # 71-36-3): sn 1330
1-Butanol (CAS # 71-36-3): SN 1330 500 lb TPQ

15.8. California Proposition 65

Methyl Alcohol (CAS # 67-56-1): "developmental toxicity, 3/16/2012" As Methanol [67-56-1]
Methyl Alcohol (CAS # 67-56-1): developmental toxicity, 3/16/2012
1-Butanol (CAS # 71-36-3): "carcinogen, 10/1/1992" As Lead compounds [RR-00630-4]

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Methyl Alcohol (CAS # 67-56-1): "Present" As Alcohols, C1-3 [68475-56-9] (NDSL)
Methyl Alcohol (CAS # 67-56-1): "Present" As Methyl alcohol [67-56-1] (DSL)
Methyl Alcohol (CAS # 67-56-1): Present (DSL)
Methyl Alcohol (CAS # 67-56-1): Present (NDSL)
1-Butanol (CAS # 71-36-3): "Present" As n-Butyl alcohol [71-36-3] (DSL)
1-Butanol (CAS # 71-36-3): Present (DSL)
Sodium Chloride (CAS # 7647-14-5): "Present" As Sodium chloride [7647-14-5] (DSL)
Sodium Chloride (CAS # 7647-14-5): Present (DSL)
Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)
Water (CAS # 7732-18-5): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Safety Data Sheet

Methyl Alcohol (CAS # 67-56-1): "Present (ACTIVE)" As Methanol [67-56-1]
Methyl Alcohol (CAS # 67-56-1): Present (ACTIVE)
1-Butanol (CAS # 71-36-3): "Present (ACTIVE)" As 1-Butanol [71-36-3]
1-Butanol (CAS # 71-36-3): Present (ACTIVE)
Sodium Chloride (CAS # 7647-14-5): "Present (ACTIVE)" As Sodium chloride (NaCl) [7647-14-5]
Sodium Chloride (CAS # 7647-14-5): Present (ACTIVE)
Water (CAS # 7732-18-5): "Present (ACTIVE)" As Water [7732-18-5]
Water (CAS # 7732-18-5): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Methyl Alcohol (CAS # 67-56-1): "200-659-6" As Methanol [67-56-1]
Methyl Alcohol (CAS # 67-56-1): 200-659-6
Methyl Alcohol (CAS # 67-56-1): 270-649-4
1-Butanol (CAS # 71-36-3): "200-751-6" As Butan-1-ol [71-36-3]
1-Butanol (CAS # 71-36-3): 200-751-6
Sodium Chloride (CAS # 7647-14-5): "231-598-3" As Sodium chloride [7647-14-5]
Sodium Chloride (CAS # 7647-14-5): 231-598-3
Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]
Water (CAS # 7732-18-5): 231-791-2

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May damage fertility or the unborn child. May cause damage to organs.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves and eye protection.

IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Rinse mouth. If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

Safety Data Sheet

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 1
Flammability: 3
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2025-01-30

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.