



Safety Data Sheet

Classified according to WHMIS 2015

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Tucker's Etch

Product Number: 8699

Other Identifying Product Numbers: 8699-32

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

| Hazard Class | Category | Hazard Statements | Precautionary Statements: |
|--|------------|-------------------|---|
| Acute Toxicity - Oral | Category 3 | H301 | P264, P270, P301+P310, P321, P330, P405, P501 |
| Acute Toxicity - Inhalation | Category 1 | H330 | P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501 |
| Skin Corrosion / Irritation | Category 1 | H314 | P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501 |
| Eye Damage / Irritation | Category 1 | H318 | P280, P305+P351+P338, P310 |
| Specific Target Organs/Systemic Toxicity Following Repeated Exposure | Category 1 | H372 | P260, P264, P270, P314, P501 |
| Corrosive to Metals | Category 1 | H290 | P234, P390, P406 |
| Hazardous to the Aquatic Environment (Acute) | Category 2 | H401 | P273, P501 |
| Hazardous to the Aquatic Environment (Chronic) | Category 2 | H411 | P273, P391, P501 |

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**



Safety Data Sheet

Hazard Statements:

| Hazard Number | Hazard Statement |
|---------------|---|
| H290 | May be corrosive to metals. |
| H301 | Toxic if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H401 | Toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

Safety Data Sheet

Precautionary Statements:

| Precautionary Number | Precautionary Statement |
|----------------------|--|
| P234 | Keep only in original container. |
| P260 | Do not breathe fumes, mist, vapors, or spray. |
| P264 | Wash arms, hands and face thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves and eye protection. |
| P285 | In case of inadequate ventilation wear respiratory protection. |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER or physician. |
| P301+P330+P331 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or physician. |
| P314 | Get medical attention if you feel unwell. |
| P320 | Specific treatment is urgent (Wash areas of contact with water immediately). |
| P321 | Specific treatment (Wash areas of contact with water immediately). |
| P330 | Rinse mouth. |
| P363 | Wash contaminated clothing before reuse. |
| P390 | Absorb spillage to prevent material damage. |
| P391 | Collect spillage. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P406 | Store in corrosive resistant container with a resistant inner liner. |
| P501 | Dispose of contents in accordance with local, state, federal and international regulations. |

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

| Chemical Name | Formula | Molecular Weight | CAS Number | Weight% |
|-------------------|------------------|------------------|------------|---------|
| Water | H ₂ O | 18.01 g/mol | 7732-18-5 | 63.30 |
| Hydrochloric Acid | HCl | 36.46 g/mol | 7647-01-0 | 16.85 |
| Nitric Acid | HNO ₃ | 63.01 g/mol | 7697-37-2 | 12.73 |
| Hydrofluoric Acid | HF | 20.00 g/mol | 7664-39-3 | 7.13 |

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Corrosive! Causes irritation and burns. Can cause burns that may lead to permanent impairment of vision, including blindness.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May produce pain, redness, severe irritation or full thickness burns. May be absorbed through the skin with possible systemic effects.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Do not induce vomiting. Give large quantity of water. Call a physician immediately.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Toxic if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Causes damage to organs through prolonged or repeated exposure. DANGER! CORROSIVE! Toxic! Extremely hazardous liquid. Causes severe burns which may not be immediately painful or visible. May be fatal if swallowed or inhaled. Can burn eyes, skin and respiratory tract. May cause bone damage. If swallowed, do not induce vomiting. Dilute with water and call a physician. Do not get in eyes, on skin or clothing. Use only with adequate ventilation. Wash thoroughly after handling. EYE CONTACT: Corrosive! Causes irritation and burns. Can cause burns that may lead to permanent impairment of vision, including blindness. SKIN CONTACT: May produce pain, redness, severe irritation or full thickness burns. May be absorbed through the skin with possible systemic effects. CHRONIC EFFECTS / CARCINOGENICITY: Chronic exposures may cause mottling of teeth and bone damage and fluorosis. Symptoms of fluorosis include brittle bones, weight loss, anemia, calcified ligaments, general ill health and joint stiffness.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately). Irrigate immediately with large quantity of water for at least 15 minutes. Get medical attention immediately. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact immediately with water for at least 15 minutes. Soak the affected area with 70% Denatured Ethyl Alcohol solution or Epsom salts for 1 to 4 hours. Call a physician immediately. Do not induce vomiting. Give large quantity of water. Call a physician immediately.

Safety Data Sheet

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Does not burn. Use extinguishing agents compatible with acid and appropriate for the burning material. Does not burn. Use extinguishing media appropriate for surrounding fire.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible. Aqueous hydrochloric acid solutions react with most metals, forming flammable hydrogen gas. Strong oxidizer. Contact of concentrated nitric acid with combustible materials may increase the hazard from fire and may lead to an explosion. Decomposes at fire temperature with release of oxides of nitrogen. Releases hydrogen gas on contact with many metals.

5.3. Special Protective Equipment for Firefighters

Wear special protective clothing and positive pressure self-contained breathing apparatus. Butyl rubber or Teflon barrier recommended. Wear special protective clothing and positive pressure self-contained breathing apparatus. Butyl rubber, natural rubber, Neoprene, nitrile rubber, or polyvinyl alcohol barrier recommended.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Approach release from upwind. Stop or control the leak, if this can be done without undue risk. Use water fog or spray to knock down and absorb vapors. Releases may require isolation or evacuation. Control runoff and isolate discharged material for proper disposal. Releases may require isolation or evacuation. Approach release from upwind. Stop or control the leak, if this can be done without undue risk. Use water spray to cool and disperse vapors and protect personnel. Avoid solid stream on pooled liquids. Prompt cleanup and removal are necessary. Control runoff and isolate discharged material for proper disposal.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Do not mix with bases.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

| Chemical Name | Limit Type | Country | Exposure Limit | Information Source |
|-------------------------------|-------------|---------|--|--|
| Hydrochloric Acid (7647-01-0) | TLV-Ceiling | USA | 2 ppm Ceiling | ACGIH - Threshold Limit Values - Ceilings (TLV-C) |
| Hydrochloric Acid (7647-01-0) | PEL-Ceiling | USA | 5 ppm Ceiling; 7 mg/m ³ Ceiling | U.S. - OSHA - Final PELs - Ceiling Limits |
| Hydrofluoric Acid (7664-39-3) | TWA | USA | "2.5 mg/m ³ TWA (as F)" As Fluorides [RR-02792-9] | U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Hydrofluoric Acid (7664-39-3) | TLV-TWA | USA | "2.5 mg/m ³ TWA (as F)" As Fluorides [RR-02792-9] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Hydrofluoric Acid (7664-39-3) | TLV-TWA | USA | 0.5 ppm TWA (as F) | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Hydrofluoric Acid (7664-39-3) | TWA | USA | 3 ppm TWA (as F) | U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Hydrofluoric Acid (7664-39-3) | TLV-Ceiling | USA | 2 ppm Ceiling (as F) | ACGIH - Threshold Limit Values - Ceilings (TLV-C) |
| Hydrofluoric Acid (7664-39-3) | TLV-TWA | USA | 2.5 mg/m ³ TWA (as F) | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Hydrofluoric Acid (7664-39-3) | TWA | USA | 2.5 mg/m ³ TWA (as F) | U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Nitric Acid (7697-37-2) | TWA | USA | 2 ppm TWA; 5 mg/m ³ TWA | U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | 2 ppm TWA | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | 4 ppm STEL | ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL) |

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves, Neoprene or PVC.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

Safety Data Sheet

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Chemical resistant gloves, Neoprene or PVC. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Clear, orange/brown liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Highly acidic

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Data not available.

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.18

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

Safety Data Sheet

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders, Carbides, Hydrogen Sulfide, Turpentine and combustible organics.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Toxic if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Rinse mouth. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LC50, Inhalation, Rat: 1276 ppm/1 H (Hydrofluoric Acid). LD50, Oral, Rabbit (Hydrochloric Acid) 900 mg/kg; details of toxic effects not reported other than lethal dose value. LCLo, inhalation, human: 3000 ppm/5 minutes: No toxic effects noted. LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Safety Data Sheet

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.
Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Safety Data Sheet

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1 L

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid, Nitric Acid, Hydrofluoric Acid)

Hazard Class: 8

Packing Group: II

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 L

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Hydrochloric Acid, Nitric Acid, Hydrofluoric Acid)

Hazard Class: 8

Packing Group: II

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1 L

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (hydrochloric acid, nitric acid, hydrofluoric acid)

Hazard Class: 8

Packing Group: II

Hazard Label(s):



Safety Data Sheet

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrochloric Acid (CAS # 7647-01-0): 500 lb TPQ (gas only)

Hydrochloric Acid (CAS # 7647-01-0): 5000 lb EPCRA RQ (gas only)

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Hydrochloric Acid (CAS # 7647-01-0): 5000 lb final RQ; 2270 kg final RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb final RQ; 45.4 kg final RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Hydrochloric Acid (CAS # 7647-01-0): 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

Hydrofluoric Acid (CAS # 7664-39-3): 1.0 % de minimis concentration

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

15.5. Massachusetts Right-to-Know Substance List

Hydrochloric Acid (CAS # 7647-01-0): Extraordinarily hazardous

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

15.6. Pennsylvania Right-to-Know Hazardous Substances

Hydrochloric Acid (CAS # 7647-01-0): Environmental hazard

Hydrochloric Acid (CAS # 7647-01-0): Present

Hydrofluoric Acid (CAS # 7664-39-3): Environmental hazard

Hydrofluoric Acid (CAS # 7664-39-3): Present

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Hydrochloric Acid (CAS # 7647-01-0): corrosive
Hydrochloric Acid (CAS # 7647-01-0): sn 1012
Hydrochloric Acid (CAS # 7647-01-0): SN 1012 500 lb TPQ; SN 2909 500 lb TPQ (gas only)
Hydrofluoric Acid (CAS # 7664-39-3): "sn 0936" As Fluorides [RR-02792-9]
Hydrofluoric Acid (CAS # 7664-39-3): corrosive
Hydrofluoric Acid (CAS # 7664-39-3): sn 0936
Hydrofluoric Acid (CAS # 7664-39-3): sn 3759
Hydrofluoric Acid (CAS # 7664-39-3): SN 3759 100 lb TPQ; SN 1014 100 lb TPQ
Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree
Nitric Acid (CAS # 7697-37-2): sn 1356
Nitric Acid (CAS # 7697-37-2): SN 1356 500 lb TPQ
Nitric Acid (CAS # 7697-37-2): sn 3722
Nitric Acid (CAS # 7697-37-2): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

15.8. California Proposition 65

Not listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Hydrochloric Acid (CAS # 7647-01-0): Present (DSL)
Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)
Nitric Acid (CAS # 7697-37-2): Present (DSL)
Water (CAS # 7732-18-5): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Hydrochloric Acid (CAS # 7647-01-0): Present (ACTIVE)
Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)
Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)
Water (CAS # 7732-18-5): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Hydrochloric Acid (CAS # 7647-01-0): 231-595-7
Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8
Nitric Acid (CAS # 7697-37-2): 231-714-2
Water (CAS # 7732-18-5): 231-791-2

Safety Data Sheet

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Toxic if swallowed. Causes severe skin burns and eye damage. Fatal if inhaled. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: Immediately call a POISON CENTER or physician. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if you feel unwell. Specific treatment is urgent (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

| | |
|------------------------|---|
| Health: | 3 |
| Flammability: | 0 |
| Reactivity: | 0 |
| Special Hazard: | |



16.4. Document Revision

Last Revision Date: 2023-09-11

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.