

Product Specification

Aluminum ICP Standard, 10,000 ppm Al in 5% HNO₃

Lot Number: SAMPLE

Product Number: PAL10KN

Manufacture Date: N/A

Expiration Date: N/A

The certified value for this product is confirmed in independent testing by a second qualified chemist. The uncertainty associated with the certified value is ± 0.5% relative, which is the sum of the estimated errors due to the purity of the raw material, the volumetric preparation of the solution, and transpiration of the solution through the container wall.

The final solution concentration is confirmed by AA, ICP, or ICP-MS, and is traceable to NIST Standard Reference Material 3101. All trace level elements were determined by ICP or ICP-MS.

Name	CAS#	Grade
Water	7732-18-5	
Aluminum Nitrate Nonahydrate	7784-27-2	
Nitric Acid	7697-37-2	

Test	Specification	Result	NIST SRM#
Appearance	Colorless liquid	N/A	
Assay (vs. EDTA/Dithizone)	9950-10050 ppm Al	N/A	915

Trace Elements by ICP or ICP - MS

I=Spectral Interference N=Not Tested

All values reported in mg/L (ppm)

Antimony (Sb)	N/A	Lead (Pb)	N/A	Strontium (Sr)	N/A
Arsenic (As)	N/A	Lithium (Li)	N/A	Sulfur (S)	N/A
Barium (Ba)	N/A	Lutetium (Lu)	N/A	Tantalum (Ta)	N/A
Beryllium (Be)	N/A	Magnesium (Mg)	N/A	Tellurium (Te)	N/A
Bismuth (Bi)	N/A	Manganese (Mn)	N/A	Terbium (Tb)	N/A
Boron (B)	N/A	Mercury (Hg)	N/A	Thallium (Tl)	N/A
Cadmium (Cd)	N/A	Molybdenum (Mo)	N/A	Thorium (Th)	N/A
Calcium (Ca)	N/A	Neodymium (Nd)	N/A	Thulium (Tm)	N/A
Cerium (Ce)	N/A	Nickel (Ni)	N/A	Tin (Sn)	N/A
Cesium (Cs)	N/A	Niobium (Nb)	N/A	Titanium (Ti)	N/A
Chromium (Cr)	N/A	Osmium (Os)	N/A	Tungsten (W)	N/A
Cobalt (Co)	N/A	Palladium (Pd)	N/A	Uranium (U)	N/A
Copper (Cu)	N/A	Phosphorus (P)	N/A	Vanadium (V)	N/A
Dysprosium (Dy)	N/A	Platinum (Pt)	N/A	Ytterbium (Yb)	N/A
Erbium (Er)	N/A	Potassium (K)	N/A	Yttrium (Y)	N/A
Europium (Eu)	N/A	Praseodymium (Pr)	N/A	Zinc (Zn)	N/A
Gadolinium (Gd)	N/A	Rhenium (Re)	N/A	Zirconium (Zr)	N/A
Gallium (Ga)	N/A	Rhodium (Rh)	N/A		
Germanium (Ge)	N/A	Rubidium (Rb)	N/A		
Gold (Au)	N/A	Ruthenium (Ru)	N/A		
Hafnium (Hf)	N/A	Samarium (Sm)	N/A		
Holmium (Ho)	N/A	Scandium (Sc)	N/A		
Indium (In)	N/A	Selenium (Se)	N/A		
Iridium (Ir)	N/A	Silicon (Si)	N/A		
Iron (Fe)	N/A	Silver (Ag)	N/A		
Lanthanum (La)	N/A	Sodium (Na)	N/A		

Specification**Reference**Aluminum ICP, 10K ppm in HNO₃

EPA (200.7)

This standard is guaranteed to be stable and accurate provided the product is kept tightly capped and stored under normal laboratory conditions. Balances are calibrated using NIST traceable weights whose verification of maintenance and recalibration is documented per in-house Standard Operating Procedures. Class A glassware is also calibrated and routinely rechecked per in-house Standard Operating Procedures. Trace metal analyzed acids and Trace Metals Analyzed Water are used in the manufacture of this product. Triple cleaned containers are used in the manufacture of this product.

Part Number**Size / Package Type****Shelf Life (Unopened Container)**

PAL10KN-100

100 mL natural LDPE

18 months

PAL10KN-50

50 mL natural poly

18 months

PAL10KN-500

500 mL natural poly

18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.