

Certificate of Analysis

Ferric Chloride Hexahydrate, ACS Reagent Grade

Lot Number: 1401C71

Product Number: RDCF0200

Date Packaged: JAN 05, 2024

Recommended Retest Date: JAN 2026

Contains

FeCl₃·6H₂O CAS No. 10025-77-1 MW 270.30

Test	Specification	Result
Assay	97.0-102.0 %	99.5 %
Calcium (Ca)	max 0.01 %	0.0007 %
Copper (Cu)	max 0.003 %	0.001 %
Ferrous Iron (Fe ²⁺)	max 0.002 %	< 0.0001 %
Insoluble Matter	max 0.01 %	< 0.0001 %
Magnesium (Mg)	max 0.005 %	0.0001 %
Nitrate (NO ₃)	max 0.01 %	< 0.01 %
Phosphorus compounds (as PO ₄)	max 0.01 %	0.003 %
Potassium (K)	max 0.005 %	0.001 %
Sodium (Na)	max 0.05 %	0.0008 %
Sulfate (SO ₄)	max 0.01 %	0.003 %
Zinc (Zn)	max 0.003 %	0.001 %

Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document traceability and production history for each lot manufactured.

Part Number	Size / Package Type
RDCF0200-500B1	500 g poly

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Heidi J Green (01/05/2024)

Operations Manager

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.