

Certificate of Analysis

Sodium Carbonate, 0.0454 Normal, 1 mL = 1 mg CO₂

Lot Number: 2401G77

Product Number: 7180

Manufacture Date: JAN 19, 2024

Expiration Date: JAN 2025

| Name | CAS# | Grade |
|------------------|-----------|-----------------|
| Water | 7732-18-5 | ACS/ASTM/USP/EP |
| Sodium Carbonate | 497-19-8 | ACS |

| Test | Specification | Result | NIST SRM# |
|---|---------------------------|-------------------|-----------|
| Appearance | Colorless liquid | Passed | |
| Assay (vs. Sulfuric Acid/Methyl Orange) | 0.04539-0.04541 N at 20°C | 0.04541 N at 20°C | 723 |

| Specification | Reference |
|---|--------------|
| Standard Sodium Carbonate Titrant, 0.0454 N | APHA (407 B) |
| Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured. | |

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 7180-16 | 500 mL natural poly | 12 months |
| 7180-32 | 1 L natural poly | 12 months |

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Jose Pena (01/19/2024)

Operations Manager

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.