RICCA CHEMICAL COMPANY®

Certificate of Analysis

Sodium Hydroxide, 1% (w/v) (10 g/L)

Name	CAS#	Grade		
Water	7732-18-5	ACS/A	STM/USP/EP	
Sodium Hydroxide	1310-73-2	ACS		
Test	Specification		Result	NIST SRM#
Appearance	Colorless liquid		Passed	
Assay (vs. Sulfuric Acid/Phenolphthalein)	0.996-1.004 % (w/v)		0.996 % (w/v)	723
Specification]	Reference		
Sodium Hydroxide Solution (10 g/L)		ASTM (D 512	2 A)	
Sodium Hydroxide Solution (10 g/L)		ASTM (D 512	2 B)	
NaOH solution, approximately 1%	TAPPI (T 621 cm-71)			
Sodium Hydroxide Solution, 1.0% ± 0.1% NaO	H (0.25 N)	TAPPI (T 212	om-98)	
Sodium hydroxide, 1%	,	TAPPI (T 263	sp-97)	
Sodium Hydroxide Solution, 10 g/L	[EPA (325.3)		
Sodium Hydroxide Solution (10 g/L)	· · · · · · · · · · · · · · · · · · ·	ASTM (D 129	91)	
Sodium Hydroxide Solution (10 g/L)		ASTM (D 233	30)	
Volumetric glassware complies with Class A tolerance re- recalibrated regularly in accordance with ASTM E 542 a traceable to the NIST national mass standard. Thermom thermometer traceable to NIST standards. All products a methods. Batch records document raw material traceabil	nd NIST Procedure NBSIR 74-4 leters and temperature probes and are prepared according to master	61. Balances an re calibrated be r documents th	re calibrated regularly wit fore first use and recalibr at assure manufacture ac	ch weights certified cated regularly with
	e / Package Type		Shelf Life (Unopene	

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7243-1	4 L natural poly	36 months
7243-16	500 mL natural poly	36 months
7243-32	1 L natural poly	36 months
7243-5	20 L Cubitainer®	36 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Jose Pena (01/20/2024) Operations Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.